KEY:

- EXISTING FOUL WATER – ANGLIAN WATER
- EXISTING FOUL WATER TO BE REMOVED– ANGLIAN WATER
- PROPOSED FOUL WATER SEWER – ANGLIAN WATER
- PROPOSED FOUL WATER CHAMBER – ANGLIAN WATER
- PROPOSED SEWER – OTHER
- PROPOSED CHAMBER – OTHER
- 6m ANGLIAN WATER EASEMENT (WHERE ACHIEVEABLE)
- 3.67 EXISTING SITE LEVEL
- 3.000 PROPOSED SITE LEVEL
- 1:150 FALL PROPOSED SURFACE FALL

NO PLANTING IS PERMITTED WITHIN 3m OF THE DIVERTED SEWER

NOTIFIABLE HAZARDS:

EXCAVATION SAFETY:
0.5m–1.2m DEEP EXCAVATIONS MUST HAVE RISK ASSESSMENT FOR TRENCH SUPPORT. ANY EXCAVATION GREATER THAN 1.2m TRENCH SUPPORT IS MANDATORY. SPOIL AND PLANT EQUIPMENT MUST BE A SUITABLE DISTANCE AWAY FROM EXCAVATIONS TO NOT CAUSE COLLAPSE. EXCAVATIONS MUST HAVE SAFE AND SUITABLE ACCESS, AND MUST BE LEFT SECURE TO PREVENT UNAUTHORISED ACCESS AND APPROPRIATE HAZARD SIGNAGE DISPLAYED. TEMPORARY SHORING & STABILITY DESIGNS TO BE BY CONTRACTOR & AGREED WITH ANGLIAN WATER.

N

0 2 4 6 8 12 16 20m
1:200

REV.	DESCRIPTION	DRN.	APP.	DATE
–	FIRST ISSUE – FOR INFORMATION.	MRB	APW	12.09.25

SHIELDS WILSON
e: info@shieldswilson.co.uk t: 01775 729252
STRUCTURAL AND CIVIL ENGINEERING

STATUS: FOR INFORMATION

CLIENT: EAST ANGLIAN CIVILS HOLDINGS LTD.

PROJECT: PROPOSED RE–DEVELOPMENT OF YARD & BUILDINGS
66 BARRIER BANK, COWBIT, SPALDING,
LINCS. PE12 6AQ

TITLE: PROPOSED ANGLIAN WATER FOUL WATER
SEWER DIVERSION ARRANGEMENT

DATE	AUG. '25	SCALE @A1 1:200	DRAWING NO.	REV.
DRAWN	MRB		SW21–216–150	–

COPYRIGHT SHIELDS WILSON LIMITED. ALL RIGHTS RESERVED.