
DO NOT SCALE




All Main Columns to Have 2 No. T20 ø x 4500mm lg. Hairpins tied into Reinforced, Concrete Slab. (By Others) Please Note Hairpins Are Not Supplied Or Fitted By Shuffebottom Ltd.

FOUNDATION PLAN.


1:100

145mm Thk Concrete Panels Supplied And Fitted By Others. Shuffebottom To Provide Landing Cealts And Corner Angles At FFL.




GABLE COLUMN OFFSET ON LINE 1 AND OPOSITE HAND ON LINE 6.

1:20



FOUNDATION DETAIL FOR GABLE COLUMNS ON LINES 1 AND 6.

1:20



FOUNDATION DETAIL FOR MAIN COLUMNS ON LINES A AND B.

1:20

0m 1m 2m 3m 4m 5m 6m 7m 8m 9m 10m

1:100 Scale Bar.

NOTES

BUILDING DESIGN ALLOWS FOR A SOIL BEARING CAPACITY OF 75kN/sqm. CLIENT TO CONFIRM ACTUAL CAPACITY.

SOIL ANALYSIS TO BE ARRANGED BY CLIENT IF REQUIRED.

STEELWORK SHOTBLAST TO BS SA 2.5 HOT DIPPED GALVANISED FINISH TO BSEN ISO 1461.

3.5 METRE CLEARANCE REQUIRED TO FULL PERIMETER OF BUILDING FOR SAFE ERECTION. WITH FIRM HARDSTANDING SUITABLE FOR ACCESS AND LIFTING PLANT. (UNLESS ATTACHED TO EXISTING BUILDING)

ALL GROUT TO BE SUPPLIED AND INSTALLED BY CUSTOMER. (UNLESS AGREED OTHERWISE)

ALL CONCRETE AND PLANT SUPPLIED BY CUSTOMER. (UNLESS AGREED OTHERWISE)

ALL DIMENSIONS ARE FROM CENTRE TO CENTRE OF STEELWORK ON FOUNDATION PLAN UNLESS NOTED OTHERWISE, EXCEPT IN THE CASE OF ANGLES AND CHANNELS WHERE DIMENSIONS ARE TAKEN FROM THE OUTSIDE FACE OF THE ANGLE AND CHANNEL.

THIS IS HOW WE HAVE INTERPRETED YOUR REQUIREMENTS.

IF THIS IS INCORRECT COULD YOU PLEASE NOTIFY US WRITING WITHIN 7 DAYS OF RECEIVING YOUR DRAWING.

PLEASE NOTE:
THIS DRAWING IS INTENDED FOR PLANNING APPROVAL PURPOSES ONLY AND MUST NOT BE USED FOR CONSTRUCTION.

I CONFIRM THAT (IF APPLICABLE) THE FINISHED FLOOR LEVEL AS SHOWN ON THIS PLAN IS POSITIONED CORRECTLY.

SIGNED.....DATE.....

SHDC
Planning & Development
17 NOV 2009
Ref: 0895-09

REV	DESCRIPTION	DRAWN	APPROVED	DATE
A	PD MOVED. GROUND BEARING CAPACITY ALTERED. JOB NO UPDAETD.	TD	SM	16.11.09

STATUS

FOR PLANNING – NOT FOR CONSTRUCTION

SHUFFLEBOTTOM Ltd.

Cross Hands Business Park
Cross Hands, Llanelli, Carms.
Tel: 01269–831831 Fax: 01269–831031

CLIENT
MR. J. SPEECHLEY. ELM FARM, THE COMMON, CROWLAND, PETERBOROUGH, PE6 0HL.

PROJECT
PROPOSED STEEL FRAMED AGRICULTURAL BUILDING.

DRAWING TITLE
GROUNDPLAN AND FOUNDATION DETAILS.

DRAWN	TRACED	CHECKED	APPROVED	DATE
TAD				05.11.2009

SCALE	DRG No.	REV.
AS SHOWN	K9430/SD-01	

ORIGINAL DRAWING A1

created with pdfFactory trial version www.pdffactory.com