A1

02 NOV 2004

1281/04







DETERMINED PLAN

All habitable rooms shall have ventilation opening equal to at least 1/20th of the room floor area
All habitable rooms shall have background ventilation of 8000mm2,the Utility Room shall have mechanical venttilation capable of 30 litres/sec with 15 minute run on and 10mm gap under the door
Bathrooms have opening windows with trickle ventilation 4000mm2 and extrct fan of 15 litres/sec

**General Notes**

THIS DRAWING SHALL BE READ IN CONJUNCTION WITH THE SEPERATE BUILDING REGULATION SPECIFICATION NOTES

ALL DIMENSIONS SHALL BE CHECKED ON SITE AND UNDER NO CIRCUMSTANCES SHALL DIMENSIONS BE TAKEN FROM THE DRAWINGS AND USED FOR TENDERING ORDERING OR CONSTRUCTION PURPOESES WITHOUT CHECKING THEM ON SITE FIRST

THIS DRAWING IS THE COPYRIGHT OF J W MOSES AND SHALL NOT BE COPIED WITHOUR EXPRESS CONSENT

| No. | Revision/Issue | Date |
|---|---|---|
| A | PLANNING ALT | 1/11 |

Firm Name and Address
JOHN W MOSES M.R.I.C.S
CHARTERED SURVEYOR
3 PINE COURT
SPALDING
LINCOLNSHIRE
PE12 6FG

Project Name and Address
PROPOSED EXTENSION AND ALTERATIONS TO
4 ST GUTHLAC CLOSE
CROWLAND
LINCOLNSHIRE

| | |
|---|---|
| Project: JWM/GA/SGC/003 | Sheet: PROPOSED PLANS |
| Date: 12/8/04 | |
| Scale: 1:100 | |