

Flood Risk Assessment Statement

Planning REF: 403/1218/25

RE: PROPOSED NEW GARAGE BLOCK.
LONSDALE HOUSE,
MAIN ROAD, DEERING ST, NICHOLASS

The proposed extension and works is located in flood zone 2/3

The flood levels of the existing and any proposed extension works, are to be no less than the existing.



Householder and other minor extensions in Flood Zones 2 and 3

This guidance is for domestic extensions; and non-domestic extensions where the additional footprint created by the development does not exceed 250 square metres. It should NOT be applied if an additional dwelling is being created.

We recommend that:

Planning Authorities

Refer the applicant to the standing advice pages on the Environment Agency website or provide them with a copy of this page for them to include as part of the planning application submission. Check the planning application to ensure that one or other of the mitigation measures from the table below has been incorporated.

Applicants complete the table below and include it with the planning application submission. The table, together with the supporting evidence, will form the Flood Risk Assessment (FRA) and will act as an assurance to the local Planning Authority that flood risk issues have been adequately addressed. Print the completed form to PDF writer if submitting this form electronically.

Applicant to choose one or other of the flood mitigation measures below	Applicant to provide the LPA with the supporting information detailed below as part of their FRA	Applicant to indicate their choice in the box below. Enter 'yes' or 'no'
For levels within the proposed development will be set no lower than existing levels AND, flood proofing of the proposed development has been incorporated where appropriate.	Details of any flood proofing / resilience and resistance techniques, to be included in accordance with 'Improving the flood performance of new dwellings' CLG (2007)	YES
For levels within the extension will be set 300mm above the known or modelled 1 in 100 annual probability river flood (1%) or 1 in 100 annual probability sea flood (0.5%) in 100 years. This flood level is the extent of the Flood Zones	This must be demonstrated by a plan that shows finished floor levels relative to the known or modelled flood level. All levels should be stated in relation to Ordnance Datum¹	

Subterranean/basement extensions

Due to the risk of rapid inundation by floodwater, basements should be avoided in areas at risk of flooding. The LPA may hold additional guidance for basement extensions.

If-contained basement dwellings are 'Highly Vulnerable' development and should not be permitted in Flood Zone 3. We are fundamentally opposed to these developments.

Continued...

¹Ordnance Datum or the abbreviation 'OD' is the mean level of the sea at Newlyn in Cornwall from which heights above sea level are taken. The contours on Ordnance Survey maps measure heights above OD for example, though these are not accurate enough for a flood risk assessment.