




ground floor layout




east elevation




west elevation



north elevation



south elevation



ROOF FINISH
Clay pan tiles on battens
Kingspan NIlvent or similar
Trussed Rafters to span 5127.5mm (check on site)
150mm mineral fibre insulation betweeen ceiling joists.
170mm mineral fibre insulation laid across and the over the top of ceiling joints
Plasterboard + skim


FOUNDATIONS
600mm x 250mm concrete foundations to cavity walls (Concrete grade ST/2)

GROUND FLOOR
85mm sand/cement screed on 100mm over site concrete on
85mm Kingspan Kooltherm K3 Floorboard.
Insulation boards should be overlaid with polythene vapour layer linked into horizontal DPC on
150mm sand blinded consolidated hardcore.

section A–A

DO NOT SCALE THIS DRAWING. THE CONTRACTOR IS DEEMED TO HAVE CHECKED ALL DIMENSIONS

ANY DIMENSIONS NOT SHOWN ARE TO BE CHECKED



scale

Notes

Revision	Notes	Date	Signed	Checked

3 Saxony Way
Donington,
PE11 4AY

Approvals:

Building Control:
Planning:

Project:

Proposed Extension
to form Gymnasium

Drawing Title:

Proposed Layout/ Elevations

Date:		Scale:	
Feb 2019		1:00 @ A1	
Drawn by:	Date:	Checked by:	Date:
N.A.O	Feb 2019		

Drawing Number: 19/SW/04

Rev:

Project Number: