

FEEDBACK: This drawing is one of a series that have been prepared to define the civil element of the development. If this, or any, drawing in the series could be improved to better communicate the proposed design please do not hesitate to contact Stafford IE.



NOTES:
All dimensions must be checked on site and not scaled from this drawing.

(c) Crown Copyright. All rights reserved. Licence Number AL100037075
The material contained in this drawing has been based upon the Ordnance Survey Map by permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office.

Anglian Water Notes

All S.104 adoptable drainage shall conform to the design and construction guide for developers, Sewers for Adoption 6th Edition published by WRc plc and any AWSL additions & deletions current at the time of execution.

All covers and frames on adoptable AW sewers are to be D400, kitemarked and be badged 'FW' or 'SW' accordingly. Suppliers shall be Stanton, Paul Savage, Norinco or Wrekin.

Adoptable pipework shall be to the following specification:

Clayware: BS EN 295-1:1991
150 dia. Crushing Strength 34kN/m
225 dia. Class 160

Concrete: BS EN 5911-1:2002
>300 dia. Class 120



Date	Revisions

© copyright

Design Team
Stafford IE
13 GOSTWICK
ORTON BRIDGES
PETERBOROUGH
PE2 5XF
TEL: 01733 232388, MOBILE: 07710 832745, E-MAIL: terry@staffordie.co.uk

Client
DAVE COOK ENGINEERING
QUADRING ROAD,
DONINGTON,
SPALDING, Lincs, PE11 4TB
Tel: 01775 723025
email jon@davecook-eng.co.uk

Job Title
Land Off Quadring Road,
Donington,
Spalding,
PE11 4TB

Drawing Title
Drainage Areas

Date APRIL 2020 Scale @ A1 1:200 Drawn TS/IC

Drg.No. 8981 -109 Rev. -