DECISION DELEGATED TO DEVELOPMENT MANAGER

Application No:	**H04-0773-20**	**Applicant:**	**Cook Property Holdings Ltd.**
Proposal:	Details of Condition 7 (i, ii, iii) of H04-0894-17 relating to contamination		
Location:	Dave Cook Engineering Quadring Road Donington		
Terminal Date:	10th November 2020		

Planning Policies

South East Lincolnshire Local Plan - Adopted: March 2019

01	Spatial Strategy
02	Development Management
03	Design of New Development
04	Approach to Flood Risk
10	Meeting Assessed Housing Requirements
11	Distribution of New Housing
17	Providing a Mix of Housing
30	Pollution

National Guidance

National Planning Policy Framework 2019

Sections 5, 12 & 14 of the National Planning Policy Framework (2019)

5 - Delivering a sufficient supply of homes
12 - Achieving well-designed places
14 - Meeting the challenge of climate change, flooding and coastal change

Representations:

	Object	Support	No Obj.	Comments
SHDC INTERNAL	0	0	0	1
OTHER STATUTORY BODIES	0	0	0	1

CASE OFFICER ASSESSMENT

PROPOSAL

This is a condition compliance application for Details of Condition 7 of H04-0894-17 relating to contamination details at Dave Cook Engineering, Quadring Road, Donington.

SITE DESCRIPTION

The land formed part of a commercial site, with a large warehouse / industrial building to the north west corner of the site. The rear of two residential dwellings which front Crosslands can be seen to the north east, but the rear of one is partially obscured by landscaping. Tall trees to the eastern boundary obscure a pumping station and some garden land. Dwellings to the west beyond the remaining industrial site are obscured by tall trees forming a hedge. There is a hedge of medium height adjacent the highway and palisade gates.

HISTORY

H04-1362-88

Outline - Residential Development and demolition of existing' warehouse building - Approved - 09 November 1988.

H04-0247-92

Outline - Residential development & demolition of existing warehouse building - Approved - 24 April 1992.

H04-0196-95

Outline - Residential development and demolition of existing warehouse building - Approved - 18 April 1995.

H04-0787-97

Full - Proposed new office building & change of use of extg potato warehouse to use as storage & distribution centre - Approved - 28 August 1997.

H04-0928-98

Full - Recladding of front elevation of existing store building (Retrospective) - Approved - 30 October 1998.

H04-0600-16

Full - Erection of 4 dwellings including access, parking and landscaping - Refusal - 20 September 2016.

H04-0894-17

Full - Erection of 7 family homes - Approved - 21 November 2017.

CONSULTATION RESPONSES

SHDC - Environmental Protection Officer

Recommends discharge of part iii of the condition.

PLANNING CONSIDERATIONS

Compliance with Condition 7 of H04-0894-17

Condition 7 of H04-0894-17 stated:

"The development hereby permitted shall not be commenced until a scheme to deal with any contamination of land or pollution of controlled waters has been submitted to and approved in writing by the Local Planning Authority (LPA) and until the measures approved in that scheme have been implemented. The scheme shall include all of the following measures:

i) a desk-top study carried out to identify and evaluate all potential sources of contamination and the impacts on land and/or controlled waters, relevant to the site. The desk-top study shall establish a 'conceptual site model' and identify all plausible pollutant linkages. Furthermore, the assessment shall set objectives for intrusive site investigation works/Quantitative Risk Assessment (or state if none required). Two full copies of the desk- top study and a non-technical summary shall be submitted to the LPA without delay upon completion.
ii) if identified as being required following the completion of the desk-top study, a site investigation shall be carried out to fully and effectively characterise the nature and extent of any land contamination and/or pollution of controlled waters. It shall specifically include a risk assessment that adopts the Source-Pathway-Receptor principle, in order that any potential risks are adequately assessed taking into account the sites existing status and proposed new use. Two full copies of the site investigation and findings shall be forwarded to the LPA without delay upon completion.
iii) thereafter, a written method statement detailing the remediation requirements for land contamination and/or pollution of controlled waters affecting the site shall be submitted to and approved in writing by the LPA, and all requirements shall be implemented and completed to the satisfaction of the LPA. No deviation shall be made from this scheme. If during redevelopment contamination not previously considered is identified, then the LPA shall be notified immediately and no further work shall be carried out until a method statement detailing a scheme for dealing with the suspect contamination has been submitted to and agreed in writing by the LPA.
iv) two full copies of a full closure report shall be submitted to and approved in writing by the LPA. The report shall provide verification that the required works regarding contamination have been carried out in accordance with the approved Method Statement(s). Post-remediation sampling and monitoring results shall be included in the closure report to demonstrate that the required remediation has been fully met.

Note
The applicant is advised that the phased risk assessment required by the Contaminated Land Scheme Condition should be carried out in accordance with the procedural guidance of the Environmental Protection Act 1990 Part 11A.
The applicant's attention is also drawn to the document entitled "Developing Land Within Lincolnshire - A guide to submitting planning applications to develop land that may be contaminated", which can be obtained through the Local Environmental Health Department.

Reason: To assess whether the site is polluted and to address any pollution to ensure a satisfactory development. This issue is integral to the development and therefore full details need to be finalised prior to the commencement of works.
This Condition is imposed in accordance with Policy SG13 of the South Holland Local Plan, 2006."

It is considered that the condition has now been addressed and can be discharged as per the recommendation of the Environmental Protection Officer.

CONCLUSION

Parts i, ii and iii of Condition 7 of H04-0894-17 has now been satisfactorily addressed and this application can be recommended for approval.

Additional Considerations

Public Sector Equality Duty

In making this decision the Authority must have regard to the public sector equality duty (PSED) under s.149 of the Equalities Act. This means that the Council must have due regard to the need (in discharging its functions) to:
A. Eliminate unlawful discrimination, harassment and victimisation and other conduct prohibited by the Act.
B. Advance equality of opportunity between people who share a protected characteristic and those who do not. This may include removing or minimising disadvantages suffered by persons who share a relevant protected characteristic that are connected to that characteristic; taking steps to meet the special needs of those with a protected characteristic; encouraging participation in public life (or

other areas where they are underrepresented) of people with a protected characteristic(s).
C. Foster good relations between people who share a protected characteristic and those who do not including tackling prejudice and promoting understanding.

The protected characteristics are age, disability, gender reassignment, pregnancy and maternity, race, religion or belief, sex and sexual orientation.

The PSED must be considered as a relevant factor in making this decision but does not impose a duty to achieve the outcomes in s.149. It is only one factor that needs to be considered, and may be balanced against other relevant factors.

It is not considered that the recommendation in this case will have a disproportionately adverse impact on a protected characteristic.

Human Rights

In making a decision, the Authority should be aware of and take into account any implications that may arise from the Human Rights Act 1998. Under the Act, it is unlawful for a public authority such as South Holland District Council to act in a manner that is incompatible with the European Convention on Human Rights. The Authority is referred specifically to Article 8 (right to respect for private and family life) and Article 1 of the First Protocol (protection of property).

It is not considered that the recommendation in this case interferes with local residents' right to respect for their private and family life, home and correspondence, except insofar as it is necessary to protect the rights and freedoms of others (in this case, the rights of the applicant). The Council is also permitted to control the use of property in accordance with the general public interest and the recommendation is considered to be a proportionate response to the submitted application based on the considerations set out in this report.