Porter, Karen

From: Meachen, Tracey
Sent: 27 February 2015 13:51
To: _planningadvice
Subject: FW: Quadring rd Donington.
Attachments: Clay pan tile.pdf; feb 15 083.jpg; feb 15 084.jpg; feb 15 085.jpg; slate tile 001.jpg

Please add to file H04-0997-14 to include photos.

Many thanks

Tracey

Tracey Meachen | Planning Officer | South Holland District Council
DDI: 01775 764607 |
www.sholland.gov.uk

-----Original Message-----
From: "ian@iladevelopments.co.uk" [mailto:ian@iladevelopments.co.uk]
Sent: 27 February 2015 12:49
To: Meachen, Tracey
Subject: Quadring rd Donington.

Hi Tracey

I sent the email to Jason to make the amendments etc he must have overlooked the roof tiles. Please find below the email sent to him and attached are tiles, slate's and porch photographs.

The slate is a Spanish slate photo - sample Cupa R 12 Exellence Spanish slate.
and the tile is a clay interlocking pan tile - H15 in Toscana.

Please contact me if you require any further information.

Kind regards
Ian

Ian Ladds
ILA Developments
Church Farm
Church Street
Northborough
Peterborough
PE6 9BN

T - 01733 253000
www.iladevelopments.co.uk

Hi Jason

Further to our conversation re my conversation with Tracey Meachen from SHDC.
All they are waiting for to sign planning approval off is a drawing of a timber porch/ canopy and roof tile photo and code.

Attached are more photos of the porch from no4 Mill lane, Donington.
A Spanish slate photo of sample Cupa R 12 Exellence Spanish slate.
A clay interlocking pan tile - H15 in Toscana.

Tracey has expressed that they would prefer the slate to the houses, but will go with the pantile to the garages.

Kind regards
Ian

Ian Ladds
ILA Developments
Church Farm
Church Street
Northborough
Peterborough
PE6 9BN

T - 01733 253000
www.iladevelopments.co.uk

CREST ROOFING TILES

the H15 clay pantile...

Our Nelskamp H15 is a beautiful new double - interlocking clay tile that when fitted has the appearance of a traditional pantile. It is available in an attractrive range of colours and finishes with a comprehensive range of fittings including cloaked verge tiles.

Like all of our Nelskamp collection these tiles are superbly engineered with excellent interlocking channels and are designed for an easier and faster installation. The H15 also has a double nib, ensuring greater stability and more secure fixing.

The H15 is yet another example from our clay tile portfolio that are proving to be an inspired choice when used with both modern and traditional styles of architecture as well as renovation works.



H15 Blue Reduced

H15 Natural Red

- **High quality clay tile**
- **Minimum roof pitch 15°**
- **Long term durability**
- **Eco friendly**
- **Low maintenance**
- **Economical**
- **Wide range of fittings**
- **Only 14.6 tiles per m²**
- **Variable gauge 322 - 342mm**
- **Quick, easy & secure installation**

Whatever your needs, from traditional rustic pantiles to beautiful large format clay tiles and crafted glazed tiles we have a wide choice of roofing materials all proven to compliment any type of project.

To find out more about how our products exceed expectations and are enhancing reputations... call us on 01430 432 667.

crest BUILDING PRODUCTS

30 Year Guarantee

t: 01430 432667 www.crest-bst.co.uk f: 01430 433000 e: info@crest-bst.co.uk

NATIONWIDE DELIVERY

H15 Interlocking Clay Pantile

H15 Technical details:

Length	410 mm
Width	260 mm
Gauge	322-342 mm
Cov' Width (mm)	200 ± 2.0
Min' roof pitch*	15°
No. of tiles per m^2	14.6
Weight per tile	3.2 kg
Weight per m^2 (min.)	46.72 kg
Battens per m^2 (min)	2.9
Batten size (mm)	50 x 25
Tile Nails (Alloy mm)	40 / Clipped

** Please consult Crest for roof pitches between 22° -15°*

Fittings Include:




The H15 range of colours and fittings



30 Year Guarantee

Covering width dimensions with cloaked verge tiles



crest BUILDING PRODUCTS

For more information on the H15 or to order a sample call us on **01430 432667**

www.crest-bst.co.uk


4


4



