



Softwood frame with softwood sashes
with 14mm d/g units painted white
on spring balances to allow for weight of glass.
Draughtsealed as necessary
Brush seal to staff bead + parting bead.

FRONT PART OF BAY

70x90 S/w frame inc draught seals
70x145 H/w cill
45 thick sashes to take 14 d/g units
4 top opening sashes in each bay



glass equal sizes

1500

1320w

Porter, Karen

From: Robin Hotson <robin@elgoods-brewery.co.uk>
Sent: 30 April 2015 11:29
To: _planningadvice
Subject: rose and crown fleet
Attachments: rose and crown windows 005.jpg

F.A.O. Karen Porter.

Ref No: H05-0335-15

I have attached a picture of the dining room window and am chasing the carpenter for the scale drawings which I will send as soon as I have them.

REGARDS,

ROBIN.

Porter, Karen

From: Robin Hotson <robin@elgoods-brewery.co.uk>
Sent: 30 April 2015 14:00
To: _planningadvice
Subject: FW: Rose and Crown Holbeach
Attachments: rose + crown.pdf; rose + crown_0001.pdf

Karen Power,

Please find attached e-mail and attachments for the Rose and Crown windows.

Robin.

From: Ashleyziebart [mailto:ashleyziebart@aol.com]
Sent: 30 April 2015 13:30
To: Robin Hotson
Subject: Rose and Crown Holbeach

HiRobin, soory for delay in getting back to you...have attached 2no drawings of the windows, 1 of the sliding sash and 1 of the front part of the bay...basically they'll look exactly the same as the picture you gave me of the pub before the windows were changed....they'll have a nice ovolo mould to the frame and the sash on the inside and be double glazed, the sliding sash windows will have a spring balance instead of the cord and weights as to allow for the weight of the double glazing.hope this helps....kind regards Ashley