HOUSING DEVELOPMENT AT FLEET MEWS, HOLBEACH

Section A


Trial holes; Circulation areas and car park.

Trial hole taken within car park to show overall depth of tarmac to be in excess of 75mm laid on 150mm stone hardcore. The adjacent block paving is 50mm on 25mm sand and then the 150mm stone hardcore.



All areas stoned up and prepared within the same programme period.

Photos below show area where above construction depth is located.



Tel;(M) 07753 459313
E-mail glenn_bradbury@msn.com





Tel;(M) 07753 459313
E-mail glenn_bradbury@msn.com

GCB Construction Services

Site Management and Engineering





Tel;(M) 07753 459313

E-mail glenn_bradbury@msn.com

GCB Construction Services

Site Management and Engineering





Tel;(M) 07753 459313

E-mail glenn_bradbury@msn.com

GCB Construction Services

Site Management and Engineering





Tel;(M) 07753 459313

E-mail glenn_bradbury@msn.com

Section B
Trial holes; Property gardens.
Property numbers 1 to 6.
Trial holes taken within gardens showing 25-35mm sand on 150mm stone hardcore, reinforcing mesh and nylon membrane. Garden area has been overlaid with 30mm artificial turf throughout and 35mm paving slabs adjacent doors/footpath.





Tel;(M) 07753 459313
E-mail glenn_bradbury@msn.com

GCB Construction Services

Site Management and Engineering





Tel;(M) 07753 459313

E-mail glenn_bradbury@msn.com

Section B
Trial holes; Property gardens
Property numbers 7 to 12,
Trial holes taken within gardens showing 25-35mm sand on 150mm stone hardcore, reinforcing mesh and nylon membrane. Once complete the garden area will be overlaid with 30-40mm artificial turf throughout and 35mm paving slabs adjacent door and gated access






Tel;(M) 07753 459313
E-mail glenn_bradbury@msn.com

GCB Construction Services

Site Management and Engineering





Tel;(M) 07753 459313

E-mail glenn_bradbury@msn.com

Section B
Trial holes; Property gardens
Property numbers 13 to 18,
Trial holes taken within gardens showing 25-35mm sand on 150mm stone hardcore, reinforcing mesh and nylon membrane. Once complete the garden area will be overlaid with 30-40mm artificial turf throughout and 35mm paving slabs adjacent door and gated access.



Tel;(M) 07753 459313
E-mail glenn_bradbury@msn.com

GCB Construction Services
Site Management and Engineering





Tel;(M) 07753 459313
E-mail glenn_bradbury@msn.com



Glenn Bradbury
GCB Construction Services
OCTOBER 2019

Tel;(M) 07753 459313
E-mail glenn_bradbury@msn.com