



PLAN LAYOUT

BASED UPON MINIMUM GROUND BEARING PRESSURE OF 107 kN/m².

STD. FOUNDATION PADS OF 7N/mm² MINIMUM BLOCKS BEDDED AND LEVELLED WITH SAND CEMENT MORTAR (1:3) ONTO 450mm WIDE MASS CONCRETE BASE (C20P MIX) FOUNDED ON SUITABLE SUBSTRATE DEPTH/HEIGHT OF FOUNDATIONS SUBJECT TO GROUND CONDITIONS AND GROUND BEARING PRESSURES.
PRESCRIBED MIX FOR BASE ONLY APPLIES TO NON AGGRESIVE SOIL CONDITIONS.

ALL SUBJECT TO LOCAL AUTHORITY BUILDING CONTROL APPROVAL



Carter Cabin Hire
THE SPECIALISTS IN PORTABLE BUILDINGS

Client ***J.E. PICCAVERS***

Title PROPOSED 12 x 9.6m FOUR BAY MODULAR SITE WELFARE FACILITY - FOUNDATION LAYOUT

Revisions

ORIGINAL DRAWING PAPER A3

DRAWN	MAH
SCALE	1:75
DATE	16 / 11 / 11
DRG No.	19314 - 2