

Porter, Karen

From: Carl [carl@o-i-ltd.co.uk]

Sent: 27 May 2009 15:00

To: Carl

Subject: Emailing: IG Doors - Steel Woodgrain Doors

SHDC
Planning & Development

28 MAY 2009

Ref: 0300/09



HOME / IG PRODUCTS / MAINTENANCE / COSHH / CDO

AMENDED PLAN

Ref.

A1

IG STEEL WOODGRAIN

An attractive addition to the IG range, Steel Woodgrain doors provide all the performance benefits of IG Original doors with the extra visual appeal of realistic timber texturing.

Supplied primed ready for site finishing, Steel Woodgrain doors provide the natural beauty of timber with none of the disadvantages. They are constructed in exactly the same way as IG Original doors - two 24 gauge galvanised steel surfaces permanently bonded to a rigid polyurethane core and glued around timber stiles. So they will not warp, bow, split or rot and have a thermal insulation value four times that of timber doors (see here for specification).

Suitable for both new build and refurbishment applications, Steel Woodgrain doors can be matched to almost every type of dwelling by the use of a wide variety of glazing options (see Decorative Glazing) and matching sidelights. Door units can be supplied with a range of IG standard ironmongery (see Locks and Lever Furniture and Door Furniture) or customised to accept individual specifications. A range of frame and sill options are available (see Frame and Sill Details, Part M Frames, Frame Types and PVCu Frame Sizes).



IG Steel Woodgrain doors are supplied as complete systems, consisting of doors pre-hung in frames fitted with weathersealing components, to ensure maximum effectiveness with minimum site labour.

**DETERMINED
PLAN**




27/05/2009

IG STEEL WOODGRAIN DOOR STYLES



IG STEEL WOODGRAIN SIDELIGHTS




Door and Timber Frame !

Overall Frame Size Type of Unit

844mm x 2095mm
 884mm x 2095mm
 920mm x 2095mm
 932mm x 2097mm
 1001mm x 2097mm
 1226mm x 2095mm
 1266mm x 2095mm
 1302mm x 2095mm
 1314mm x 2097mm
 1383mm x 2097mm
 1608mm x 2095mm
 1648mm x 2095mm
 1684mm x 2095mm
 1696mm x 2097mm
 1765mm x 2097mm



Single

Single
with
SidelightSingle
with
Double
Sidelight**Note**

Frames are supplied in softwood or hardwood
 For PVCu frame sizes refer to PVCu Frame S
 *Part M Compliant.
 Structural opening to be 6-10mm greater than

NOTE:

Doors and sidelights are glazed as standard with
 units to BS 6206 in Clear or Cotswold pattern. S
 for options.



SHDC
Planning & Development
28 MAY 2009
Ref: 0300/09

AMENDED PLAN
Ref. A1

[Click Here](#)
 Friendly Versi



Private Housing
Social Housing
IG Door Benefits
IG Original Doors
IG Original Door Styles

IG Double Doors

IG Steel Woodgrain Doors

IG Glass Reinforced Polymer Doors

IG Secured by Design Doors

IG Cottage Doors

IG Fibrecolour Doors

IG Internal Half Hour Fire Doors

Frame and Sill Details

Part M Frames

Frame Types

PVCu Frame Sizes

Decorative Glazing - Touch of Elegance

Decorative Glazing - Touch of Colour

Decorative Glazing - Touch of Silk

Locks and Lever Furniture

Door Furniture

Steel COSHH


GRP and Fibrecolour COSHH

Contact IG Doors

Enquiry Form

Quotation Request

Download Brochure




Porter, Karen

From: Carl [carl@o-l-ltd.co.uk]

Sent: 27 May 2009 15:01

To: Carl


Subject: Emailing: Garador Ltd - The Garage Door People



GARADC
The Garage Door Pe

Timber Doors

- Home
- Company
- Products
- Technical
- Warranty
- Brochures
- Contact
- Find Installer




Cheveron Cedar



Vertical Cedar



Barrington



Kingsbury



Sandhurst



Cavendish

**DETERMINED
PLAN**

AMENDED PLAN

Ref.

A1

27/05/2009




Wolsey



Seymour



Shaftesbury



Tudor



Bosworth (shown as double)

