



Gedney Hill Play Park Proposal: Project Description for the Proposed New Playground at Gedney Hill Playing Field.

02 April 2025

Project Description

The project aims to create a community play area that is accessible and enjoyable for people of all ages and abilities.

The previous playground was removed several years ago, leaving the village without a dedicated play facility for children or a communal outdoor space for the community. This project seeks to address that gap, promoting outdoor activity and enhancing health and well-being within the community.

The proposal includes:

- A play park for all ages and abilities.
- A bike track incorporating mounds of soil to create an engaging and dynamic cycling experience.
- A new outdoor gym featuring exercise equipment for adults.
- A zipwire.
- Pergola
- Seating

The Play Park area encompasses a 20m x 40m fenced area with equipment for all ages and abilities. This includes 23 pieces of equipment; swings, picnic tables, climbing frames, roundabout and rocker (full list on page 5 of this document).

The bike track will be created from any excess soil when equipment is installed. This will consist of small mounds arranged in an area of no more than 25m x 20m.

The outdoor gym equipment is stationed to the south of the play park area. There are 7 pieces of equipment, including adapted equipment for wheelchair users.


The zip wire is located between the play park and the bike track. It is 30m in length.

There is also a pergola to be placed between the play park and pavilion, with chess table seating underneath (see page 3 of this document for overhead layout).

Two benches to be installed adjacent to the current entrance path on the West side of the field.

Overhead plan of play equipment

See attachment '04-Wicksteed-overhead' for larger file



3D Visual

(please note the play equipment shown in the below picture is the equipment we are applying for, however, the layout of the zipwire and overall size of the amount of the field taken up is incorrect – please refer to the location and block plans)



Playground equipment within the 20m x 40m fenced area

	Code	Description
Tuff Tractor : Safety Grass		
	6060-055-02	<i>Tuff Tractor</i>
	6060-055-02-INST	<i>Installation of Tuff Tractor</i>
	6130GRASS	<i>Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick)</i>
	6130GRASS-INST	<i>Installation of Safety Grass</i>
Toddler Tractor : Safety Grass		
	6070-069-01	<i>Toddler Tractor</i>
	6070-069-01-INST	<i>Installation of Tractor</i>
	6130GRASS	<i>Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick)</i>
	6130GRASS-INST	<i>Installation of Safety Grass</i>
Farm Yard Shop Panel - "Gedney Village Shop" : Safety Grass		
	FIFMSHOP6	<i>Farm Yard Shop Panel - "Gedney Village Shop"</i>
	FIFMSHOP6-INST	<i>Installation of Farm Yard Shop Panel - "Gedney Village Shop"</i>
Summit Dome Climber - The Hive : Safety Grass		
	6030-088	<i>Summit Dome Climber - The Hive</i>
	6030-088-INST	<i>Installation of Summit Dome Climber - The Hive</i>
	6130GRASS	<i>Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick)</i>
	6130GRASS-INST	<i>Installation of Safety Grass</i>
Adventure Trail with Surfacing:-		
Icon Crossing : Safety Grass		
	6600-004	<i>Icon Crossing</i>
	6600-004-INST	<i>Installation of Icon Crossing</i>
Circular Net Climber : Safety Grass		
	660-CIRN	<i>Circular Net Climber</i>
	660-CIRN-INST	<i>Installation of Circular Net Climber</i>
	6130GRASS	<i>Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick)</i>
	6130GRASS-INST	<i>Installation of Safety Grass</i>

Perlu : Safety Grass



801-PERL	Perlu
801-PERL-INST	Installation of Perlu
6130GRASS	Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick)
6130GRASS-INST	Installation of Safety Grass

Spin-a-Bounce : Safety Grass



6060-114	Spin-a-Bounce
6060-114-INST	Installation of Spin-a-Bounce
6130GRASS	Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick)
6130GRASS-INST	Installation of Safety Grass

Fortuna Net Climber : Safety Grass



4594-30	Fortuna Net Climber
Installation	Installation of Fortuna Net Climber
6130GRASS	Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick)
6130GRASS-INST	Installation of Safety Grass

Farmyard Themed Legendary Empire : Safety Grass



640-LEGE-02	Farmyard Themed Legendary Empire
640-LEGE-02-INST	Installation of Farmyard Themed Legendary Empire
6130GRASS	Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick)
6130GRASS-INST	Installation of Safety Grass

Rock, Paper, Scissors Panel (XD) 800x595mm : Supply and Install



FIRPSA	Rock, Paper, Scissors Panel (XD) 800x595mm
FIRPSG-INST	Installation of Rock, Paper, Scissors Panel 800x595mm
FIRPRD1550	Recycled Round Plastic Post & Fixings for 800 x 595mm Panel

Tic Tac Toe Panel 800x595mm : Supply and Install



FITICTAC6	Tic Tac Toe Panel 800x595mm
FITICTAC6-INST	Installation of Tic Tac Toe Panel 800x595mm
FIRPRD1550	Recycled Round Plastic Post & Fixings for 800 x 595mm Panel

Butterfly Game Station (XD) : Supply and Install



FIASBUT	Butterfly Game Station (XD)
FIASBUT-INST	Installation of Butterfly Game Station


Allowance to create a BMX track from the spoil we dig out for the new equipment foundations

Stepping Post : Supply and Install



70316	<i>Stepping Post</i>
70316-INST	<i>Installation of Stepping Post</i>

Tightrope Walk : Supply and Install



70345	<i>Tightrope Walk</i>
70345-INST	<i>Installation of Tightrope Walk</i>

Roll Over Bars : Safety Grass



70357	<i>Roll Over Bars</i>
70357-INST	<i>Installation of Roll Over Bars</i>
6130GRASS	<i>Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick) Under items with FFH above 0.6m</i>
6130GRASS-INST	<i>Installation of Safety Grass</i>

Horizontal Ladder : Safety Grass



70360	<i>Horizontal Ladder</i>
70360-INST	<i>Installation of Horizontal Ladder</i>
6130GRASS	<i>Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick)</i>
6130GRASS-INST	<i>Installation of Safety Grass</i>

2.4m High Viking Swing - 3 Bay 1 Flat 1 Inclusive 1 Cradle 1 Tango & 1 Plastic Basket Seat : Safety Grass



6040-218-09	<i>2.4m High Viking Swing - 3 Bay 1 Flat 1 Inclusive 1 Cradle 1 Tango & 1 Plastic Basket Seat</i>
6040-218-09-INST	<i>Installation of 2.4m High Viking Swing - 3 Bay 1 Flat 1 Inclusive 1 Cradle 1 Tango & 1 Plastic Basket Seat</i>
6130GRASS	<i>Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick) As Wear Pads</i>
6130GRASS-INST	<i>Installation of Safety Grass</i>

To create a pathway from the entrance gate to the 3 Bay Swing:-

6130GRASS	<i>Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick) As Wear Pads</i>
-----------	---

6130GRASS-INST Installation of Safety Grass

Supply & Installation of New Wheelchair Accessible Roundabout with a Pathway, Sensory Boa

WPSPEC	Supply and installation of conipave pathway leading from the existing gate to the new wheelchair accessible roundabout - 18m x 1.2m & to have a Conipave area under the picnic tables (15m2)
BASEWPIG	Baseworks Wet Pour Into Grass - SQM Dig out to required depth; Supply and lay Geotextile membrane; Import MOT type 1 approx 100mm; Grade and compact; disposal of arisings off site
KERB	Supply & Install Concrete Pin Kerb Edging - Lin Mtr 150 x 50mm PCCedgings with haunching

Unity Spinner : Black Eco-Fleck Wet Pour Into Grass Without Kerb Edge



6020-099	Unity Spinner
DRAINPIPE	Drainage Pipe (Lin Mtr) Should a soakaway be required, additional costs will apply
6020-099-INST	Installation of Unity Spinner
BLKEFWP1000	Black Eco-Fleck Wet Pour 1.000m FFH - SQM
BASEWPIG	Baseworks Wet Pour Into Grass - SQM Dig out to required depth; Supply and lay Geotextile membrane; Import MOT type 1 approx 100mm; Grade and compact; disposal of arisings off site
FEATHWPIGBLKEFWP	Black Eco-Fleck Wet Pour for Feather Edge into Grass (140mm W x 40mm D) - Lin Mtr
FEATHBASE	Additional Base Required (W = 100mm) when Feathering Wet Pour into Grass

Pig 4Saw : Safety Grass

6060-113-07	Pig 4Saw
6060-113-07-INST	Installation of Pig 4Saw
6130GRASS	Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick) As Wear Pads
6130GRASS-INST	Installation of Safety Grass

Surf Rider : Safety Grass



6040-117	Surf Rider
6040-117-INST	Installation of Surf Rider
6130GRASS	Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick)
6130GRASS-INST	Installation of Safety Grass

The Crusader : Safety Grass



6040-108	The Crusader
6040-108-INST	Installation of The Crusader
6130GRASS	Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick)
6130GRASS-INST	Installation of Safety Grass

Windsor 4 Seat Metal Picnic Table : Supply & Install Equipment Only

6120-157

Windsor 4 Seat Metal Picnic Table

6120-157-INST

Installation of Windsor 4 Seat Metal Picnic Table



Windsor 3 Seat Metal Picnic Table : Supply & Install Equipment Only

6120-159

Windsor 3 Seat Metal Picnic Table

6120-159-INST

Installation of Windsor 3 Seat Metal Picnic Table



Play Spec Fencing 1m High Panel - 2.8m Long- Galvanised Only - c/w fixings : Supply and Install

PLAYSPEC1

Play Spec Fencing 1m High Panel - 2.8m Long- Galvanised Only - c/w fixings

PLAYSPEC1-IP

Play Spec Fencing 1m High - Inter Post - Galvanised Only

PLAYSPEC1-CP

Play Spec Fencing 1m High - Corner Post - Galvanised Only

PLAYSPEC1-INST

Installation of Play Spec Fencing 1m High Panel - 2.8m Long- Galvanised Only, including Posts

Flat Top Single Self-Closing Gate 1000mm High x 1100mm Wide : Supply & Install Equipment Only



NFLGATE10

Flat Top Single Self-Closing Gate 1000mm High x 1100mm Wide

NFLGATE10-INST

Installation of Flat Top Single Self-Closing Gate 1000mm High x 1100mm Wide

Flat Top Pedestrian/Vehicle Gate 1000mm x 2800mm : Supply & Install Equipment Only

NFLPVGATE10

Flat Top Pedestrian/Vehicle Gate 1000mm x 2800mm

NFLPVGATE10-INST

Installation of Flat Top Pedestrian/Vehicle Gate 1000mm x 2800mm

The equipment in the playground is made of metal and plastic, all equipment is under 4m high.

The fence is 1m high and dark green.

Wet pour rubber is used for the base to the utility spinner. It is porous due to the small gaps between the rubber granules which allow water to drain through. (page 8)

Conipave is used for the pathway and seating area, it is a water permeable surface. (page 8)

Safety grass/ matting, which allows grass to grow through is used around the equipment to reduce wear and enhance safety.

Equipment located outside the fenced play area

Pergola

Std Shade Pergola 4m x 3m : Supply & Install Equipment Only



5HPERG

Std Shade Pergola 4m x 3m

5HPERG-INST

Installation of Std Shade Pergola 4m x 3m

Zipline

30m All Steel Cableway with x1 Ramp : Safety Grass



CBW30S

30m All Steel Cableway with x1 Ramp

CBW30S-INST

Installation of 30m All Steel Cableway with x1 Ramp

6130GRASS

Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick)

6130GRASS-INST

Installation of Safety Grass

Adult exercise equipment

FLZ Parallel Bars : Safety Grass



6210-096

FLZ - Parallel Bars

6210-096-INST

Installation of FLZ - Parallel Bars

6130GRASS

Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick) As Wear Pads

6130GRASS-INST

Installation of Safety Grass

FLZ Hyper Extension Bench : Safety Grass



6210-094

FLZ Hyper Extension Bench

6210-094-INST

Installation of FLZ - Hyper Extension Bench

6130GRASS

Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick) As Wear Pads

6130GRASS-INST

Installation of Safety Grass

FLZ Balance Beams : Safety Grass



6210-089	<i>FLZ - Balance Beams</i>
6210-089-INST	<i>Installation of FLZ - Balance Beams</i>
6130GRASS	<i>Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick) As Wear Pads</i>
6130GRASS-INST	<i>Installation of Safety Grass</i>

FLZ Pull Up Bar : Safety Grass



6210-088	<i>FLZ - Pull Up Bar</i>
6210-088-INST	<i>Installation of FLZ - Pull Up Bar</i>
6130GRASS	<i>Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick) As Wear Pads</i>
6130GRASS-INST	<i>Installation of Safety Grass</i>

FLZ Skier : Safety Grass



6210-077	<i>FLZ Skier</i>
6210-077-INST	<i>Installation of FLZ - Skier</i>
6130GRASS	<i>Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick) As Wear Pads</i>
6130GRASS-INST	<i>Installation of Safety Grass</i>

FLZ Inclusive Hand Bike : Safety Grass



6210-071	<i>FLZ Inclusive Hand Bike</i>
6210-071-INST	<i>Installation of FLZ - Inclusive Hand Bike</i>
6130GRASS	<i>Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick) As Wear Pads</i>
6130GRASS-INST	<i>Installation of Safety Grass</i>

To create a pathway from the existing path to the inclusive hand bike:-

6130GRASS	<i>Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick) As Wear Pads</i>
6130GRASS-INST	<i>Installation of Safety Grass</i>

FLZ Cycle Bike : Safety Grass



6210-070	<i>FLZ Cycle Bike</i>
6210-070-INST	<i>Installation of FLZ - Cycle Bike</i>
6130GRASS	<i>Wicksteed Safety Grass - (1.5m X 1m X 23mm Thick) As Wear Pads</i>
6130GRASS-INST	<i>Installation of Safety Grass</i>

Chess Tables

The chess tables are installed directly on to the current surface with no extra fixing/ material. They are made of concrete. 2.5m x 1m. They will be located in the area by the new pergola and existing pavilion. These are removable.



Two Benches

Two benches will be located along the existing footpath, to give easy access for those less abled and provide a good view of the whole field in a slightly quieter area.

Benches will be installed with 0.3m x 0.3m width x 0.6m depth post mix for each bench leg. See example below:



Bike Track

Constructed from soil extracted from the play area site during installation of equipment. Mounds of soil will be constructed in a maximum 20m x 20m span.