ASSESSED PLAN
Rec'd A1


REQUESTED AMENDMENT ①
REPLACEMENT OF HIP END TO STRAIGHT GABLE
REPLACE LONG/SHORT TOP WINDOW WITH NARROW/TALL ONE
REPLACE BOTTOM WINDOW SINGLE FOR 2 -

P.V.C. windows double glazed with min. 12 mm air gap and draught stripped.


Provide trickle ventilation of 8000mm² to habitable rooms and 4000mm² to W.C., Bathroom Kitchen and Utility.


To Kitchen provide extractor fan capable of 60 litres/sec. or a cooker hood capable of 30 litres/sec.


Provide extractor fans capable of :-
Utility 30 litres/sec
Bathroom 15 l/sec.



North (Rear)









West

toughened glass to door and side windows





East

REQUESTED AMENDMENT (1)
REPLACEMENT OF HIP END TO STRAIGHT GABLE.




Site Plan scale 1:500







North (Rear)




West




South Elevation (Front.




East




Site Plan scale 1:500



Ground Floor



First Floor



Floor Joists

SOUTH HOLLAND DC
HOUSING & PLANNING
01 JUL 1999
Ref: 0547/99

Mr. and Mrs. C. D. Grayston,
"Windy Willow,"
Sittside, GOSBERTON RISEGATE.

DETERMINED PLAN

Extension

Written dimensions to be used in preference to scaled, and all measurements to be verified by checking on site.	Scale 1:100 & 1:50
Local Authority Ref. Planning	Drawing No. 9904
Building Regulations	Date April 1999

A. ROFFE
BUILDING DESIGN & PLANS
1, Green Lane,
SPALDING, Lincs. PE11 2YB
Tel: 01775-723 680

BURNETT
2141 4957