





QUOTATION


Hayden J Short 06/23 1A Eyebury Rd Eye Peterborough Camb's PE6 7TB Tel : 07980629398 Fax:		Quotation Spec Glazed / Supply Only Quotation Reference RTH/Salem Street


1	ECO Slide Vertical Slider(WER:1.4 U-Valu)	No Travel Restrictors	Pricing	Qty	Gross	Disc.	Nett	
O/A Sizes 1190mm x 1814mm (ECO V/S)		Specification						
 Cill Horn : 0mm		Colour Cill colour Cill Add-on (Head) Add-on (Cill) Add-on (Left jamb) Add-on (Right jamb) Ventilator (Head) Ventilator (Sash) VS Sash Horns VS Hardware Colour VS Travel Restrictor VS Sash Locks VS Keeps VS Top Sash VS Bottom Sash VS Outside D Handle Glazing thickness VS Tilt Knobs	White White 4005 152mm Cill - - - - Eco Maxi Vent - Run Through Horns Satin Chrome - 2 x Cam Lock Cam Lock Keep 2 x Pole Eye Top Sash 2 x Sash Lift - 24mm Tilt Knobs Required					
Glazing Details & Apertures								
4-16-4 Softcoat / Low Iron Tuff : 16mm Warm Edge Astg Grid InOut								
A1 A6								
Notes :								


2	ECO Slide Slider(WER:1.4 U-Valu)	No Travel Restrictors	Pricing	Qty	Gross	Disc.	Nett	
O/A Sizes 1190mm x 1814mm (ECO V/S)		Specification						
 Cill Horn : 0mm		Colour Cill colour Cill Add-on (Head) Add-on (Cill) Add-on (Left jamb) Add-on (Right jamb) Ventilator (Head) Ventilator (Sash) VS Sash Horns VS Hardware Colour VS Travel Restrictor VS Sash Locks VS Keeps VS Top Sash VS Bottom Sash VS Outside D Handle Glazing thickness VS Tilt Knobs	White White 4005 152mm Cill - - - - Eco Maxi Vent - Run Through Horns Satin Chrome - 2 x Cam Lock Cam Lock Keep 2 x Pole Eye Top Sash 2 x Sash Lift - 24mm Tilt Knobs Required					
Glazing Details & Apertures								
4-16-4 Softcoat / Low Iron Tuff : 16mm Warm Edge Astg Grid InOut								
A1 A6								
Notes :								


3	ECO Slide Vertical Slider(WER:1.4 U-Valu)	No Travel Restrictors	Pricing	Qty	Gross	Disc.	Nett
O/A Sizes 1190mm x 1814mm (ECO V/S)		Specification					
 Cill Horn : 0mm		Colour	White				
		Cill colour	White				
		Cill	4005 152mm Cill				
		Add-on (Head)	-				
		Add-on (Cill)	-				
		Add-on (Left jamb)	-				
		Add-on (Right jamb)	-				
		Ventilator (Head)	Eco Maxi Vent				
		Ventilator (Sash)	-				
		VS Sash Horns	Run Through Horns				
		VS Hardware Colour	Satin Chrome				
		VS Travel Restrictor	-				
		VS Sash Locks	2 x Cam Lock				
		VS Keeps	Cam Lock Keep				
		VS Top Sash	2 x Pole Eye Top Sash				
		VS Bottom Sash	2 x Sash Lift				
		VS Outside D Handle	-				
		Glazing thickness	24mm				
		VS Tilt Knobs	Tilt Knobs Required				
Glazing Details & Apertures							
4-16-4 Softcoat / Low Iron Tuff : 16mm Warm Edge Astg Grid InOut							
A1 A6							
Notes :							


4	ECO Slide Vertical Slider(WER:1.4 U-Valu)	No Travel Restrictors	Pricing	Qty	Gross	Disc.	Nett
O/A Sizes 1190mm x 1814mm (ECO V/S)		Specification					
 Cill Horn : 0mm		Colour	White				
		Cill colour	White				
		Cill	4005 152mm Cill				
		Add-on (Head)	-				
		Add-on (Cill)	-				
		Add-on (Left jamb)	-				
		Add-on (Right jamb)	-				
		Ventilator (Head)	Eco Maxi Vent				
		Ventilator (Sash)	-				
		VS Sash Horns	Run Through Horns				
		VS Hardware Colour	Satin Chrome				
		VS Travel Restrictor	-				
		VS Sash Locks	2 x Cam Lock				
		VS Keeps	Cam Lock Keep				
		VS Top Sash	2 x Pole Eye Top Sash				
		VS Bottom Sash	2 x Sash Lift				
		VS Outside D Handle	-				
		Glazing thickness	24mm				
		VS Tilt Knobs	Tilt Knobs Required				
Glazing Details & Apertures							
4-16-4 Softcoat / Low Iron Tuff : 16mm Warm Edge Astg Grid InOut							
A1 A6							
Notes :							


5	ECO Slide Vertical Slider(WER:1.4 U-Valu)	No Travel Restrictors	Pricing	Qty	Gross	Disc.	Nett
O/A Sizes 1190mm x 1814mm (ECO V/S)		Specification					
 Cill Horn : 0mm		Colour	White				
		Cill colour	White				
		Cill	4005 152mm Cill				
		Add-on (Head)	-				
		Add-on (Cill)	-				
		Add-on (Left jamb)	-				
		Add-on (Right jamb)	-				
		Ventilator (Head)	Eco Maxi Vent				
		Ventilator (Sash)	-				
		VS Sash Horns	Run Through Horns				
		VS Hardware Colour	Satin Chrome				
		VS Travel Restrictor	-				
		VS Sash Locks	2 x Cam Lock				
		VS Keeps	Cam Lock Keep				
		VS Top Sash	2 x Pole Eye Top Sash				
		VS Bottom Sash	2 x Sash Lift				
		VS Outside D Handle	-				
		Glazing thickness	24mm				
		VS Tilt Knobs	Tilt Knobs Required				
Glazing Details & Apertures							
4-16-4 Softcoat / Low Iron Tuff : 16mm Warm Edge Astg Grid InOut							
A1 A6							
Notes :							


6	ECO Slide Vertical Slider(WER:1.4 U-Valu)	No Travel Restrictors/OBS	Pricing	Qty	Gross	Disc.	Nett
O/A Sizes 780mm x 1320mm (ECO V/S)		Specification					
 Cill Horn : 0mm		Colour	White				
		Cill colour	White				
		Cill	4005 152mm Cill				
		Add-on (Head)	-				
		Add-on (Cill)	-				
		Add-on (Left jamb)	-				
		Add-on (Right jamb)	-				
		Ventilator (Head)	Eco Maxi Vent				
		Ventilator (Sash)	-				
		VS Sash Horns	Run Through Horns				
		VS Hardware Colour	Satin Chrome				
		VS Travel Restrictor	-				
		VS Sash Locks	1 x Cam Lock				
		VS Keeps	Cam Lock Keep				
VS Top Sash	2 x Pole Eye Top Sash						
VS Bottom Sash	2 x Sash Lift						
VS Outside D Handle	-						
Glazing thickness	24mm						
VS Tilt Knobs	Tilt Knobs Required						
Glazing Details & Apertures							
4-16-4 Softcoat / Obscure Tuff : 16mm Warm Edge Stippolyte Astg 1xVert InOut							
A1 A6							
Notes :							

7	ECO Slide Vertical Slider(WER:1.4 U-Valu)	No Travel Restrictors/OBS	Pricing	Qty	Gross	Disc.	Nett
O/A Sizes 780mm x 1320mm (ECO V/S)		Specification					
 Cill Horn : 0mm		Colour	White				
		Cill colour	White				
		Cill	4005 152mm Cill				
		Add-on (Head)	-				
		Add-on (Cill)	-				
		Add-on (Left jamb)	-				
		Add-on (Right jamb)	-				
		Ventilator (Head)	Eco Maxi Vent				
		Ventilator (Sash)	-				
		VS Sash Horns	Run Through Horns				
		VS Hardware Colour	Satin Chrome				
		VS Travel Restrictor	-				
		VS Sash Locks	1 x Cam Lock				
		VS Keeps	Cam Lock Keep				
VS Top Sash	2 x Pole Eye Top Sash						
VS Bottom Sash	2 x Sash Lift						
VS Outside D Handle	-						
Glazing thickness	24mm						
VS Tilt Knobs	Tilt Knobs Required						
Glazing Details & Apertures							
4-16-4 Softcoat / Obscure Tuff : 16mm Warm Edge Stippolyte Astg 1xVert InOut							
A1 A6							
Notes :							

8	ECO Slide Vertical Slider(WER:1.4 U-Valu)	No Travel Restrictors	Pricing	Qty	Gross	Disc.	Nett
O/A Sizes 980mm x 1564mm (ECO V/S)		Specification					
 Cill Horn : 0mm		Colour	White				
		Cill colour	White				
		Cill	4006 185mm Cill				
		Add-on (Head)	-				
		Add-on (Cill)	-				
		Add-on (Left jamb)	-				
		Add-on (Right jamb)	-				
		Ventilator (Head)	Eco Maxi Vent				
		Ventilator (Sash)	-				
		VS Sash Horns	Run Through Horns				
		VS Hardware Colour	Satin Chrome				
		VS Travel Restrictor	-				
		VS Sash Locks	2 x Cam Lock				
		VS Keeps	Cam Lock Keep				
VS Top Sash	2 x Pole Eye Top Sash						
VS Bottom Sash	2 x Sash Lift						
VS Outside D Handle	-						
Glazing thickness	24mm						
VS Tilt Knobs	Tilt Knobs Required						
Glazing Details & Apertures							
4-16-4 Softcoat / Low Iron Tuff : 16mm Warm Edge Astg Grid InOut							
A1 A6							
Notes :							

9	ECO Slide Vertical Slider(WER:1.4 U-Valu)	No Travel Restrictors	Pricing	Qty	Gross	Disc.	Nett																																						
O/A Sizes 1410mm x 1620mm (ECO V/S)		Specification																																											
 Cill Horn : 0mm		<table><tr><td>Colour</td><td>White</td></tr><tr><td>Cill colour</td><td>White</td></tr><tr><td>Cill</td><td>4005 152mm Cill</td></tr><tr><td>Add-on (Head)</td><td>-</td></tr><tr><td>Add-on (Cill)</td><td>-</td></tr><tr><td>Add-on (Left jamb)</td><td>-</td></tr><tr><td>Add-on (Right jamb)</td><td>-</td></tr><tr><td>Ventilator (Head)</td><td>Eco Maxi Vent</td></tr><tr><td>Ventilator (Sash)</td><td>-</td></tr><tr><td>VS Sash Horns</td><td>Run Through Horns</td></tr><tr><td>VS Hardware Colour</td><td>Satin Chrome</td></tr><tr><td>VS Travel Restrictor</td><td>-</td></tr><tr><td>VS Sash Locks</td><td>2 x Cam Lock</td></tr><tr><td>VS Keeps</td><td>Cam Lock Keep</td></tr><tr><td>VS Top Sash</td><td>2 x Pole Eye Top Sash</td></tr><tr><td>VS Bottom Sash</td><td>2 x Sash Lift</td></tr><tr><td>VS Outside D Handle</td><td>-</td></tr><tr><td>Glazing thickness</td><td>24mm</td></tr><tr><td>VS Tilt Knobs</td><td>Tilt Knobs Required</td></tr></table>						Colour	White	Cill colour	White	Cill	4005 152mm Cill	Add-on (Head)	-	Add-on (Cill)	-	Add-on (Left jamb)	-	Add-on (Right jamb)	-	Ventilator (Head)	Eco Maxi Vent	Ventilator (Sash)	-	VS Sash Horns	Run Through Horns	VS Hardware Colour	Satin Chrome	VS Travel Restrictor	-	VS Sash Locks	2 x Cam Lock	VS Keeps	Cam Lock Keep	VS Top Sash	2 x Pole Eye Top Sash	VS Bottom Sash	2 x Sash Lift	VS Outside D Handle	-	Glazing thickness	24mm	VS Tilt Knobs	Tilt Knobs Required
Colour	White																																												
Cill colour	White																																												
Cill	4005 152mm Cill																																												
Add-on (Head)	-																																												
Add-on (Cill)	-																																												
Add-on (Left jamb)	-																																												
Add-on (Right jamb)	-																																												
Ventilator (Head)	Eco Maxi Vent																																												
Ventilator (Sash)	-																																												
VS Sash Horns	Run Through Horns																																												
VS Hardware Colour	Satin Chrome																																												
VS Travel Restrictor	-																																												
VS Sash Locks	2 x Cam Lock																																												
VS Keeps	Cam Lock Keep																																												
VS Top Sash	2 x Pole Eye Top Sash																																												
VS Bottom Sash	2 x Sash Lift																																												
VS Outside D Handle	-																																												
Glazing thickness	24mm																																												
VS Tilt Knobs	Tilt Knobs Required																																												
Glazing Details & Apertures																																													
4-16-4 Softcoat / Low Iron Tuff : 16mm Warm Edge Astg Grid InOut																																													
A1 A6																																													
Notes :																																													

10	ECO Slide Vertical Slider(WER:1.4 U-Valu)	No Travel Restrictors	Pricing	Qty	Gross	Disc.	Nett
O/A Sizes 990mm x 1494mm (ECO V/S)		Specification					
 Cill Horn : 0mm		Colour Cill colour Cill Add-on (Head) Add-on (Cill) Add-on (Left jamb) Add-on (Right jamb) Ventilator (Head) Ventilator (Sash) VS Sash Horns VS Hardware Colour VS Travel Restrictor VS Sash Locks VS Keeps VS Top Sash VS Bottom Sash VS Outside D Handle Glazing thickness VS Tilt Knobs White White 4005 152mm Cill - - - - Eco Maxi Vent - Run Through Horns Satin Chrome - 2 x Cam Lock Cam Lock Keep 2 x Pole Eye Top Sash 2 x Sash Lift - 24mm Tilt Knobs Required					
Glazing Details & Apertures							
4-16-4 Softcoat / Low Iron Tuff : 16mm Warm Edge Astg Grid InOut							
A1 A6							
Notes :							

11	ECO Slide Vertical Slider(WER:1.4 U-Valu)	No Travel Restrictors	Pricing	Qty	Gross	Disc.	Nett																																						
O/A Sizes 940mm x 1490mm (ECO V/S)		Specification																																											
 Cill Horn : 0mm		<table><tr><td>Colour</td><td>White</td></tr><tr><td>Cill colour</td><td>White</td></tr><tr><td>Cill</td><td>4005 152mm Cill</td></tr><tr><td>Add-on (Head)</td><td>-</td></tr><tr><td>Add-on (Cill)</td><td>-</td></tr><tr><td>Add-on (Left jamb)</td><td>-</td></tr><tr><td>Add-on (Right jamb)</td><td>-</td></tr><tr><td>Ventilator (Head)</td><td>Eco Maxi Vent</td></tr><tr><td>Ventilator (Sash)</td><td>-</td></tr><tr><td>VS Sash Horns</td><td>Run Through Horns</td></tr><tr><td>VS Hardware Colour</td><td>Satin Chrome</td></tr><tr><td>VS Travel Restrictor</td><td>-</td></tr><tr><td>VS Sash Locks</td><td>2 x Cam Lock</td></tr><tr><td>VS Keeps</td><td>Cam Lock Keep</td></tr><tr><td>VS Top Sash</td><td>2 x Pole Eye Top Sash</td></tr><tr><td>VS Bottom Sash</td><td>2 x Sash Lift</td></tr><tr><td>VS Outside D Handle</td><td>-</td></tr><tr><td>Glazing thickness</td><td>24mm</td></tr><tr><td>VS Tilt Knobs</td><td>Tilt Knobs Required</td></tr></table>						Colour	White	Cill colour	White	Cill	4005 152mm Cill	Add-on (Head)	-	Add-on (Cill)	-	Add-on (Left jamb)	-	Add-on (Right jamb)	-	Ventilator (Head)	Eco Maxi Vent	Ventilator (Sash)	-	VS Sash Horns	Run Through Horns	VS Hardware Colour	Satin Chrome	VS Travel Restrictor	-	VS Sash Locks	2 x Cam Lock	VS Keeps	Cam Lock Keep	VS Top Sash	2 x Pole Eye Top Sash	VS Bottom Sash	2 x Sash Lift	VS Outside D Handle	-	Glazing thickness	24mm	VS Tilt Knobs	Tilt Knobs Required
Colour	White																																												
Cill colour	White																																												
Cill	4005 152mm Cill																																												
Add-on (Head)	-																																												
Add-on (Cill)	-																																												
Add-on (Left jamb)	-																																												
Add-on (Right jamb)	-																																												
Ventilator (Head)	Eco Maxi Vent																																												
Ventilator (Sash)	-																																												
VS Sash Horns	Run Through Horns																																												
VS Hardware Colour	Satin Chrome																																												
VS Travel Restrictor	-																																												
VS Sash Locks	2 x Cam Lock																																												
VS Keeps	Cam Lock Keep																																												
VS Top Sash	2 x Pole Eye Top Sash																																												
VS Bottom Sash	2 x Sash Lift																																												
VS Outside D Handle	-																																												
Glazing thickness	24mm																																												
VS Tilt Knobs	Tilt Knobs Required																																												
Glazing Details & Apertures																																													
4-16-4 Softcoat / Low Iron Tuff : 16mm Warm Edge Astg Grid InOut																																													
A1 A6																																													
Notes :																																													

Delivery Terms	
PaymentTerms	