



Preliminary Environmental Risk Assessment

25a High Street Gosberton

Presented to Mr and Mrs Dennis c/o J. H. Walter

Issued: July 2021

Delta-Simons Project No. 21-1321.01



Delta-Simons Environmental Consultants Limited
Head Office: 3 Henley Office Park, Doddington Road, Lincoln, LN6 3QR
Tel: 01522 882555 | www.deltasimons.com



Report Details

Client	Mr and Mrs Dennis
Report Title	Preliminary Environmental Risk Assessment
Site Address	25a High Street, Gosberton, Spalding PE11 4NW
Project No.	21-1321.01
Delta-Simons Contact	Paul Huteson (paul.Huteson@deltasimons.com)

Quality Assurance

Issue No.	Status	Issue Date	Comments	Author	Technical Review	Authorised
1	Final	06/07/2021	-			
				James Brown Technician	Paul Huteson Associate Director	Paul Huteson Associate Director

About us

Delta-Simons is a trusted, multidisciplinary environmental consultancy, focused on delivering the best possible project outcomes for customers.

Specialising in Environment, Health & Safety and Sustainability, Delta-Simons provide support and advice within the property development, asset management, corporate and industrial markets. Operating from across the UK we employ over 120 environmental professionals, bringing experience from across the private consultancy and public sector markets.

Delta-Simons is proud to be a founder member of the Inogen Environmental Alliance, enabling us to efficiently deliver customer projects worldwide by calling upon over 5000 resources in our global network of consultants, each committed to providing superior EH&S and sustainability consulting expertise to our customers. Inogen Environmental Alliance offers its clients more consultants, with more services in more countries than the traditional multinational consultancy.



Delta-Simons is a '**Beyond Net-Zero**' company. We have set a Science-Based Target to reduce our Scope 1 and Scope 2 carbon emissions in line with the Paris Agreement and are committed to reducing Scope 3 emissions from our supply chain. Every year we offset our residual emissions by 150% through verified carbon removal projects linked to the UN Sustainable Development Goals.

Therefore, our consultancy services to you are carbon positive.

If you would like support in calculating your carbon footprint and playing your part in tackling the global climate crisis, please get in touch with your Delta-Simons contact above who will be happy to help.

Table of Contents

1.0 INTRODUCTION	1
1.1 Appointment.....	1
1.2 Context & Purpose	1
1.3 Scope of Works	1
1.4 Limitations.....	1
2.0 SITE CONTEXT & DATA REVIEW.....	2
2.1 Site information.....	2
2.2 Environmental Setting	2
2.3 Historical Use of the Site & Surrounding Area	3
2.4 Environmental Database Review	4
2.5 Planning Review/Regulatory Enquiries	4
2.6 Previous Reports	5
3.0 CONCEPTUAL SITE MODEL	6
3.1 Introduction	6
3.2 Potential Contamination Sources	6
3.3 Potential Receptors	6
3.4 Potential Pathways	6
4.0 CONCLUSIONS & RECOMMENDATIONS	10
4.1 Geo-Environmental Considerations	10

Drawings

Drawing 1 Proposed Development Plan

Figures

Figure 1 Site Location Plan

Figure 2 Relevant Feature Plan

Appendices

Appendix A Limitations

Appendix B Risk Definitions

Appendix C Selected Historical Maps

Appendix D Landmark Envirocheck Report

1.0 Introduction

1.1 Appointment

Delta-Simons Environmental Consultants Limited ("Delta-Simons") was instructed by JH Walters on behalf of Mr and Mrs Dennis to prepare a Preliminary (Environmental) Risk Assessment for land located to the rear of 25a High Street, Gosberton, Spalding, Lincolnshire (the "Site"). A Site Location Plan is included as Figure 1.

1.2 Context & Purpose

The aim of this Report is to identify likely environmental issues associated with soil and groundwater conditions that may affect the proposed development of the Site. This Report is designed in general accordance with guidance on Land Contamination: Risk Management pages of the [GOV.UK](https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/810197/NPPF_Feb_2019_revised.pdf) web pages, the relevant requirements of the National Planning Policy Framework 2019 (NPPF) (paragraphs 170 & 178-180) https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/810197/NPPF_Feb_2019_revised.pdf and the Planning Practice Guidance (Land Affected by Contamination) <https://www.gov.uk/guidance/land-affected-by-contamination>.

The proposed development for the Site is for up to 44 residential dwellings with associated private gardens and vehicle access. A proposed development plan is included as Drawing 1.

1.3 Scope of Works

- ▲ Review of the environmental setting of the Site, including the current use / status of the Site and surrounding area, and review of the geology, hydrogeology and hydrology;
- ▲ Review of regulatory information relating to the Site (A Landmark Envirocheck Report for the Site (Ref.280371461_1_1), dated June 14th 2021);
- ▲ Review of the historical activities of the Site and surrounding area from historical maps included as part of the Envirocheck Report;
- ▲ Review of the online planning records for the Site;
- ▲ Review Coal Authority (CA) online data;
- ▲ Complete a Site reconnaissance by undertaking a visual inspection of readily accessible areas of the Site;
- ▲ Review of provided relevant third party reports relating to the Site or surrounding area;
- ▲ Develop an outline Conceptual Site Model and undertake a Preliminary Risk Assessment with respect to potential contamination focussed on the proposed land use;
- ▲ Identify potential contamination risks;
- ▲ Provide commentary on potential land contamination and geotechnical constraints in the context of the proposed development; and
- ▲ Summarise readily available data on the flood risk associated with the Site.

In completing this Assessment, Delta-Simons has utilised the following data sources and third party information:

- ▲ British Geological Survey (BGS) data;
- ▲ Environment Agency (EA) online data;
- ▲ Information provided by South Holland District Council; and
- ▲ Ground Investigation Report for High Street, Gosberton by Lincs Laboratory (G39367/6/MH/MT), dated April 2016.

1.4 Limitations

The standard limitations associated with this assessment are presented in Appendix A.

2.0 Site Context & Data Review

2.1 Site information

Co-ordinates	Centred approximately at National Grid Reference 524386, 331536		Elevation	3.35 m AOD
			Area	2.17 Ha
Site Location	The Site is located to the rear of 25a High Street, Gosberton, Spalding Lincolnshire PE11 4NR. A Site Location Map is included as Figure 1.			
Proposed Development Description	The current outline planning application is for a residential end-use with private gardens and access. In order to provide foul water and surface water drainage the properties will all be raised a minimum of 600mm to 3.35m AOD which is the level of Boston Road. A proposed development plan is included as Drawing 1.			
Current Site Use	Delta-Simons undertook a Site visit on 15th June 2021. A Relevant Feature Plan is included as Figure 2, with supporting photographs and pertinent information that was observed or reported on-Site is summarised as follows: The Site is situated to the southeast of Gosberton and is current a parcel of undeveloped, L shaped grassed land approximately 2.17Ha in area. The Site is relatively flat and in accordance with surrounding topography. There is accessed from a narrow lane from the High Street. There are shallow drainage channels around parts of the perimeter of the Site. There is a small shed and an abandoned farm vehicle in the northwest corner. Significant potential sources of contamination have not been identified from the Site walkover. No evidence of surface staining, fly tipped materials, tanks or chemical storage was noted.			
Current Surrounding Area	North	Residential buildings and commercial office building with associated car park.		
	East	Boston Road		
	South	Residential properties, a school, and a car sales garage.		
	West	Residential.		

2.2 Environmental Setting

Published Geology	From the British Geological Survey (BGS) Geology of Britain Viewer the Site is indicated as being underlain by superficial Tidal Flat Deposits comprising clay, silt and sand. Bedrock is mapped as the Oxford Clay Formation, comprising of Mudstone.
--------------------------	--

Specific Ground Conditions	Ground investigation was undertaken by Lincs Labs, dated April 2016, report ref. G39367/6/MH/MT for the Site as part of BRE365 infiltration testing. The ground conditions identified the following geological sequence: Superficial Tidal Flat Deposits comprising orange/grey/brown clayey silt to a maximum proven depth of 2.0m BGL, beneath a minimal thickness of topsoil. Bedrock was not encountered. No visual or olfactory evidence of contamination was noted. Furthermore, no evidence of Made Ground materials were present. Groundwater was encountered at 1.0m bgl during excavation. From the BGS Borehole Record Viewer, local borehole records identified the following: ▲ Alluvial Clay recorded as Fen Clay from 5m to 11m bgl; ▲ Glacial Till recorded as variations of gravel and clay with erratics to 20m bgl. ▲ Oxford Clay is recorded from 20m to 64m bgl; and ▲ Kellaway Formation is recorded from 64m to 74m bgl.
Hydrogeology	The EA classify the superficial Tidal Flat Deposits and the bedrock Oxford Clay as Unproductive Strata. The EA data also indicates that the Site is not in a designated groundwater Source Protection Zone. According to the Envirocheck Report, there are no licensed abstraction records from groundwater located within 500m of the Site.
Hydrology	The nearest surface water feature is a network of shallow drains bordering the Site and partially crossing the centre of Site. Risegate Eau is located approximately 540 m south-west. According to the Envirocheck Report, there are no licensed abstraction records from surface water located within 500 m of the Site.
Coal Mining	Reference to the Coal Authority on-line viewer indicates that the Site is not with a Coal Mining Reporting Area and is not within a Development High Risk Area. Consequently, a Coal Mining Risk Assessment (CMRA) is unlikely to be required under the planning regime.
Radon Gas	The Site lies within an area where less than 1% of homes are above the National Radiological Protection Board (NRPB) recommended “action level” for radon. BRE211 (2015) indicates that no radon protective measures are necessary in the construction of new buildings at the Site.

2.3 Historical Use of the Site & Surrounding Area

Approach	The historical development of the Site and surrounding area has been assessed through a review of available historical OS maps and Google Earth historical satellite imagery. A summary of the key historical Site uses and developments in the surrounding area is presented below. Copies of pertinent historical maps are included as Appendix C.
Historical Features On-Site	The Site is presumed to be in agricultural use from the first recorded map edition dated 1888 to present day. Drains are recorded around the perimeter of the north, a part of the southern boundary and joining across the centre from 1888 to 1973. The drain no longer connects the north and south of the Site from 1973 and is assumed infilled. A small building of unknown use (assumed agricultural/ stable) is present in the central part of the Site from 1973 to circa 1995, where this is no longer shown. A number of small buildings of unknown use are also present within the long narrow access track from

	High Street in the southern part of the Site from 1973 to the 1999 ariel imagery. These buildings were not noted during the Site walkover. The existing building in the western corner of the Site is shown from 1999 mapping. The site does not have a significant past use and potential sources of contamination are limited to former small potential agricultural buildings and past agricultural use.
Potentially Contaminative Historical Features Off-Site	There are no historical potential sources of contamination within 250m of the Site, however it is known that a garage is present adjacent to the south-eastern part of the Site, however this is not clearly defined on historical mapping, however may be shown from the 1973 map edition to present. Given the underlying geology, the risk from off-Site sources to the Site is considered very low.

2.4 Environmental Database Review

Approach	The Landmark Envirocheck® Report provides a database of environmental information held by various statutory bodies including the EA, Local Authority (LA), Health & Safety Executive (HSE) and Public Health England amongst others. A full copy of the Envirocheck® Report is provided in Appendix D and the most relevant information is summarised below.
Features On-Site	The Landmark Envirocheck® Report lists no current features on-Site.
Potentially Contaminative Features Off-Site	Pertinent entries included within the Landmark Envirocheck® Report located within 100 m from the Site include two Contemporary Trade Directory Entries associated with Car dealership and petrol filling station. ▲ Car Dealership: Discount Motors, 17 High Street, Gosberton, Spalding Lincolnshire PE11 4NW. Currently Active; and ▲ Fuel Station entry: Kenkars, Spalding Rd, Gosberton, Spalding Lincolnshire PE11 4HL. Approximately 100 m SW of Site. Currently obsolete. There are no BSG, LA and EA registered landfill sites on or within 500 m of the Site.

2.5 Planning Review/Regulatory Enquiries

On-line Planning Portal	South Holland District Council.	Date Accessed	17/06/2021
Findings	There is one planning application for the Site listed (ref. H08-0678-16), which comprises an outline application for a development comprising up to 46 detached and semi-detached dwellings with associated gardens, adopted access road and footpaths. The application was granted subject to conditions. No additional potentially contaminative activities or other information pertinent to this assessment was identified from the historical planning records.		
Part 2A of the Environmental Protection Act (EPA) 1990	Given the low risk nature of the Site, it is unlikely the Site falls within a high priority status of South Hollands sites listed under Part 2A.		

2.6 Previous Reports

List of Reports	Delta-Simons has obtained the following reports relating to the Site: ▲ Ground investigation, Lincs Labs. Ref. G39367/6/MH/MT High St Gosberton, dated February 2016; and ▲ Flood Risk Assessment, Proposed Residential Development, High Street/ Boston Road, Gosberton, Spalding, Lincs PE11 4NR, RM Associates, Dated 1st June 2016).
Key Findings – Ground Investigation	The purpose of the ground investigation was to carry out infiltration testing to assist with the determination of drainage plans relating to the proposed development. Four trial pits were excavated (TP1 to TP4). TP1 to TP3 were used for infiltration testing. TP4 was exploratory and was excavated to 2m bgl. Groundwater was encountered at 1.0m bgl in TP4. Consequently TP1 to TP3 were then excavated to 1.0m bgl for use as infiltration tests above the level of the groundwater. Topsoil encountered from surface and ranged from 0.35m to 0.4m bgl. Clayey silts were encountered to a maximum proven depth of 2.0m bgl. No bedrock was encountered. No laboratory testing of soils was undertaken, however no visual or olfactory evidence of contamination was noted during the sampling. The report found the risk from contamination to future site users be low. All the infiltration tests failed due to high groundwater and impermeable soil types.
Key Findings – Flood Risk Assessment (FRA)	Findings in this report pertinent to this assessment include; A surface water drainage strategy for the development has been proposed and is outlined in the FRA. ▲ Infiltration is discounted due to high groundwater at the time of the investigation and very low infiltration results due to soil type; ▲ Public sewers – There are no proposals to discharge surface waters to any public sewer; ▲ Water course – A water course will be used to dispose of surface waters from the adoptable road and domestic curtilage roof areas. Silt traps are incorporated into roof and pavement run off systems providing an on-plot source control treatment stage for all domestic curtilage runoff prior to entering the adoptable system and a surface water detention pond provides storage and second stage treatment. Flood protection. ▲ To provide a gravity system for foul and surface waters drainage the properties should be raised a minimum of 600mm to 3.35 m AOD the height of Boston Rd.

3.0 Conceptual Site Model

3.1 Introduction

A Conceptual Site Model (CSM) represents the relationships between contaminant sources, pathways and receptors, to support the identification and assessment of Potential Contaminant Linkages (PCL).

3.2 Potential Contamination Sources

Potential sources of contamination identified as part of the desktop review are presented in the following table:

Ref	Source	Location	Dates Present	Potential Associated Contaminants of Concern
S1	Potential Made Ground from past agricultural issues and previous small buildings/ past use.	Site-wide	Post 1932 to present	Asbestos, heavy metals, PAHs, asbestos and ground gas.
S2	Small scale fuel leaks/ spillages associated with past agricultural activities.	Site Wide	1888 to present	Hydrocarbons and heavy metals.
S3	Petrol Filling Station	100 m South-west	1975 to present	Petroleum hydrocarbons, volatiles and Heavy metals
S4	Car dealership	30m South-west	1977 to present	Petroleum hydrocarbons, heavy metals, volatiles
S5	Unrecorded Sources	On and off-Site	1800's to present	Hydrocarbons, heavy metals, asbestos and ground gas.

* Based on UK Department of the Environment Industry Profiles

3.3 Potential Receptors

Relevant potential receptors are considered to include:

- ▲ R1 - Construction workers.
- ▲ R2 - Third parties during construction (adjacent Site users and adjacent residents).
- ▲ R3 - Future Site users and maintenance workers.
- ▲ R4 - The riparian maintained dyke (northern boundary) discharging to the Wellands and Deepings Internal Drainage Board drain Moses cut 52 water courses.
- ▲ R5 - The underlying aquifers.
- ▲ R6 - The Built Environment (new buildings and infrastructure / utilities).

3.4 Potential Pathways

The potential pathways are considered to be as follows:

- ▲ P1 - Direct contact, ingestion or inhalation of soil bound contaminants / dust during or following redevelopment.
- ▲ P2 - Inhalation of organic vapours associated with contamination.

- ▲ P3 - Migration of ground gas / vapours into on-site buildings causing asphyxiation or risk of explosion.
- ▲ P4 - Leaching of contamination into groundwater followed by migration of groundwater to the wider groundwater environment or discharge to surface waters.
- ▲ P5 - Direct contact between aggressive ground conditions and new infrastructure.

Source	Pathway(s)	Receptor(s)	Risk Ratings	Justification & Mitigation (if required)
Sources as identified in Section 3.2.	Direct contact/ ingestion and inhalation of dust, vapours and asbestos fibres.	Future Site users. Groundworkers during the redevelopment or during any sub-surface maintenance works.	Low Risk	Significant potential sources of contamination have not been identified on-Site from desktop assessment. Furthermore, significant visual or olfactory evidence of contamination was not identified from third party Site investigation. In addition, the Site is to be raised due to requirements set out in the flood risk assessment, further mitigating the risk of direct contact with future Site users. On this basis and given the underlying cohesive geology, no specific environmental investigation is considered to be required and the Site can be remediated through the presence of a hotspot protocol for ground workers to act upon should unexpected contamination be identified. In addition, given existing topsoil maybe suitable for-reuse in proposed landscaped areas subject to appropriate testing prior to importation in garden areas. Groundworkers should use appropriate personal protective equipment (PPE), including respiratory protective equipment (RPE), if required and maintain good standards of hygiene to be protected from any soil contamination which may be present.
	Leaching of contamination into groundwater. Vertical and lateral migration of contamination through permeable deposits below the Site.	Controlled waters.	Very Low Risk	Significant sources of contamination have not been identified, the Site is underlain by cohesive Unproductive Strata and not within and SPZ, as such the risk to controlled waters is considered very low. Furthermore, the majority of the Site is to be covered in hardstanding/ buildings, which will further mitigate the risk to of infiltration and mobilisation of contamination to controlled waters. Surface water run-off is to be addressed through silt traps and balancing pond, as provided in the flood risk assessment.
	Direct infiltration in water supply pipes.	Service conduits.	Low Risk	Given the Site has remained undeveloped throughout its history and there is no evidence of fuel or chemical storage on-Site the risk of the Site requiring upgraded water pipes is considered low. However, it is recommended that the local water authority is consulted prior to budgeting and construction. The off Site garage and obsolete PFS are not considered plausible sources of contamination given the underlying cohesive geology.
Potentially contaminated groundwater from	Lateral migration and subsequent indoor	Groundwater beneath the Site	Very Low Risk	Significant sources of off-Site contamination have not been identified, with the exception of a current garage. However, given the underlying cohesive geology,

Source	Pathway(s)	Receptor(s)	Risk Ratings	Justification & Mitigation (if required)
off Site garage and obsolete PFS.	inhalation of volatile vapours.	and current and future Site users.		proved through third party investigation, the risk to future Site users and buildings is considered very low and no further works are required.
Hazardous ground gas	Accumulation of gas in enclosed spaces and sub-floor voids.	Buildings and future Site users.	Very Low Risk	Significant on and off-Site sources of ground gas have not been identified. Furthermore, following third party investigation, Made Ground, deleterious or organic materials have not been identified. As such the risk of ground gas generation at the Site is considered very low and no further works are considered to be required.

4.0 Conclusions & Recommendations

4.1 Geo-Environmental Considerations

Summary	The Site has largely been undeveloped throughout its history with the exception of some small buildings of unknown use, assumed agricultural/ stables in the central and southern part of the Site. Significant on and off-Site sources of contamination have not been identified. The Site is underlain by cohesive unproductive strata.
Soils	The risk of the Site requiring widespread remediation to protect end users is considered to be low, given the low risk past Site use and information from third party Site investigation data. The Site is to be raised by 600 mm to facilitate the proposed levels, further mitigating the risk of direct contact to future Site users. No specific site investigation is considered to be required. It is recommended that a hotspot protocol be in place for ground workers to act upon should potential contamination be identified. Existing topsoil may be suitable for re-use in existing garden areas subject to appropriate testing before use. If contamination and / or ACMs are identified, then this may have an impact on waste disposal costs.
Groundwater	Significant widespread groundwater contamination is not anticipated.
Ground Gas	It is considered unlikely that a significant ground gas risk exists given the Site's environmental setting and findings of third-party investigation. As such, no specific ground gas risk assessment is considered to be required.
Building Fabric & Services	Widespread contamination at the Site is considered unlikely. However, services are recommended to be placed in clean corridors. Confirmation with the Local Water Authority should be undertaken to advise of the requirements for potable water pipes.
Recommendations and Development Abnormals	The following recommendations and development abnormals are considered appropriate; ▲ Provision of a hotspot protocol during the ground works; and ▲ Provision of a Remediation Method Statement to support planning requirements.

Drawing 1 – Proposed Development Plan

G o s b e r t o n



JHWalter LLP Chartered Surveyors
1 Mint Lane, Lincoln, LN11UD
T: 01522 526526 E: info@jhwalter.co.uk
www.jhwalter.co.uk

Mr T & Mrs B Dennis
Land off High Street & Boston Road Gosberton
Proposed Residential Development
Site Layout Plan - PROPOSED

L-DEN-081-SLPP

ISO A2 sheet @ Scale 1:1250


	Date: 27-04-2017
--	------------------

revision

B


%%169Crown Copyright. All rights reserved. Licence no. 100051661
OS date provided by NGH Construction Ltd

Figure 1 – Site Location Map



LEGEND

Site Boundary



Contains OS data © , Crown Copyright and Database Right (2020)

Figure 2 – Relevant Feature Plan


PH01: Watercourse Exit to Main Drain



PH02: Farming Equipment



PH03: Entrance to High Street




Contains OS data © , Crown Copyright and Database Right (2016)

COMMENTS:

PH04: Drainage from Road



PH05: Drainage Ditch



PH06: Boston Rd



Appendix A – Limitations

Limitations

The recommendations contained in this Report represent Delta-Simons professional opinions, based upon the information listed in the Report, exercising the duty of care required of an experienced Environmental Consultant. Delta-Simons does not warrant or guarantee that the Site is free of hazardous or potentially hazardous materials or conditions.

Delta-Simons obtained, reviewed and evaluated information in preparing this Report from the Client and others. Delta-Simons conclusions, opinions and recommendations has been determined using this information. Delta-Simons does not warrant the accuracy of the information provided to it and will not be responsible for any opinions which Delta-Simons has expressed, or conclusions which it has reached in reliance upon information which is subsequently proven to be inaccurate.

This Report was prepared by Delta-Simons for the sole and exclusive use of the Client and for the specific purpose for which Delta-Simons was instructed. Nothing contained in this Report shall be construed to give any rights or benefits to anyone other than the Client and Delta-Simons, and all duties and responsibilities undertaken are for the sole and exclusive benefit of the Client and not for the benefit of any other party. In particular, Delta-Simons does not intend, without its written consent, for this Report to be disseminated to anyone other than the Client or to be used or relied upon by anyone other than the Client. Use of the Report by any other person is unauthorised and such use is at the sole risk of the user. Anyone using or relying upon this Report, other than the Client, agrees by virtue of its use to indemnify and hold harmless Delta-Simons from and against all claims, losses and damages (of whatsoever nature and howsoever or whensoever arising), arising out of or resulting from the performance of the work by the Consultant.

Appendix B – Risk Definitions

Contaminated Land Risk Definitions

The following methodology is based on the methodology presented in CIRIA C552 Contaminated Land Risk Assessment: A Guide to Good Practice 2001. It requires the classification of the:

- ▲ Magnitude of the potential consequence (severity) of the Risk occurring: and
- ▲ Magnitude of the Probability (likelihood) of the Risk occurring.

The classifications are then compared to indicate the risk presented by each pollutant linkage.

Consequence to Receptor Definition Matrix

	Human Health	Controlled Waters	Buildings/Services
Severe Consequence	Acute or chronic permanent impact on human health.	Sensitive controlled water pollution ongoing, or just about to occur.	Catastrophic collapse
Medium Consequence	Chronic permanent impact on human health	Gradual pollution of sensitive controlled water	Degradation of materials
Mild Consequence	Chronic temporary impact on human health	Gradual pollution of non-sensitive controlled water	Damage to building rendering it unsafe to occupy (eg foundation damage resulting in instability).
Minor Consequence	Non-permanent health effects to human health (easily prevented by means such as personal protective clothing etc).	Slight discoloration of water	Easily repairable effects of damage to buildings, structures and services, i.e discoloration of concrete

Probability Definitions

Probability	Definition in Context
Higher	There is a pollution linkage and an event that either appears very likely in the short term and almost inevitable over the long term, or there is evidence at the receptor of harm or pollution. Positive evidence of source, pathway and receptor.
Likely	There is a pollution linkage and all the elements are present and in the right place, which means that it is probable that an event will occur. Circumstances are such that an event is not inevitable, but possible in the short term and likely over the long term. Suspect source, pathway, and receptor
Low Likelihood	There is a pollution linkage and circumstances are possible under which an event could occur. However, it is by no means certain that even over a longer period such event would take place, and is less likely in the shorter term.
Unlikely	There is a pollution linkage but circumstances are such that it is improbable that an event would occur even in the very long term No evidence of hazard, pathway, and receptor

Standard Risk Matrix

		Consequence/Magnitude of impact			
		Severe	Medium	Mild	Minor
Probability	High	Very High	High	Moderate	Moderate/Low
	Likely	High	Moderate	Moderate/low	Low
	Low Likelihood	Moderate	Moderate/low	Low	Very Low
	Unlikely	Moderate/low	Low	Very Low	Very Low

Classified risks and likely action

Significance Level	Definition/Comments
Very High Risk	There is a high probability that severe harm could arise to a designated receptor from an identified hazard, OR, there is evidence that severe harm to a designated receptor is currently happening. This risk, if realised, is likely to result in a substantial liability. Urgent investigation (if not undertaken already) and remediation are likely to be required. Demonstrable contaminated land situation, highest threat & liability level, urgent action recommended.
High Risk	Harm is likely to arise to a designated receptor from an identified hazard. Realisation of the risk is likely to present a substantial liability. Urgent investigation (if not undertaken already) is required and remedial works may be necessary in the short term and are likely over the longer term. Likely contaminated land situation, risk assessment and action recommended.
Moderate	It is possible that harm could arise to a designated receptor from an identified hazard. However, if it is either relatively unlikely that any such harm would be severe, or if any harm were to occur it is more likely that the harm would be relatively mild Investigation (if not already undertaken) is normally required to clarify the risk and to determine the potential liability. Some remedial works may be required in the longer term. Plausible contaminated land situation, risk assessment and possible action recommended.
Low Risk	It is possible that harm could arise to a designated receptor from an identified hazard, but it is likely that this harm, if realised, would at worst normally be mild. Unlikely contaminated land situation, possible risk assessment and possible action.
Very Low Risk	There is a low possibility that harm could arise to a receptor. In the event of such harm being realised it is not likely to be severe. Negligible risk, no action recommended except vigilance for changes in conditions.

Geotechnical Risk Classification

The geohazards listed in the report within Section 4 follow guidance presented in Clayton, C.R.I. (2001) *Managing Geotechnical Risk*, Thomas Telford and the Highways Agency document CD622 '*Managing Geotechnical Risk*' (2008) which aims to identify and manage the geotechnical risks associated with a scheme throughout its lifespan, from planning to construction to maintenance.

For each geohazard the probability of the hazard occurring (P) has been considered together with the impact it would have (I) if it were to happen to calculate the risk rating between 1 and 25.

Risks that fall within Moderate, Significant and Severe categories below are considered to be **substantial** and are therefore listed within the report.

Probability	(P)		Impact	(I)		(R)	Risk
Very Likely (VLk)	5	X	Very High (VH)	5	=	20 – 25	Severe
Likely (Lk)	4		High (H)	4		15 – 19	Substantial
Plausible (P)	3		Medium (M)	3		10 – 14	Moderate
Unlikely (U)	2		Low (L)	2		5 – 9	Minor
Very Unlikely (VU)	1		Very Low (VL)	1		1 – 4	Negligible

Appendix C – Historical Maps

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

	Gravel Pit		Sand Pit		Other Pits
	Quarry		Shingle		Orchard
	Osiers		Reeds		Marsh
	Mixed Wood		Deciduous		Brushwood
	Fir		Furze		Rough Pasture
	Arrow denotes flow of water		Trigonometrical Station		
	Site of Antiquities		Bench Mark		
	Pump, Guide Post, Signal Post		Well, Spring, Boundary Post		
	•285 Surface Level				
	Sketched Contour		Instrumental Contour		
	Main Roads		Minor Roads		
	Sunken Road		Raised Road		
	Road over Railway		Railway over River		
	Railway over Road		Level Crossing		
	Road over River or Canal		Road over Stream		
	Road over Stream				
	County Boundary (Geographical)				
	County & Civil Parish Boundary				
	Administrative County & Civil Parish Boundary				
	County Borough Boundary (England)				
	County Burgh Boundary (Scotland)				
	Rural District Boundary				
	Civil Parish Boundary				

Ordnance Survey Plan 1:10,000

	Chalk Pit, Clay Pit or Quarry		Gravel Pit
	Sand Pit		Disused Pit or Quarry
	Refuse or Slag Heap		Lake, Loch or Pond
	Dunes		Boulders
	Coniferous Trees		Non-Coniferous Trees
	Orchard		Scrub
	Bracken		Heath
	Marsh		Reeds
	Building		Glasshouse
	Sloping Masonry		Pylon
	Cutting		Embankment
	Road Under		Road Over
	Level Crossing		Foot Bridge
	Standard Gauge Multiple Track		Standard Gauge Single Track
	Siding, Tramway or Mineral Line		Narrow Gauge
	Geographical County		Administrative County, County Borough or County of City
	Municipal Borough, Urban or Rural District, Burgh or District Council		Borough, Burgh or County Constituency
	Civil Parish		
	BP, BS Boundary Post or Stone		Police Station
	Church		Post Office
	Club House		Public Convenience
	Fire Engine Station		Public House
	Foot Bridge		Signal Box
	Fountain		Spring
	Guide Post		Telephone Call Box
	Mile Post		Telephone Call Post
	Mile Stone		Well

1:10,000 Raster Mapping


	Gravel Pit		Refuse tip or slag heap
	Rock		Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle		Mud
	Sand		Sand Pit
	Slopes		Top of cliff
	General detail		Underground detail
	Overhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
	County boundary (England only)		Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
	Area of wooded vegetation		Non-coniferous trees
	Non-coniferous trees (scattered)		Coniferous trees
	Coniferous trees (scattered)		Positioned tree
	Orchard		Coppice or Osiers
	Rough Grassland		Heath
	Scrub		Marsh, Salt Marsh or Reeds
	Water feature		Flow arrows
	Mean high water (springs)		Mean low water (springs)
	Telephone line (where shown)		Electricity transmission line (with poles)
	Bench mark (where shown)		Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)		Pylon, flare stack or lighting tower
	Site of (antiquity)		Glasshouse
	General Building		Important Building



Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Lincolnshire	1:10,560	1887 - 1888	2
Lincolnshire	1:10,560	1906	3
Lincolnshire	1:10,560	1931 - 1932	4
Lincolnshire	1:10,560	1951	5
Ordnance Survey Plan	1:10,000	1956	6
Ordnance Survey Plan	1:10,000	1977	7
10K Raster Mapping	1:10,000	2000	8
10K Raster Mapping	1:10,000	2006	9
VectorMap Local	1:10,000	2021	10

Historical Map - Slice A



Order Details

Order Number: 280371461_1_1
Customer Ref: 21-1321.01
National Grid Reference: 524380, 331560
Slice: A
Site Area (Ha): 2.14
Search Buffer (m): 1000

Site Details

25a, High Street, Gosberton, SPALDING, PE11 4NW

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


Lincolnshire

Published 1887 - 1888


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number: 280371461_1_1
Customer Ref: 21-1321.01
National Grid Reference: 524380, 331560
Slice: A
Site Area (Ha): 2.14
Search Buffer (m): 1000

Site Details

25a, High Street, Gosberton, SPALDING, PE11 4NW


Lincolnshire

Published 1906


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number: 280371461_1_1
Customer Ref: 21-1321.01
National Grid Reference: 524380, 331560
Slice: A
Site Area (Ha): 2.14
Search Buffer (m): 1000

Site Details

25a, High Street, Gosberton, SPALDING, PE11 4NW

Lincolnshire

Published 1931 - 1932


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

126NW	1931	1:10,560
126SW	1932	1:10,560

Historical Map - Slice A




Order Details

Order Number: 280371461_1_1
 Customer Ref: 21-1321.01
 National Grid Reference: 524380, 331560
 Slice: A
 Site Area (Ha): 2.14
 Search Buffer (m): 1000

Site Details

25a, High Street, Gosberton, SPALDING, PE11 4NW



Lincolnshire

Published 1951


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

126NW	1951	1:10,560
126SW	1951	1:10,560

Historical Map - Slice A





Order Details

Order Number: 280371461_1_1
 Customer Ref: 21-1321.01
 National Grid Reference: 524380, 331560
 Slice: A
 Site Area (Ha): 2.14
 Search Buffer (m): 1000

Site Details

25a, High Street, Gosberton, SPALDING, PE11 4NW





© Crown copyright and Landmark Information Group Limited 2021. All Rights Reserved.




Ordnance Survey Plan

Published 1956


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 280371461_1_1
Customer Ref: 21-1321.01
National Grid Reference: 524380, 331560
Slice: A
Site Area (Ha): 2.14
Search Buffer (m): 1000

Site Details

25a, High Street, Gosberton, SPALDING, PE11 4NW



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




Ordnance Survey Plan

Published 1977


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 280371461_1_1
Customer Ref: 21-1321.01
National Grid Reference: 524380, 331560
Slice: A
Site Area (Ha): 2.14
Search Buffer (m): 1000

Site Details

25a, High Street, Gosberton, SPALDING, PE11 4NW




Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




10k Raster Mapping
Published 2000
Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)




Historical Map - Slice A



Order Details	
Order Number:	280371461_1_1
Customer Ref:	21-1321.01
National Grid Reference:	524380, 331560
Slice:	A
Site Area (Ha):	2.14
Search Buffer (m):	1000

Site Details
25a, High Street, Gosberton, SPALDING, PE11 4NW




10k Raster Mapping

Published 2006


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 280371461_1_1
Customer Ref: 21-1321.01
National Grid Reference: 524380, 331560
Slice: A
Site Area (Ha): 2.14
Search Buffer (m): 1000

Site Details

25a, High Street, Gosberton, SPALDING, PE11 4NW



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright. All Rights Reserved. Licence Number 100022432.




VectorMap Local

Published 2021


Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities), 1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number: 280371461_1_1
Customer Ref: 21-1321.01
National Grid Reference: 524380, 331560
Slice: A
Site Area (Ha): 2.14
Search Buffer (m): 1000

Site Details


25a, High Street, Gosberton, SPALDING, PE11 4NW




Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends


Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250




Large-Scale National Grid Data 1:2,500 and 1:1,250



Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Lincolnshire	1:2,500	1888	2
Lincolnshire	1:2,500	1905	3
Lincolnshire	1:2,500	1932	4
Ordnance Survey Plan	1:2,500	1973	5
Supply of Unpublished Survey Information	1:2,500	1975	6
Additional SIMs	1:2,500	1981	7
Large-Scale National Grid Data	1:2,500	1995	8
Historical Aerial Photography	1:2,500	1999	9

Historical Map - Segment A13



Order Details

Order Number: 280371461_1_1
Customer Ref: 21-1321.01
National Grid Reference: 524380, 331560
Slice: A
Site Area (Ha): 2.14
Search Buffer (m): 100

Site Details

25a, High Street, Gosberton, SPALDING, PE11 4NW



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


Lincolnshire

Published 1888


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13




Order Details

Order Number: 280371461_1_1
Customer Ref: 21-1321.01
National Grid Reference: 524380, 331560
Slice: A
Site Area (Ha): 2.14
Search Buffer (m): 100

Site Details

25a, High Street, Gosberton, SPALDING, PE11 4NW




Lincolnshire

Published 1905


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13




Order Details

Order Number: 280371461_1_1
 Customer Ref: 21-1321.01
 National Grid Reference: 524380, 331560
 Slice: A
 Site Area (Ha): 2.14
 Search Buffer (m): 100


Site Details

25a, High Street, Gosberton, SPALDING, PE11 4NW




The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13




Order Details

Order Number: 280371461_1_1
 Customer Ref: 21-1321.01
 National Grid Reference: 524380, 331560
 Slice: A
 Site Area (Ha): 2.14
 Search Buffer (m): 100

Site Details

25a, High Street, Gosberton, SPALDING, PE11 4NW






Ordnance Survey Plan

Published 1973


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details


Order Number: 280371461_1_1
Customer Ref: 21-1321.01
National Grid Reference: 524380, 331560
Slice: A
Site Area (Ha): 2.14
Search Buffer (m): 100

Site Details

25a, High Street, Gosberton, SPALDING, PE11 4NW



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk






Supply of Unpublished Survey Information

Published 1975


Source map scale - 1:2,500

SUSI maps (Supply of Unpublished Survey Information) were produced between 1972 and 1977, mainly for internal use at Ordnance Survey. These were more of a 'work-in-progress' plan as they showed updates of individual areas on a map. These maps were unpublished, and they do not represent a single moment in time. They were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details


Order Number: 280371461_1_1
Customer Ref: 21-1321.01
National Grid Reference: 524380, 331560
Slice: A
Site Area (Ha): 2.14
Search Buffer (m): 100

Site Details

25a, High Street, Gosberton, SPALDING, PE11 4NW



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




Additional SIMs

Published 1981


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A13





Order Details

Order Number: 280371461_1_1
Customer Ref: 21-1321.01
National Grid Reference: 524380, 331560
Slice: A
Site Area (Ha): 2.14
Search Buffer (m): 100


Site Details

25a, High Street, Gosberton, SPALDING, PE11 4NW





Map Name(s) and Date(s)



Order Number:	280371461_1_1
Customer Ref:	21-1321.01
National Grid Reference:	524380, 331560
Slice:	A
Site Area (Ha):	2.14
Search Buffer (m):	100

25a, High Street, Gosberton, SPALDING, PE11 4NW


Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Aerial Photography

Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment A13



Order Details

Order Number: 280371461_1_1
Customer Ref: 21-1321.01
National Grid Reference: 524380, 331560
Slice: A
Site Area (Ha): 2.14
Search Buffer (m): 100

Site Details

25a, High Street, Gosberton, SPALDING, PE11 4NW

Appendix D – Envirocheck Data Sheet

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

280371461_1_1

Customer Reference:

21-1321.01

National Grid Reference:

524380, 331560

Slice:

A

Site Area (Ha):

2.14

Search Buffer (m):

1000

Site Details:

25a, High Street

Gosberton

SPALDING

PE11 4NW

Client Details:

Mr A Howells

Delta Simons

3 Henley Office Park

Doddington Road

Lincoln

LN6 3QR

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	43
Hazardous Substances	-
Geological	44
Industrial Land Use	45
Sensitive Land Use	49
Data Currency	50
Data Suppliers	55
Useful Contacts	56

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.

For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.

In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2021. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

© Environment Agency & United Kingdom Research and Innovation 2021. © Natural Resources Wales & United Kingdom Research and Innovation 2021.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2021. Land & Property Services © Crown copyright and database right.

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility					n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 1	2	3	3	2
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls	pg 3		2		
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 3	Yes			
Pollution Incidents to Controlled Waters	pg 3		2	1	1
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register					
Water Abstractions	pg 4			3	14 (*21)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 14	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a	n/a	n/a
Groundwater Vulnerability - Local Information			n/a	n/a	n/a
Bedrock Aquifer Designations	pg 14	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 14	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences	pg 14	Yes	Yes	n/a	n/a
Flooding from Rivers or Sea without Defences	pg 14	Yes	Yes	n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 15	8	34	54	148

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 43	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Potentially Infilled Land (Non-Water)					
Potentially Infilled Land (Water)	pg 43				2
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Geological					
BGS 1:625,000 Solid Geology	pg 44	Yes	n/a	n/a	n/a
BGS Estimated Soil Chemistry	pg 44	Yes			
BGS Recorded Mineral Sites	pg 44			1	
BGS Urban Soil Chemistry					
BGS Urban Soil Chemistry Averages					
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards				n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 44	Yes		n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 44	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 44	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 44	Yes		n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a
Industrial Land Use					
Contemporary Trade Directory Entries	pg 45		10	3	1
Fuel Station Entries	pg 46		2		
Points of Interest - Commercial Services	pg 46		2	2	
Points of Interest - Education and Health					
Points of Interest - Manufacturing and Production	pg 46		1		7
Points of Interest - Public Infrastructure	pg 47		4	2	1
Points of Interest - Recreational and Environmental	pg 48		2		
Gas Pipelines					
Underground Electrical Cables					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Sensitive Land Use					
Ancient Woodland					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 49	1			
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	Discharge Consents Operator: Mr G Sharples Property Type: Domestic Property (Single) Location: April Rise Boston Road, Gosberton, Spalding, Lincolnshire, Pe11 4nr Authority: Environment Agency, Anglian Region Catchment Area: Low River Welland (Spalding) Reference: Prnnf12472 Permit Version: 1 Effective Date: 17th August 2000 Issued Date: 1st September 2000 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Tributary Of Riseagate Eau Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A13NE (E)	0	2	524450 331550
2	Discharge Consents Operator: Mr. G.J. Sharples Property Type: Not Supplied Location: House At Boston Road Gosberton, Spalding, Lincs Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf3844 Permit Version: 1 Effective Date: 10th August 1982 Issued Date: 10th August 1982 Revocation Date: 1st October 1996 Discharge Type: Unknown Discharge: Onto Land Environment: Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A13NE (NE)	0	2	524480 331600
3	Discharge Consents Operator: Mr & Mrs D Cordner Property Type: Domestic Property (Single) Location: Infotel House Boston Road, Gosberton, Spalding, Lincolnshire, Pe11 4nu Authority: Environment Agency, Anglian Region Catchment Area: Low River Welland (Spalding) Reference: Prnnf12923 Permit Version: 1 Effective Date: 6th March 2003 Issued Date: 18th March 2003 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Tributary Of Riseagate Eau Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A13NE (NE)	2	2	524440 331650
4	Discharge Consents Operator: Mr D Williamson Property Type: Domestic Property (Single) Location: Bow House Boston Road, Gosberton, Spalding, Lincolnshire, Pe11 4nr Authority: Environment Agency, Anglian Region Catchment Area: Low River Welland (Spalding) Reference: Prnnf18084 Permit Version: 1 Effective Date: 15th December 2003 Issued Date: 23rd December 2003 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Trib Of Riseagate Eau Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A13NE (NE)	116	2	524560 331720

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
5	Discharge Consents Operator: Anthony And Katherine J. Armstrong Property Type: Not Supplied Location: Nursery On Mill Lane, Gosberton, Spalding Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf5094 Permit Version: 1 Effective Date: 31st October 1985 Issued Date: 31st October 1985 Revocation Date: 1st October 1996 Discharge Type: Unknown Discharge: Onto Land Environment: Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A13NW (N)	155	2	524360 331780
6	Discharge Consents Operator: Mrs D E W Buckley Property Type: Not Supplied Location: Dwellinghouse At Low Gate, Gosberton, Spalding Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf3598 Permit Version: 1 Effective Date: 15th May 1979 Issued Date: 15th May 1979 Revocation Date: 1st October 1996 Discharge Type: Unknown Discharge: Onto Land Environment: Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	A13NW (NW)	269	2	524100 331800
7	Discharge Consents Operator: Medicx Properties V Limited Property Type: Domestic Property (Single) Location: Rutland Gardens No.33 Gosberton, Spalding, Lincs, Pe11 4hr Authority: Environment Agency, Anglian Region Catchment Area: Low River Welland (Spalding) Reference: Pmnf18877 Permit Version: 1 Effective Date: 4th February 2008 Issued Date: 28th January 2008 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Unnamed Tributary Of River Wed Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A13NW (NW)	278	2	524200 331860
8	Discharge Consents Operator: Mr R Westlake Property Type: Domestic Property (Single) Location: Mataver House Boston Road, Gosberton, Spalding, Lincolnshire, Pe11 4nu Authority: Environment Agency, Anglian Region Catchment Area: Low River Welland (Spalding) Reference: Prnnf18053 Permit Version: 1 Effective Date: 3rd October 2003 Issued Date: 9th October 2003 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Trib Of Risegate Eau Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A18SE (NE)	429	2	524700 332000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
9	Discharge Consents Operator: B S Tidswell Property Type: Arable Farming Location: Riseholme Farm Gosberton, Risegate, Spalding, Lincs, Pe11 4et Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Gwnlf40441 Permit Version: 1 Effective Date: 31st March 1999 Issued Date: 17th January 2001 Revocation Date: Not Supplied Discharge Type: Trade Discharge - Agricultural And Surface Discharge: Onto Land Environment: Receiving Water: Groundwater Status: Deemed Groundwater Regulations Authorisation Positional Accuracy: Located by supplier to within 100m	A14SE (E)	654	2	525100 331300
10	Discharge Consents Operator: Christopher Ernest Clark Property Type: Arable Farming Location: Beech Tree Farm 73 Westhorpe Road, Gosberton, Spalding, Lincolnshire, Pe11 4en Authority: Environment Agency, Anglian Region Catchment Area: Catchment 29 Unknown Detail Reference: Gwnlf40037 Permit Version: 1 Effective Date: 1st April 1999 Issued Date: 7th July 2000 Revocation Date: Not Supplied Discharge Type: Trade Discharge - Agricultural And Surface Discharge: Onto Land Environment: Receiving Water: Groundwater Status: Deemed Groundwater Regulations Authorisation Positional Accuracy: Located by supplier to within 10m	A11SE (W)	951	2	523310 331400
11	Local Authority Pollution Prevention and Controls Name: Wheel Rite Location: Spalding Road, Gosberton, SPALDING, Lincolnshire, PE11 4HL Authority: South Holland District Council, Environmental Services Permit Reference: Not Supplied Dated: Not Supplied Process Type: Local Authority Air Pollution Control Description: PG1/14 Petrol filling station Status: Not Supplied Positional Accuracy: Automatically positioned to the address	A13SW (S)	96	3	524356 331377
11	Local Authority Pollution Prevention and Controls Name: Ken Cars Location: Spalding Road, Gosberton, Spalding, Lincolnshire, PE11 4HL Authority: South Holland District Council, Environmental Services Permit Reference: Not Supplied Dated: Not Supplied Process Type: Local Authority Air Pollution Control Description: PG1/14 Petrol filling station Status: Not Supplied Positional Accuracy: Automatically positioned to the address	A13SW (S)	96	3	524356 331377
	Nearest Surface Water Feature	A13SW (SW)	0	-	524325 331512
12	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Spalding District Authority: Environment Agency, Anglian Region Pollutant: Unknown Note: Dyke Near A16 Incident Date: 27th April 1992 Incident Reference: 1307 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Unknown Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A13SE (SE)	41	2	524500 331500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
13	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Spalding District Authority: Environment Agency, Anglian Region Pollutant: Unknown Note: Dyke Incident Date: 23rd March 1993 Incident Reference: 1534 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Unknown Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A13NE (E)	178	2	524700 331600
14	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Spalding District Authority: Environment Agency, Anglian Region Pollutant: Unknown Note: Not Supplied Incident Date: 6th June 1992 Incident Reference: 1343 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A12NE (W)	458	2	523800 331600
15	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Spalding District Authority: Environment Agency, Anglian Region Pollutant: Unknown Note: Main Drain Incident Date: 17th November 1993 Incident Reference: 1697 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A17NE (NW)	759	2	524000 332300
16	Water Abstractions Operator: Proctor Bros (Gosberton) Ltd Licence Number: 5/31/14/*S/0169 Permit Version: 102 Location: Zigzag Drain, Gosberton-Point R Authority: Environment Agency, Anglian Region Abstraction: Horticulture And Nurseries: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 March Authorised End: 31 October Permit Start Date: 1st April 2019 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A14NW (E)	499	2	525021 331633
16	Water Abstractions Operator: Proctor Bros (Gosberton) Ltd Licence Number: 5/31/14/*S/0169 Permit Version: 102 Location: Zigzag Drain, Gosberton-Point R Authority: Environment Agency, Anglian Region Abstraction: Horticulture And Nurseries: Spray Irrigation - Storage Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 November Authorised End: 31 March Permit Start Date: 1st April 2019 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A14NW (E)	499	2	525021 331633

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
16	Water Abstractions Operator: Proctor Bros (Gosberton) Ltd Licence Number: 5/31/14/*S/0169 Permit Version: 101 Location: Zigzag Drain, Gosberton-Point R Authority: Environment Agency, Anglian Region Abstraction: Horticulture And Nurseries: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 March Authorised End: 31 October Permit Start Date: 28th September 2011 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A14NW (E)	499	2	525021 331633
17	Water Abstractions Operator: R Bratley (Quadrang) Ltd Licence Number: 5/31/14/*S/0230/R01 Permit Version: 1 Location: Riseigate Eau D - E At Quadrang Authority: Environment Agency, Anglian Region Abstraction: General Agriculture: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Quadrang Spalding Lincs Authorised Start: 01 April Authorised End: 31 October Permit Start Date: 19th April 2017 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8NE (SE)	548	2	524710 331030
17	Water Abstractions Operator: R Bratley (Quadrang) Ltd Licence Number: 5/31/14/*S/0230 Permit Version: 102 Location: Riseigate Eau D - E At Quadrang Authority: Environment Agency, Anglian Region Abstraction: General Agriculture: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Quadrang Spalding Lincs Authorised Start: 01 April Authorised End: 31 October Permit Start Date: 30th June 2011 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8NE (SE)	548	2	524710 331030
17	Water Abstractions Operator: R Bratley (Quadrang) Ltd Licence Number: 5/31/14/*S/0230 Permit Version: 101 Location: Riseigate Eau D - E At Quadrang Authority: Environment Agency, Anglian Region Abstraction: General Agriculture: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 October Permit Start Date: 21st July 1999 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8NE (SE)	548	2	524710 331030

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
17	Water Abstractions Operator: R Bratley (Quadrang) Ltd Licence Number: 5/31/14/*s/230 Permit Version: Not Supplied Location: Risegate Eau, QUADRING, Lincolnshire Authority: Environment Agency, Anglian Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Stream Daily Rate (m3): 46 Yearly Rate (m3): 750000 Details: Status: Time Limit Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8NE (SE)	548	2	524710 331030
17	Water Abstractions Operator: Proctor Bros (Gosberton) Ltd Licence Number: 5/31/14/*s/169 Permit Version: Not Supplied Location: Risegate Eau, GOSBERTON Authority: Environment Agency, Anglian Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Stream Daily Rate (m3): 100 Yearly Rate (m3): 6000000 Details: Status: Perpetuity Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8NE (SE)	570	2	524700 331000
18	Water Abstractions Operator: R Bratley (Quadrang) Ltd Licence Number: 5/31/14/*S/0230 Permit Version: 101 Location: Coll Drain C At Quadrang Authority: Environment Agency, Anglian Region Abstraction: General Agriculture: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 October Permit Start Date: 21st July 1999 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A17NE (NW)	879	2	523750 332300
18	Water Abstractions Operator: R Bratley (Quadrang) Ltd Licence Number: 5/31/14/*s/230 Permit Version: Not Supplied Location: Coll Drain, QUADRING, Lincolnshire Authority: Environment Agency, Anglian Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Stream Daily Rate (m3): 46 Yearly Rate (m3): 750000 Details: Status: Time Limit Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A17NE (NW)	879	2	523750 332300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
19	Water Abstractions Operator: R Bratley (Quadrang) Ltd Licence Number: 5/31/14/*s/230 Permit Version: Not Supplied Location: Marlode Drain, QUADRING, Lincolnshire Authority: Environment Agency, Anglian Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Surface Daily Rate (m3): 46 Yearly Rate (m3): 750000 Details: Status: Time Limit Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A19NW (NE)	921	2	524800 332495
19	Water Abstractions Operator: R Bratley (Quadrang) Ltd Licence Number: 5/31/14/*s/230 Permit Version: Not Supplied Location: Marlode Drain, QUADRING, Lincolnshire Authority: Environment Agency, Anglian Region Abstraction: Recirculating/Compound Abstraction Type: Not Supplied Source: Stream Daily Rate (m3): 46 Yearly Rate (m3): 750000 Details: Status: Time Limit Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A19NW (NE)	923	2	524805 332495
19	Water Abstractions Operator: R Bratley (Quadrang) Ltd Licence Number: 5/31/14/*S/0230/R01 Permit Version: 1 Location: Marlode Drain At Quadrang Spalding Authority: Environment Agency, Anglian Region Abstraction: General Agriculture: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Quadrang Spalding Lincs Authorised Start: 01 April Authorised End: 31 October Permit Start Date: 19th April 2017 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A19NW (NE)	925	2	524800 332500
19	Water Abstractions Operator: R Bratley (Quadrang) Ltd Licence Number: 5/31/14/*S/0230/R01 Permit Version: 1 Location: Marlode Drain At Quadrang Authority: Environment Agency, Anglian Region Abstraction: General Agriculture: Spray Irrigation - Storage Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Quadrang Spalding Lincs Authorised Start: 01 January Authorised End: 31 March Permit Start Date: 19th April 2017 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A19NW (NE)	925	2	524800 332500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
19	Water Abstractions Operator: R Bratley (Quadrang) Ltd Licence Number: 5/31/14/*S/0230 Permit Version: 102 Location: Marlode Drain At Quadrang Spalding Authority: Environment Agency, Anglian Region Abstraction: General Agriculture: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Quadrang Spalding Lincs Authorised Start: 01 April Authorised End: 31 October Permit Start Date: 30th June 2011 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A19NW (NE)	925	2	524800 332500
19	Water Abstractions Operator: R Bratley (Quadrang) Ltd Licence Number: 5/31/14/*S/0230 Permit Version: 102 Location: Marlode Drain At Quadrang Authority: Environment Agency, Anglian Region Abstraction: General Agriculture: Spray Irrigation - Storage Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Quadrang Spalding Lincs Authorised Start: 01 January Authorised End: 31 March Permit Start Date: 30th June 2011 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A19NW (NE)	925	2	524800 332500
19	Water Abstractions Operator: R Bratley (Quadrang) Ltd Licence Number: 5/31/14/*S/0230 Permit Version: 101 Location: Marlode Drain At Quadrang Authority: Environment Agency, Anglian Region Abstraction: General Agriculture: Spray Irrigation - Storage Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Status: Temporary Authorised Start: 01 January Authorised End: 31 March Permit Start Date: 1st January 2011 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A19NW (NE)	925	2	524800 332500
	Water Abstractions Operator: Proctor Bros (Gosberton) Ltd Licence Number: 5/31/14/*S/0169 Permit Version: 102 Location: Risegate Eau, Gosberton-Point F Authority: Environment Agency, Anglian Region Abstraction: Horticulture And Nurseries: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 March Authorised End: 31 October Permit Start Date: 1st April 2019 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A7SW (SW)	1039	2	523700 330600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Proctor Bros (Gosberton) Ltd Licence Number: 5/31/14/*S/0169 Permit Version: 102 Location: Riseigate Eau, Gosberton-Point F Authority: Environment Agency, Anglian Region Abstraction: Horticulture And Nurseries: Spray Irrigation - Storage Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 November Authorised End: 31 March Permit Start Date: 1st April 2019 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A7SW (SW)	1039	2	523700 330600
	Water Abstractions Operator: Proctor Bros (Gosberton) Ltd Licence Number: 5/31/14/*S/0169 Permit Version: 101 Location: Riseigate Eau, Gosberton-Point F Authority: Environment Agency, Anglian Region Abstraction: Horticulture And Nurseries: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 March Authorised End: 31 October Permit Start Date: 28th September 2011 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A7SW (SW)	1039	2	523700 330600
	Water Abstractions Operator: Proctor Bros (Gosberton) Ltd Licence Number: 5/31/14/*S/0169 Permit Version: 100 Location: Riseigate Eau, Gosberton Authority: Environment Agency, Anglian Region Abstraction: Horticulture And Nurseries: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Status: Perpetuity Authorised Start: 01 March Authorised End: 31 October Permit Start Date: 1st January 2011 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	1039	2	523700 330600
	Water Abstractions Operator: Proctor Bros (Gosberton) Ltd Licence Number: 5/31/14/*S/0169 Permit Version: 102 Location: Riseigate Eau, Gosberton-Point S Authority: Environment Agency, Anglian Region Abstraction: Horticulture And Nurseries: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 March Authorised End: 31 October Permit Start Date: 1st April 2019 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A15SW (E)	1186	2	525700 331465

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Proctor Bros (Gosberton) Ltd Licence Number: 5/31/14/*S/0169 Permit Version: 102 Location: Risegate Eau, Gosberton-Point S Authority: Environment Agency, Anglian Region Abstraction: Horticulture And Nurseries: Spray Irrigation - Storage Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 November Authorised End: 31 March Permit Start Date: 1st April 2019 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A15SW (E)	1186	2	525700 331465
	Water Abstractions Operator: Proctor Bros (Gosberton) Ltd Licence Number: 5/31/14/*S/0169 Permit Version: 101 Location: Risegate Eau, Gosberton-Point S Authority: Environment Agency, Anglian Region Abstraction: Horticulture And Nurseries: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 March Authorised End: 31 October Permit Start Date: 28th September 2011 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A15SW (E)	1186	2	525700 331465
	Water Abstractions Operator: R Bratley (Quadring) Ltd Licence Number: 5/31/14/*S/0230/R01 Permit Version: 1 Location: Coll Drain At Quadring Spadling Authority: Environment Agency, Anglian Region Abstraction: General Agriculture: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Quadring Spalding Lincs Authorised Start: 01 April Authorised End: 31 October Permit Start Date: 19th April 2017 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A23SE (N)	1191	2	524636 332822
	Water Abstractions Operator: R Bratley (Quadring) Ltd Licence Number: 5/31/14/*S/0230 Permit Version: 102 Location: Coll Drain At Quadring Spadling Authority: Environment Agency, Anglian Region Abstraction: General Agriculture: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Quadring Spalding Lincs Authorised Start: 01 April Authorised End: 31 October Permit Start Date: 30th June 2011 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A23SE (N)	1191	2	524636 332822

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Proctor Bros (Gosberton) Ltd Licence Number: 5/31/14/*S/0169 Permit Version: 102 Location: Farm Drains-Gosberton-Point K Authority: Environment Agency, Anglian Region Abstraction: Horticulture And Nurseries: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 March Authorised End: 31 October Permit Start Date: 1st April 2019 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A1NW (SW)	1748	2	522876 330426
	Water Abstractions Operator: Proctor Bros (Gosberton) Ltd Licence Number: 5/31/14/*S/0169 Permit Version: 102 Location: Farm Drains-Gosberton-Point K Authority: Environment Agency, Anglian Region Abstraction: Horticulture And Nurseries: Spray Irrigation - Storage Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 November Authorised End: 31 March Permit Start Date: 1st April 2019 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A1NW (SW)	1748	2	522876 330426
	Water Abstractions Operator: Proctor Bros (Gosberton) Ltd Licence Number: 5/31/14/*S/0169 Permit Version: 101 Location: Farm Drains-Gosberton-Point K Authority: Environment Agency, Anglian Region Abstraction: Horticulture And Nurseries: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 March Authorised End: 31 October Permit Start Date: 28th September 2011 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A1NW (SW)	1748	2	522876 330426
	Water Abstractions Operator: Proctor Bros (Gosberton) Ltd Licence Number: 5/31/14/*S/0169 Permit Version: 100 Location: Newberry Drain, Gosberton Authority: Environment Agency, Anglian Region Abstraction: Horticulture And Nurseries: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Status: Perpetuity Authorised Start: 01 March Authorised End: 31 October Permit Start Date: 1st January 2011 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(S)	1755	2	524400 329700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Proctor Bros (Gosberton) Ltd Licence Number: 5/31/14/*S/0169 Permit Version: 100 Location: Farm Drains, Gosberton Authority: Environment Agency, Anglian Region Abstraction: Horticulture And Nurseries: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Status: Perpetuity Authorised Start: 01 March Authorised End: 31 October Permit Start Date: 1st January 2011 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A2SW (SW)	1791	2	523400 329900
	Water Abstractions Operator: Proctor Bros (Gosberton) Ltd Licence Number: 5/31/14/*s/169 Permit Version: Not Supplied Location: Newberry Drain , GOSBERTON Authority: Environment Agency, Anglian Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Stream Daily Rate (m3): 100 Yearly Rate (m3): 6000000 Details: Status: Perpetuity Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(S)	1820	2	523800 329700
	Water Abstractions Operator: Proctor Bros (Gosberton) Ltd Licence Number: 5/31/14/*S/0169 Permit Version: 102 Location: Newberry Drain, Gosberton-Point B Authority: Environment Agency, Anglian Region Abstraction: Horticulture And Nurseries: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 March Authorised End: 31 October Permit Start Date: 1st April 2019 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(S)	1832	2	523828 329680
	Water Abstractions Operator: Proctor Bros (Gosberton) Ltd Licence Number: 5/31/14/*S/0169 Permit Version: 102 Location: Newberry Drain, Gosberton-Point B Authority: Environment Agency, Anglian Region Abstraction: Horticulture And Nurseries: Spray Irrigation - Storage Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 November Authorised End: 31 March Permit Start Date: 1st April 2019 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(S)	1832	2	523828 329680

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Proctor Bros (Gosberton) Ltd Licence Number: 5/31/14/*S/0169 Permit Version: 101 Location: Newberry Drain, Gosberton-Point B Authority: Environment Agency, Anglian Region Abstraction: Horticulture And Nurseries: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 March Authorised End: 31 October Permit Start Date: 28th September 2011 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(S)	1832	2	523828 329680
	Water Abstractions Operator: Proctor Bros (Gosberton) Ltd Licence Number: 5/31/14/*S/0169 Permit Version: 102 Location: Farm Drains-Gosberton-Point L Authority: Environment Agency, Anglian Region Abstraction: Horticulture And Nurseries: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 March Authorised End: 31 October Permit Start Date: 1st April 2019 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A1SW (SW)	1990	2	522927 330005
	Water Abstractions Operator: Proctor Bros (Gosberton) Ltd Licence Number: 5/31/14/*S/0169 Permit Version: 102 Location: Farm Drains-Gosberton-Point L Authority: Environment Agency, Anglian Region Abstraction: Horticulture And Nurseries: Spray Irrigation - Storage Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 November Authorised End: 31 March Permit Start Date: 1st April 2019 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A1SW (SW)	1990	2	522927 330005
	Water Abstractions Operator: Proctor Bros (Gosberton) Ltd Licence Number: 5/31/14/*S/0169 Permit Version: 101 Location: Farm Drains-Gosberton-Point L Authority: Environment Agency, Anglian Region Abstraction: Horticulture And Nurseries: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 March Authorised End: 31 October Permit Start Date: 28th September 2011 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A1SW (SW)	1990	2	522927 330005

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Vulnerability: Unproductive Bedrock Aquifer, Unproductive Superficial Aquifer Combined Aquifer: High Pollutant Speed: Well Connected Fractures Bedrock Flow: <300 mm/year Dilution: >70% Baseflow Index: >90% Superficial Patchiness: >10m Superficial Thickness: Low Superficial Recharge:	A13NW (S)	0	4	524381 331556
	Groundwater Vulnerability - Soluble Rock Risk None				
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	A13NW (S)	0	4	524381 331556
	Superficial Aquifer Designations Aquifer Designation: Unproductive Strata	A13NW (S)	0	4	524381 331556
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	0	2	524377 331567
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NW (S)	0	2	524381 331556
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12NE (W)	235	2	524025 331590
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NW (S)	0	2	524381 331556
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	32	2	524265 331435
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	44	2	524230 331490
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	96	2	524225 331385
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (S)	107	2	524355 331360
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NW (NW)	168	2	524130 331685
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12NE (W)	235	2	524025 331590
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	238	2	524090 331325

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
20	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 92.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NE (NE)	0	5	524439 331648
21	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 87.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13SW (SW)	0	5	524328 331513
22	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 43.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13SW (SW)	0	5	524328 331513
23	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 186.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NW (NW)	0	5	524379 331558
24	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13SW (SW)	0	5	524339 331509
25	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 110.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NE (N)	0	5	524397 331615
26	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NE (N)	0	5	524397 331615
27	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 53.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NE (N)	0	5	524398 331616

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
28	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 126.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NE (NE)	1	5	524439 331648
29	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 73.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13SW (S)	1	5	524361 331501
30	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 334.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13SE (SE)	12	5	524477 331510
31	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 98.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NW (W)	19	5	524255 331608
32	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13SE (SE)	36	5	524471 331483
33	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 315.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13SE (SE)	40	5	524447 331480
34	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 449.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13SE (SE)	40	5	524476 331481
35	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13SE (SE)	41	5	524434 331480
36	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 75.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NE (N)	80	5	524411 331723

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
37	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NW (NW)	80	5	524300 331673
38	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NE (N)	80	5	524403 331722
39	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 149.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NE (N)	90	5	524422 331735
40	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 139.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NE (N)	92	5	524428 331739
41	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 50.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13SE (S)	127	5	524416 331370
42	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 191.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13SE (SE)	144	5	524594 331452
43	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 101.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NW (NW)	156	5	524140 331679
44	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 302.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13SW (S)	156	5	524362 331311
45	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 196.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13SE (SE)	164	5	524620 331453

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
46	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 46.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13SE (S)	172	5	524461 331339
47	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 284.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NE (NE)	173	5	524593 331767
48	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 136.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NE (NE)	174	5	524633 331743
49	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 86.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NW (NW)	183	5	524111 331685
50	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 49.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NE (NE)	193	5	524676 331725
51	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 191.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NE (NE)	220	5	524508 331857
52	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 112.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NE (N)	222	5	524409 331867
53	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 29.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NW (NW)	225	5	524146 331780
54	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NW (NW)	225	5	524146 331780

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
55	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 22.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13SW (SW)	227	5	524146 331280
56	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 42.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NW (NW)	231	5	524150 331789
57	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 39.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NW (N)	233	5	524324 331849
58	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 47.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NW (NW)	234	5	524118 331771
59	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 66.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NE (N)	236	5	524438 331884
60	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 51.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NW (NW)	238	5	524062 331709
61	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 257.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Double Dike Catchment Name: Welland Primacy: 2	A12SE (W)	246	5	524006 331542
62	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 79.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NW (NW)	258	5	524073 331759
63	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 20.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A14NW (NE)	262	5	524760 331720

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
64	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 33.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18SE (N)	263	5	524501 331903
65	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18SW (N)	263	5	524334 331888
66	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 169.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18SW (N)	263	5	524334 331888
67	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 194.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A13NW (N)	265	5	524295 331873
68	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 347.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A14NW (E)	280	5	524781 331715
69	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 369.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A14NW (E)	280	5	524779 331721
70	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 220.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18SE (N)	300	5	524517 331938
71	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 223.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18SE (NE)	305	5	524586 331915
72	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 60.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A8NW (SW)	312	5	524110 331201

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
73	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 15.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A14SW (SE)	331	5	524770 331378
74	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 380.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A14SW (E)	334	5	524815 331442
75	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 75.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18SW (NW)	343	5	524130 331904
76	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A14SW (SE)	345	5	524785 331373
77	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 74.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18SW (NW)	347	5	524138 331912
78	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A14SW (SE)	356	5	524800 331377
79	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A14SW (SE)	359	5	524799 331370
80	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 39.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A8NE (SE)	369	5	524640 331195
81	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A8NW (SW)	369	5	524092 331144

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
82	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 128.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A14SW (SE)	371	5	524812 331368
83	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 27.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A14SW (E)	374	5	524820 331375
84	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 202.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18SE (N)	381	5	524414 332028
85	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 65.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A8NW (SW)	384	5	524090 331127
86	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 314.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Double Dike Catchment Name: Welland Primacy: 2	A12SE (SW)	394	5	523908 331337
87	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 252.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A12NE (W)	405	5	523858 331623
88	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 225.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18SE (NE)	405	5	524596 332021
89	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 133.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A8NE (SE)	410	5	524673 331167
90	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 93.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A14SW (E)	413	5	524858 331362

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
91	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A8NW (SW)	414	5	524091 331092
92	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 53.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18SE (NE)	417	5	524695 331990
93	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 316.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18SW (NW)	421	5	524121 331985
94	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 116.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18SW (NW)	424	5	524131 331991
95	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 388.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18SW (N)	424	5	524371 332066
96	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A8NW (SW)	427	5	524085 331080
97	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 139.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18SW (NW)	429	5	524124 331994
98	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A8NW (SW)	438	5	524078 331071
99	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 59.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Belchmire Dike Catchment Name: Welland Primacy: 2	A8NW (SW)	448	5	524061 331070

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
100	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A8NW (SW)	448	5	524061 331070
101	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.9 Watercourse Level: Underground Permanent: True Watercourse Name: Belchmire Dike Catchment Name: Welland Primacy: 2	A8NW (SW)	448	5	524061 331070
102	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 418.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Zigzag Drain Catchment Name: Welland Primacy: 2	A14NW (E)	448	5	524969 331649
103	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 345.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Belchmire Dike Catchment Name: Welland Primacy: 2	A8NW (SW)	450	5	524070 331062
104	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 256.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A8NW (SW)	451	5	524057 331069
105	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 80.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A8NW (SW)	459	5	524065 331054
106	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 43.5 Watercourse Level: Underground Permanent: True Watercourse Name: Double Dike Catchment Name: Welland Primacy: 2	A12SE (W)	462	5	523800 331432
107	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 192.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A12SE (W)	475	5	523786 331435
108	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 315.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A12SE (W)	477	5	523781 331456

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
109	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A12NE (W)	480	5	523798 331690
110	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 59.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19SW (NE)	482	5	524842 331969
111	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 102.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A12NE (W)	487	5	523793 331696
112	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.4 Watercourse Level: Underground Permanent: True Watercourse Name: Zigzag Drain Catchment Name: Welland Primacy: 2	A14NW (E)	494	5	525016 331632
113	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 35.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19SW (NE)	496	5	524742 332054
114	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 30.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19SW (NE)	498	5	524754 332049
115	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 818.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Zigzag Drain Catchment Name: Welland Primacy: 2	A14NW (E)	499	5	525021 331630
116	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 109.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19SW (NE)	504	5	524888 331956
117	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.0 Watercourse Level: Underground Permanent: True Watercourse Name: Belchmire Dike Catchment Name: Welland Primacy: 2	A7NE (SW)	507	5	524020 331026

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
118	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 172.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Belchmire Dike Catchment Name: Welland Primacy: 2	A7NE (SW)	511	5	524017 331023
119	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 38.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A14SW (SE)	511	5	524938 331305
120	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 31.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18SW (N)	517	5	524174 332099
121	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19SW (NE)	520	5	524784 332057
122	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 130.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19SW (NE)	521	5	524788 332057
123	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 46.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A7NE (SW)	523	5	523833 331198
124	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 17.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19SW (NE)	537	5	524859 332027
125	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 187.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A14SW (E)	537	5	525008 331380
126	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 112.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A14SW (E)	540	5	525054 331517

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
127	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18SW (N)	541	5	524175 332123
128	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18SE (N)	546	5	524541 332184
129	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 228.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18SE (N)	546	5	524541 332184
130	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 388.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Riseigate Eau Catchment Name: Welland Primacy: 1	A8NE (S)	547	5	524608 330990
131	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 133.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19SW (NE)	549	5	524759 332104
132	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 100.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Sea Dike Catchment Name: Welland Primacy: 2	A8NE (S)	550	5	524466 330929
133	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 100.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Riseigate Eau Catchment Name: Welland Primacy: 1	A8NE (S)	550	5	524466 330929
134	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 33.3 Watercourse Level: Underground Permanent: True Watercourse Name: Double Dike Catchment Name: Welland Primacy: 2	A12SE (SW)	551	5	523783 331234
135	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 96.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18SW (N)	552	5	524178 332135

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
136	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 250.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18SE (N)	556	5	524552 332192
137	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.2 Watercourse Level: Underground Permanent: True Watercourse Name: Belchmire Dike Catchment Name: Welland Primacy: 2	A8NW (S)	559	5	524361 330897
138	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 238.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A14SW (E)	562	5	525037 331382
139	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Double Dike Catchment Name: Welland Primacy: 2	A7NE (SW)	562	5	523787 331201
140	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 31.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Double Dike Catchment Name: Welland Primacy: 2	A7NE (SW)	562	5	523788 331199
141	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Belchmire Dike Catchment Name: Welland Primacy: 2	A8NW (S)	565	5	524370 330892
142	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 570.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Riseigate Eau Catchment Name: Welland Primacy: 1	A8NW (S)	568	5	524374 330889
143	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.6 Watercourse Level: Underground Permanent: True Watercourse Name: Riseigate Eau Catchment Name: Welland Primacy: 1	A9NW (SE)	568	5	524823 331081
144	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 504.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Riseigate Eau Catchment Name: Welland Primacy: 1	A9NW (SE)	569	5	524832 331085

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
145	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 268.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A14NE (E)	571	5	525089 331673
146	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 71.1 Watercourse Level: Underground Permanent: True Watercourse Name: Double Dike Catchment Name: Welland Primacy: 2	A7NE (SW)	575	5	523790 331168
147	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 33.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19SW (NE)	582	5	525002 331938
148	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 197.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A14SE (E)	586	5	525066 331391
149	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 300.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A9NW (SE)	587	5	524838 331068
150	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19SW (NE)	610	5	525027 331951
151	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 170.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A9NW (SE)	612	5	524862 331055
152	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 268.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Zigzag Drain Catchment Name: Welland Primacy: 2	A19SW (NE)	618	5	525040 331947
153	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 74.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Double Dike Catchment Name: Welland Primacy: 2	A7NE (SW)	618	5	523786 331097

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
154	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 57.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A12NW (W)	621	5	523641 331640
155	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19SW (NE)	624	5	524909 332098
156	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 417.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18NW (N)	625	5	524214 332230
157	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.7 Watercourse Level: Underground Permanent: True Watercourse Name: Sea Dike Catchment Name: Welland Primacy: 2	A8NE (S)	628	5	524550 330877
158	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 73.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19SW (NE)	630	5	524914 332102
159	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 61.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18NW (N)	635	5	524228 332246
160	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 600.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Sea Dike Catchment Name: Welland Primacy: 2	A8SE (S)	637	5	524557 330871
161	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 51.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A7NE (SW)	640	5	523761 331093
162	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 252.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A8SE (S)	651	5	524559 330856

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
163	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 52.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19SW (NE)	652	5	524944 332105
164	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A17SE (NW)	656	5	523877 332116
165	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 66.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A12NW (W)	657	5	523622 331715
166	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 523.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19SE (NE)	663	5	525106 331922
167	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 226.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A17SE (NW)	667	5	523884 332136
168	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.1 Watercourse Level: Underground Permanent: True Watercourse Name: Double Dike Catchment Name: Welland Primacy: 2	A7NE (SW)	670	5	523777 331024
169	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 177.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Double Dike Catchment Name: Welland Primacy: 2	A7NE (SW)	674	5	523777 331018
170	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A12NW (W)	675	5	523585 331628
171	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19NW (NE)	677	5	524795 332231

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
172	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 202.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18NE (N)	677	5	524635 332296
173	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 710.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A7NE (SW)	677	5	523757 331037
174	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 88.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19NW (NE)	678	5	524798 332230
175	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 127.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Belchmire Dike Catchment Name: Welland Primacy: 2	A7NE (SW)	679	5	523891 330906
176	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18NE (N)	680	5	524624 332302
177	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A12NW (W)	685	5	523576 331641
178	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 220.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A9NW (SE)	686	5	525057 331166
179	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 340.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18NE (N)	687	5	524627 332309
180	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 50.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18NW (N)	688	5	524246 332307

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
181	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 240.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A14SE (E)	688	5	525199 331466
182	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 206.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18NE (N)	693	5	524533 332334
183	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 46.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19SW (NE)	701	5	524971 332147
184	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 38.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19SW (NE)	704	5	524984 332139
185	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 357.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A12NW (W)	706	5	523557 331653
186	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 284.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A14NE (E)	719	5	525240 331653
187	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 751.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Mar Lode Catchment Name: Welland Primacy: 2	A19SW (NE)	724	5	524968 332178
188	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 49.7 Watercourse Level: Underground Permanent: True Watercourse Name: Mar Lode Catchment Name: Welland Primacy: 2	A19SW (NE)	724	5	524968 332178
189	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 143.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19SW (NE)	733	5	524989 332174

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
190	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 208.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19SW (NE)	734	5	524995 332170
191	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Mar Lode Catchment Name: Welland Primacy: 2	A19SW (NE)	741	5	525015 332162
192	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 200.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Coll Drain Catchment Name: Welland Primacy: 2	A17NE (NW)	747	5	523981 332281
193	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A17NE (NW)	748	5	523925 332255
194	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Zigzag Drain Catchment Name: Welland Primacy: 2	A19SW (NE)	749	5	525022 332166
195	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Mar Lode Catchment Name: Welland Primacy: 2	A19SW (NE)	749	5	525022 332166
196	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 17.9 Watercourse Level: Underground Permanent: True Watercourse Name: Zigzag Drain Catchment Name: Welland Primacy: 2	A19SW (NE)	750	5	525026 332165
197	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 507.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Mar Lode Catchment Name: Welland Primacy: 2	A19SW (NE)	760	5	525030 332174
198	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 245.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19SW (NE)	760	5	525030 332174

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
199	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 36.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A17NE (NW)	764	5	523904 332261
200	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 303.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Coll Drain Catchment Name: Welland Primacy: 2	A17NE (NW)	767	5	523905 332266
201	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 426.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Coll Drain Catchment Name: Welland Primacy: 2	A18NW (N)	768	5	524288 332400
202	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A17NE (NW)	773	5	523873 332254
203	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 132.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A17NE (NW)	774	5	523869 332253
204	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 110.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A9NW (SE)	777	5	525005 330962
205	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 126.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A14NE (E)	787	5	525279 331822
206	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A7SE (SW)	790	5	523775 330856
207	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 40.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A14SE (E)	791	5	525260 331325

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
208	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A7SE (SW)	796	5	523783 330842
209	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 291.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A8SW (S)	797	5	524135 330669
210	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.1 Watercourse Level: Underground Permanent: True Watercourse Name: Coll Drain Catchment Name: Welland Primacy: 2	A18NW (N)	797	5	524068 332362
211	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 41.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Belchmire Dike Catchment Name: Welland Primacy: 2	A7SE (SW)	800	5	523786 330835
212	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 375.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A18NW (N)	805	5	524052 332365
213	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 52.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A17SW (NW)	809	5	523616 332068
214	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A17SW (NW)	818	5	523643 332119
215	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 15.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A17SE (NW)	820	5	523736 332214
216	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 15.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A7SE (SW)	824	5	523959 330699

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
217	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 144.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19NW (NE)	828	5	524956 332314
218	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 233.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A7SE (SW)	838	5	523958 330684
219	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 392.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Risegate Eau Catchment Name: Welland Primacy: 1	A14SE (E)	838	5	525295 331283
220	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A7SE (SW)	839	5	523750 330813
221	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Belchmire Dike Catchment Name: Welland Primacy: 2	A7SE (SW)	841	5	523759 330804
222	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A7SE (SW)	841	5	523759 330804
223	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A7SE (SW)	844	5	523754 330804
224	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 176.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A7SE (SW)	856	5	523750 330791
225	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 63.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19SE (NE)	867	5	525312 331967

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
226	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 351.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A8SE (S)	873	5	524512 330606
227	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 708.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A7NW (SW)	874	5	523579 330945
228	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A9NE (SE)	877	5	525087 330903
229	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 437.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A15NW (E)	887	5	525401 331734
230	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 30.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A15NW (E)	887	5	525401 331734
231	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 368.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A7SW (SW)	889	5	523686 330803
232	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 78.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19NW (NE)	892	5	524872 332433
233	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 145.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A9NE (SE)	892	5	525107 330903
234	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 22.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Sea Dike Catchment Name: Welland Primacy: 2	A9NE (SE)	892	5	525095 330891

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
235	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A15NW (E)	893	5	525400 331771
236	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A9SW (SE)	894	5	524946 330766
237	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 140.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A7SE (SW)	895	5	523842 330680
238	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 311.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19NW (NE)	896	5	524881 332432
239	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A9SW (SE)	898	5	524950 330764
240	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 56.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Coll Drain Catchment Name: Welland Primacy: 2	A18NE (N)	900	5	524421 332548
241	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 103.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A15NW (E)	901	5	525410 331763
242	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.8 Watercourse Level: Underground Permanent: True Watercourse Name: Alldike Lode Catchment Name: Welland Primacy: 2	A18NE (N)	903	5	524396 332549
243	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A9NE (SE)	903	5	525208 331007

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
244	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A7SE (SW)	903	5	523850 330666
245	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 266.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Risegate Eau Catchment Name: Welland Primacy: 1	A7SE (SW)	904	5	523850 330664
246	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A9SW (SE)	907	5	524961 330761
247	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 178.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A9NE (SE)	908	5	525218 331012
248	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 15.8 Watercourse Level: Underground Permanent: True Watercourse Name: Coll Drain Catchment Name: Welland Primacy: 2	A18NE (N)	909	5	524450 332557
249	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 328.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Alldike Lode Catchment Name: Welland Primacy: 2	A18NW (N)	910	5	524385 332556
250	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.3 Watercourse Level: Underground Permanent: True Watercourse Name: Sea Dike Catchment Name: Welland Primacy: 2	A9NE (SE)	911	5	525116 330885
251	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 39.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A9SW (SE)	913	5	524966 330756
252	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Sea Dike Catchment Name: Welland Primacy: 2	A9NE (SE)	917	5	525122 330883

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
253	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 135.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Sea Dike Catchment Name: Welland Primacy: 2	A9NE (SE)	920	5	525125 330882
254	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A9NE (SE)	920	5	525125 330882
255	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 297.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Coll Drain Catchment Name: Welland Primacy: 2	A23SE (N)	921	5	524461 332568
256	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A9NE (SE)	921	5	525126 330880
257	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 46.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A9SE (SE)	925	5	525126 330874
258	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 197.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A15NW (E)	931	5	525453 331652
259	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 105.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Coll Drain Catchment Name: Welland Primacy: 2	A17NW (NW)	933	5	523637 332279
260	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 206.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A17NW (NW)	934	5	523644 332285
261	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 205.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A17NE (NW)	942	5	523871 332445

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
262	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 142.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A19SE (NE)	978	5	525375 332088
263	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 42.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Welland Primacy: 2	A11NE (W)	979	5	523309 331788

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage Name: South Holland District Council - Has no landfill data to supply		0	3	524381 331556
	Local Authority Landfill Coverage Name: Lincolnshire County Council - Had landfill data but passed it to the relevant environment agency		0	6	524381 331556
264	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1956	A12NW (W)	612	-	523648 331628
265	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1956	A17SW (NW)	710	-	523694 332009

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Kellaways Formation And Oxford Clay Formation (Undifferentiated)	A13NW (S)	0	1	524381 331556
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13NW (S)	0	1	524381 331556
266	BGS Recorded Mineral Sites Site Name: Gosberton Brick & Tile Works Location: Gosberton, Boston, Lincolnshire Source: British Geological Survey, National Geoscience Information Service Reference: 134972 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Oxford Clay Formation Commodity: Common Clay and Shale Positional Accuracy: Located by supplier to within 10m	A13NE (NE)	290	1	524649 331870
	BGS Measured Urban Soil Chemistry No data available				
	BGS Urban Soil Chemistry Averages No data available				
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NW (S)	0	1	524381 331556
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A13NW (S)	0	1	524381 331556
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NW (S)	0	1	524381 331556
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NW (S)	0	1	524381 331556
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A13NW (S)	0	1	524381 331556
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13NW (S)	0	1	524381 331556
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A13NW (S)	0	1	524381 331556
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A13NW (S)	0	1	524381 331556

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
267	Contemporary Trade Directory Entries Name: Discount Motors Location: 17, High Street, Gosberton, Spalding, Lincolnshire, PE11 4NW Classification: Car Dealers - Used Status: Active Positional Accuracy: Automatically positioned to the address	A13SW (SW)	27	-	524269 331479
268	Contemporary Trade Directory Entries Name: Ken Kars Location: Spalding Road, Gosberton, Spalding, Lincolnshire, PE11 4HL Classification: Petrol Filling Stations Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SW (S)	96	-	524356 331377
268	Contemporary Trade Directory Entries Name: Wheelrite Location: 3, Spalding Road, Gosberton, Spalding, Lincolnshire, PE11 4NP Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SW (S)	137	-	524384 331347
268	Contemporary Trade Directory Entries Name: Cpl Distribution Location: 3, Spalding Road, Gosberton, Spalding, Lincolnshire, PE11 4NP Classification: Coal & Smokeless Fuel Merchants & Distributors Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SW (S)	137	-	524384 331347
268	Contemporary Trade Directory Entries Name: Reeves Tyre Centre Ltd Location: Spalding Road, Gosberton, Spalding, Lincolnshire, PE11 4HL Classification: Tyre Dealers Status: Active Positional Accuracy: Automatically positioned to the address	A13SW (S)	142	-	524361 331326
269	Contemporary Trade Directory Entries Name: Tyres 4 Bikes Ltd Location: 40 Mill Lane, Gosberton, Spalding, Lincolnshire, PE11 4NN Classification: Tyre Dealers Status: Active Positional Accuracy: Automatically positioned to the address	A13NW (N)	110	-	524349 331719
270	Contemporary Trade Directory Entries Name: A P Location: 3, Godfrey Avenue, Gosberton, SPALDING, Lincolnshire, PE11 4HF Classification: Crane Hire, Sales & Service Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SW (SW)	163	-	524262 331292
271	Contemporary Trade Directory Entries Name: Gillick Location: 2, Mill Lane, Gosberton, SPALDING, Lincolnshire, PE11 4NN Classification: Joinery Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NW (W)	181	-	524095 331639
272	Contemporary Trade Directory Entries Name: Sandhurst On Power Ltd Location: Belchmire Lane, Gosberton, Spalding, Lincolnshire, PE11 4HG Classification: Generators - Sales & Service Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A13SW (SW)	239	-	524157 331256
272	Contemporary Trade Directory Entries Name: Morris Site Machinery Location: Belchmire Lane, Gosberton, Spalding, Lincolnshire, PE11 4HG Classification: Generators - Sales & Service Status: Active Positional Accuracy: Manually positioned to the road within the address or location	A13SW (SW)	248	-	524143 331256
273	Contemporary Trade Directory Entries Name: A W & W G Waterfall Location: 41, Lowgate, Gosberton, Spalding, Lincolnshire, PE11 4NL Classification: Car Body Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NW (NW)	292	-	524142 331854
274	Contemporary Trade Directory Entries Name: Silverdrive Location: Salem Street, Gosberton, Spalding, Lincolnshire, PE11 4NQ Classification: Electric Motor Sales & Service Status: Inactive Positional Accuracy: Automatically positioned to the address	A12NE (W)	334	-	523941 331658

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
275	Contemporary Trade Directory Entries Name: Pods Independent Traders Location: 11, Lowgate, Gosberton, Spalding, PE11 4NL Classification: Electrical Goods Sales, Manufacturers & Wholesalers Status: Active Positional Accuracy: Automatically positioned to the address	A12NE (NW)	413	-	523928 331823
276	Contemporary Trade Directory Entries Name: Loc King Location: Church St, Gosberton, Spalding, Lincolnshire, PE11 4NF Classification: Safes & Vaults - Suppliers & Installers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A12NE (NW)	562	-	523762 331834
277	Fuel Station Entries Name: Kenkars Location: Spalding Road , Gosberton , Spalding, Lincolnshire, PE11 4HL Brand: Obsolete Premises Type: Not Applicable Status: Obsolete Positional Accuracy: Automatically positioned to the address	A13SW (S)	96	-	524356 331377
277	Fuel Station Entries Name: Wheelrite Location: Spalding Road , Gosberton , Spalding, Lincolnshire, PE11 4NP Brand: Uk Premises Type: Petrol Station Status: Open Positional Accuracy: Manually positioned to the address or location	A13SW (S)	127	-	524382 331359
278	Points of Interest - Commercial Services Name: Dash of Colour Location: 40 Mill Lane, Gosberton, Spalding, PE11 4NN Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13NW (N)	116	7	524330 331712
279	Points of Interest - Commercial Services Name: Wheelrite Location: Spalding Road, Gosberton, Spalding, PE11 4HL Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13SW (S)	132	7	524384 331355
280	Points of Interest - Commercial Services Name: A W & W G Waterfall Location: 41 Lowgate, Gosberton, Spalding, PE11 4NL Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13NW (NW)	292	7	524142 331854
280	Points of Interest - Commercial Services Name: A W & W G Waterfall Location: 41 Lowgate, Gosberton, Spalding, PE11 4NL Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13NW (NW)	298	7	524139 331859
281	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A13SW (SW)	223	7	524201 331249
282	Points of Interest - Manufacturing and Production Name: Fred Booth Location: Boston Road, Gosberton, Spalding, PE11 4NU Category: Farming Class Code: Arable Farming Positional Accuracy: Positioned to address or location	A19SW (NE)	524	7	524767 332071
282	Points of Interest - Manufacturing and Production Name: Tanks Location: PE11 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A19SW (NE)	563	7	524811 332092

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
283	Points of Interest - Manufacturing and Production Name: Tank Location: PE11 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A19SW (NE)	623	7	524957 332054
284	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A7SE (SW)	656	7	524033 330850
284	Points of Interest - Manufacturing and Production Name: Works Location: PE11 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A7SE (SW)	656	7	524033 330850
284	Points of Interest - Manufacturing and Production Name: Works Location: PE11 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A7SE (SW)	670	7	523989 330856
284	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A7SE (SW)	675	7	523981 330854
285	Points of Interest - Public Infrastructure Name: Sewage Pumping Station Location: PE11 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A13SE (SE)	30	7	524449 331491
286	Points of Interest - Public Infrastructure Name: Sewage Pumping Station Location: PE11 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A13NW (NW)	122	7	524223 331704
287	Points of Interest - Public Infrastructure Name: Wheelrite Location: Spalding Road, Gosberton, Spalding, PE11 4HL Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A13SW (S)	127	7	524382 331359
288	Points of Interest - Public Infrastructure Name: Sewage Pumping Station Location: PE11 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A13SW (SW)	144	7	524174 331368
289	Points of Interest - Public Infrastructure Name: Cemetery Location: PE11 Category: Infrastructure and Facilities Class Code: Cemeteries and Crematoria Positional Accuracy: Positioned to an adjacent address or location	A12SE (W)	399	7	523880 331384
289	Points of Interest - Public Infrastructure Name: Cemetery Location: Not Supplied Category: Infrastructure and Facilities Class Code: Cemeteries and Crematoria Positional Accuracy: Positioned to an adjacent address or location	A12SE (W)	417	7	523861 331385
290	Points of Interest - Public Infrastructure Name: Sewage Pumping Station Location: PE11 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A12NE (W)	522	7	523760 331709

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
291	Points of Interest - Recreational and Environmental Name: Playground Location: High Street, PE11 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	A13SW (W)	67	7	524201 331485
291	Points of Interest - Recreational and Environmental Name: Playground Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A13SW (SW)	70	7	524201 331480

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
292	Nitrate Vulnerable Zones Name: Risegate Eau Nvz Description: Surface Water Source: Environment Agency, Head Office	A13NW (S)	0	4	524381 331556

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Boston Borough Council - Pollutions Section, Environmental Health Environment Agency - Head Office South Holland District Council - Environmental Services	February 2015 June 2020 October 2013	Annual Rolling Update Annually Annual Rolling Update
Discharge Consents Environment Agency - Anglian Region	April 2021	Quarterly
Enforcement and Prohibition Notices Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls Environment Agency - Anglian Region	October 2008	
Integrated Pollution Prevention And Control Environment Agency - Anglian Region	April 2021	Quarterly
Local Authority Integrated Pollution Prevention And Control Boston Borough Council - Pollutions Section, Environmental Health South Holland District Council - Environmental Services	December 2014 October 2014	Variable Variable
Local Authority Pollution Prevention and Controls Boston Borough Council - Pollutions Section, Environmental Health South Holland District Council - Environmental Services	December 2014 October 2014	Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Boston Borough Council - Pollutions Section, Environmental Health South Holland District Council - Environmental Services	December 2014 October 2014	Variable Variable
Nearest Surface Water Feature Ordnance Survey	January 2021	
Pollution Incidents to Controlled Waters Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	March 2013	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances Environment Agency - Anglian Region	June 2016	Annually
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	July 2012	Annually
River Quality Chemistry Sampling Points Environment Agency - Head Office	July 2012	Annually
Substantiated Pollution Incident Register Environment Agency - Anglian Region - Northern Area	April 2021	Quarterly
Water Abstractions Environment Agency - Anglian Region	April 2021	Quarterly
Water Industry Act Referrals Environment Agency - Anglian Region	October 2017	Quarterly
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	Annually
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	Annually
Source Protection Zones Environment Agency - Head Office	May 2021	Bi-Annually

Agency & Hydrological	Version	Update Cycle
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	March 2021	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	March 2021	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	March 2021	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	March 2021	Quarterly
Flood Defences Environment Agency - Head Office	March 2021	Quarterly
OS Water Network Lines Ordnance Survey	September 2020	Quarterly
Surface Water 1 in 30 year Flood Extent Environment Agency - Head Office	October 2013	Annually
Surface Water 1 in 100 year Flood Extent Environment Agency - Head Office	October 2013	Annually
Surface Water 1 in 1000 year Flood Extent Environment Agency - Head Office	October 2013	Annually
Surface Water Suitability Environment Agency - Head Office	October 2013	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	Annually

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	June 1996	Not Applicable
Historical Landfill Sites Environment Agency - Head Office	May 2021	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Anglian Region	October 2008	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - Anglian Region - Northern Area	April 2021	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - Anglian Region - Northern Area	April 2021	Quarterly
Local Authority Landfill Coverage Boston Borough Council - Pollutions Section, Environmental Health Lincolnshire County Council South Holland District Council - Environmental Services	May 2000 May 2000 May 2000	Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites Boston Borough Council - Pollutions Section, Environmental Health Lincolnshire County Council South Holland District Council - Environmental Services	June 2003 May 2000 May 2000	
Potentially Infilled Land (Non-Water) Landmark Information Group Limited	December 1999	Not Applicable
Potentially Infilled Land (Water) Landmark Information Group Limited	December 1999	Not Applicable
Registered Landfill Sites Environment Agency - Anglian Region - Northern Area	March 2003	Not Applicable
Registered Waste Transfer Sites Environment Agency - Anglian Region - Northern Area	March 2003	
Registered Waste Treatment or Disposal Sites Environment Agency - Anglian Region - Northern Area	March 2003	
Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	April 2018	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	Annually
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	November 2000	
Planning Hazardous Substance Enforcements Boston Borough Council - Planning Department South Holland District Council Lincolnshire County Council - Highways and Planning Department	February 2016 January 2016 June 2010	Variable Variable Variable
Planning Hazardous Substance Consents Lincolnshire County Council - Highways and Planning Department Boston Borough Council - Planning Department South Holland District Council	August 2007 February 2016 January 2016	Variable Variable Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	Not Applicable
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	October 2015	Annually
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	May 2021	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	March 2014	Annual Rolling Update
Mining Instability Ove Arup & Partners	October 2000	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	Annually
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	July 2011	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	July 2011	Annually
Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	April 2021	Quarterly
Fuel Station Entries Catalist Ltd - Experian	June 2021	Quarterly
Gas Pipelines National Grid	May 2021	
Points of Interest - Commercial Services PointX	June 2021	Quarterly
Points of Interest - Education and Health PointX	June 2021	Quarterly
Points of Interest - Manufacturing and Production PointX	June 2021	Quarterly
Points of Interest - Public Infrastructure PointX	June 2021	Quarterly
Points of Interest - Recreational and Environmental PointX	June 2021	Quarterly
Underground Electrical Cables National Grid	May 2021	

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	February 2021	Bi-Annually
Areas of Adopted Green Belt Boston Borough Council - Planning Department South Holland District Council	June 2020 June 2020	As notified As notified
Areas of Unadopted Green Belt Boston Borough Council - Planning Department South Holland District Council	June 2020 June 2020	As notified As notified
Areas of Outstanding Natural Beauty Natural England	January 2021	Bi-Annually
Environmentally Sensitive Areas Natural England	January 2017	
Forest Parks Forestry Commission	April 1997	Not Applicable
Local Nature Reserves Natural England	February 2021	Bi-Annually
Marine Nature Reserves Natural England	July 2019	Bi-Annually
National Nature Reserves Natural England	January 2021	Bi-Annually
National Parks Natural England	April 2017	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2016	Not Applicable
Nitrate Vulnerable Zones Environment Agency - Head Office Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	December 2017 October 2015	Bi-Annually
Ramsar Sites Natural England	August 2020	Bi-Annually
Sites of Special Scientific Interest Natural England	February 2021	Bi-Annually
Special Areas of Conservation Natural England	July 2020	Bi-Annually
Special Protection Areas Natural England	February 2021	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	South Holland District Council - Environmental Services Council Offices, Priory Road, Spalding, Lincolnshire, PE11 2XE	Website: www.sholland.gov.uk
4	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
5	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
6	Lincolnshire County Council 4th Floor, City Hall, Lincoln, Lincolnshire, LN1 1DN	Telephone: 01522 552222 Fax: 01522 552288 Email: PublicRelations@lincolnshire.gov.uk Website: www.lincolnshire.gov.uk
7	PointX 7 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.