
FORM	Q19/A ssrf
DATE	#####
ISSUE	1
PAGE	1 OF 1
ORIGIN	MPA44

Sketch-Recovery



SL=Street Light:TL=Traffic Light:BD=Bollard: DK=Drop Kerb:BTJF=BT Footway Box ELJF=Electric Footway box:CATV=Cable TV footwaybox


All Measurements are in Metres

BT Payphones	Job Description: **Recovery** **RECOVER KX100** **001406 490586**	Location: **FLEET ROAD NR JN ST. JOHNS STREET** . **HOLBEACH. LINCS** Post Code: **PE12 7AF**		
BT Ref No: .		Exchange: **HOLBEACH**	O.S Ref: **5361732475**	Originator: **IT/30/12/02**
Issue:			Scale: **Not to Scale**	Date: **24.12.02**

FORM	Q19/A ssrf
DATE	Mar-02
ISSUE	1
PAGE	1 OF 1
ORIGIN	MPA44

PHOTOGRAPH

Photo Here




DC
Planning & Development
27 FEB 2003
Ref 0238/03

Attach photo here or state if sent in post

PLAN

Sketch-Provide

Form	Q19/A ssrf
DATE	######
ISSUE	1
PAGE	1 OF 1
ORIGIN	MPA44



SL=Street Light:TL=Traffic Light:BD=Bollard: DK=Drop Kerb:BTJF=BT Footway Box ELJF=Electric Footway box:CATV=Cable TV footwaybox

All Measurements are in Metres

BT Payphones

Job Description: **Provide**

INSTALL KX 100D

Location:
FLEET ROAD NR JN ST. JOHNS STREET
.
HOLBEACH. LINCS

Post Code: **PE12 7AF**

BT Ref No: .	Exchange: **HOLBEACH**	O.S Ref: **5361732475**	Originator: **IT/30/12/02**
Issue:		Scale: **Not to Scale**	Date: **24.12.02**

FORM	Q19/A ssrf
DATE	Mar-02
ISSUE	1
PAGE	1 OF 1
ORIGIN	MPA44

PHOTOGRAPH

Photo Here




PLANTED AREA TO BE ALTERED.
KIOSK TO BE INSTALLED HERE

Plann... -DC
...evelopment
27 FEB 2003
Re: 0238/03

Attach photo here or state if sent in post

FORM Q19/A ssrf
DATE Mar-02
ISSUE 1
PAGE 1 OF 1
ORIGIN MPA44

OS Print




REPRODUCED FROM AN O/S MAP BY PERMISSION OFCONTROLLER OF HMSO. CROWN COPYRIGHT RESERVED. BT plc 2003

Plann velopment
27 2003
0238/03

post of fax please say so here
or scanned Ordnance Survey Print Here





The KX100

Benefits and Specification

Protection and privacy:

The kiosk provides protection from the weather and surrounding noise, as well as offering privacy for the user. The door is designed to allow easy access for all users, young or old.

High visibility:

The kiosk is highly visible and easily recognisable.

Lighting:

The kiosk is fitted with a bright internal light, making it safer and easier to use at night.

Easy access:

The kiosks are sited level with the surrounding pavement, allowing easier access for elderly and disabled customers.

Dimensions:

Weight - 266 kg
Height - 2192 mm
Width - 890 mm
Depth - 890 mm

SHDC
Planning & Development
27 FEB 2003
Ref 0238/03

DETERMINED
PLAN