

FIRST FLOOR PLAN



ATTIC FLOOR

FRONT ELEVATION

PROPOSED

FIRE OFFICERS REQUIREMENTS (AS AGREED 29.7.96)

TO BS: 1693.1990

- 9 LITRE WATER EXTINGUISHER
- 5KG DRY POWDER EXTINGUISHER
- FB 1M X 1M FIRE BLANKET
- F30SC 30 MINUTE FIRE RESISTING DOOR & DOOR SET FITTED WITH SELF CLOSING DEVICE.
- VP DOOR FITTED WITH VISION PANEL
- E ILLUMINATED FIRE EXIT SIGN.

DETERMINED PLAN

SOUTH HOLLAND DISTRICT COUNCIL
17 MAR 1997
Ref. S/1191

DO NOT SCALE FROM THIS DRAWING
This drawing is copyright and may not be altered, traced, photographed or used for any purpose other than that for which it is issued.
The General Contractor is to check all dimensions on site and report discrepancies to the Architect.
All details shown on this drawing including foundations are based upon typical site conditions related to the area. No responsibility can be accepted for abnormal conditions which may be discovered during construction unless reported to the Architect so that design amendments may be considered. Site soil surveys are recommended in respect of foundations to establish specific site conditions before foundation work is undertaken.

G. R. MERCHANT
I.ENG AMICE, FIWO,
ARCHITECTURAL, STRUCTURAL & LAND DRAINAGE CONSULTANT
TEL: HOLBEACH (01406) 490800

PROJECT:
THE LION
SPALDING ROAD
HOLBEACH

CLIENT:
M & M.J. REEVE

SCALES: 1/50

DATE: JULY 1996

DRAWING No.: MMJR.97A

REVISIONS: A



SIDE ELEVATION

PROPOSED

DETERMINED PLAN

[illegible] AND DC
[illegible] PLANNING
17 MAR 1997
Ref: 0271/97.

G. R. MERCHANT
I.ENG AMICE, FIWO,
ARCHITECTURAL, STRUCTURAL
& LAND DRAINAGE CONSULTANT
TEL: HOLBEACH (01406) 490800

PROJECT:
THE LION
SPALDING ROAD
HOLBEACH

CLIENT:
M. & M.J. REEVE

SCALES:	DATE:
1/50	*AUG 1996*
G.R. MERCHANT.	DRAWING No.: *MMJR. 2/3*

REVISIONS:

DO NOT SCALE FROM THIS DRAWING
This drawing is copyright and may not be altered, traced, photographed or used for any purpose other than that for which it is issued.
The General Contractor is to check all dimensions on site and report discrepancies to the Architect.
All details shown on this drawing including foundations are based upon typical site conditions related to the area. No responsibility can be accepted for abnormal conditions which may be discovered during construction unless reported to the Architect so that design amendments may be considered. Site soil surveys are recommended in respect of foundations to establish specific site conditions before foundation work is undertaken.

SUMMIT 2299-4967

8046-1184T