


St John's Care Homes
Patchett Lodge.
Stukeley Rd,
Holbeach,
Spalding
PE12 7LJ


James Rose, UK Landscapes


05/12/2023

Site visit 01/12/2023

T3	Lawson Cypress Heavily clad in Ivy, Poor specimen Recommendations • Sever ivy. • Or consider felling Priority Low	
-----------	--	---

T4	Sycamore Densely clad in Ivy, situated on boundary near residential boundary, Extensive deadwood and little evidence of live growth Recommendations • Fell to ground level Priority High	
T5	Elder Failed root plate Recommendations • Fell to ground level Priority Medium	

T6	Ash Ownership to be confirmed Previously heavily pruned Stem clad in ivy Ivy obscures inspection, suspect previous heavy pruning due to decay Recommendations • Sever ivy and reinspect, • Fell to ground level • Confirm ownership Priority Medium	
T7	Oak tree Situated close to building Previously reduced on building side Large lateral limb on North side Recommendations • Remove deadwood • Prune back from building .5m • Reduce over crown reduction of 1m reducing north limb by 2m Priority Low	

G2	Oak and Ash tree Growing on edge of site Heavy crown bias to neighbour, Clad in ivy Recommendations • Clear ivy and vegetation from base and reinspect. Priority Low	
----	---	---