




SECOND FLOOR PLAN

FIRST FLOOR PLAN



SIDE



REAR

THIS DRG. TO BE READ IN CONJUNCTION WITH SD07-055/6, FUME EXTRACTION COWL-PHOTO

Provide 530mm diam. fume extraction ducting from ground floor extraction system, as shown. Trim opening in both ground and first-floors to suit ducting. Use trimmers 75mm x depth of existing joists.

Ducting to terminate through roof by 150mm in position shown. Ducting cowl to be painted black and to be as photograph "Fume Extraction Cowl".

Provide all necessary flashing, etc., to make completely watertight.

Existing doorway to first-floor to be bricked up, as shown.

Form new doorway at first-floor, as shown; support over with IG Box 200 lintel, or similar approved.

Make good to all disturbed and affected areas.

General Notes

Do not scale from this drawing.

This drawing is copyright and may not be altered, traced, copied, photographed or used for any purpose other that that for which it is issued without written permission from Messrs Status Design.

The General Contractor is to check all dimensions on site and report discrepancies to the Architect.

All details shown on this drawing are based upon typical site conditions related to the area. *No responsibility can be accepted for abnormal conditions* unless reported to the Architects so that design amendments may be considered. Site soil surveys are recommended in respect of foundations to establish specific site conditions before foundation work is undertaken.

Please note this drawing is not a conveyance drawing.

Proposed on-site soakaways to be maintained by the owner for the life duration of the property.

This drawing is limited in the amount of information contained and does not purport to contain a full specification of the works. It is solely for the purpose of obtaining Planning and Building Regulations approvals. This drawing must not be used as a contract document alone. The works will not be supervised or inspected by Status Design unless specifically contracted to do so. It is the client or their agent's responsibility to control workmanship, substitution of materials, adherence to specification, variations to contract, etc.

All materials to be new unless stated otherwise and all components and materials, etc. to be used, fitted and installed, etc. in strict accordance with manufacturers' instructions and relevant Code of Practise. Materials should conform to appropriate British Standard specification or BBA Certificate or European Code equivalent.

The Employer/Client shall ensure that the selected contractor is conversant with and adopts all measures necessary to achieve compliance with Health and Safety Legislation for Building Sites and Work Places. The Employer/Client is advised that should the works need to comply with the Construction Design and Management Regulations 1994 (CDM) and Health and Safety at Work, etc., Act 1974 (HSW Act) an independent Planning Supervisor will be required, whom should be supplied with a set of all relevant drawings, etc.

The works shall comprise of all that shown on the drawings and information, etc. Works that may not specifically be shown but may be reasonably inferred as necessary to carry out the works shall be deemed to be included.

These notes relate to this drawing and all associated drawings.

Planning
03 NOV 2008
Ref: S/26/08

DETERMINED PLAN

Status
D H S M C N
CONSULTANTS IN ARCHITECTURE & PLANNING

PROPOSED CHANGE OF USE FROM A3 [RESTAURANT] TO A5 [TAKE-AWAY] TO GROUND FLOOR, 19 HIGH STREET, HOLBEACH FOR

MR W. MAJID.

FUME EXTRACTION

1:50 1:100	SD07-055/10
OCT-08	B.GILHAM.

2 Edinburgh Walk, Holbeach,
Spalding, Lincs. PE12 7AP
Tel: 01406 424343 Fax: 01406 490702