
NOTE


EXISTING COLUMNS 5 & 6 TO BE RE-SITED TO BACK OF FOOTPATH AND RE-SERVICED - - WITH REC SUPPLIES. SWA CABLE TO BE ABANDONED

MINIMUM OF 2·4x90m VISIBILITY TO BE DEFINED BY BACK EDGE OF FOOTWAY

NEW GULLY POSITIONS ON BATTLEFIELDS LANE TO BE AGREED ON SITE WITH THE DIVISIONAL SURVEYOR



SITE LAYOUT 1:500



DISTANCE (metres)														
EXISTING GROUND LEVEL	3·570			3·535										3·365
PROPOSED ROAD LEVEL		3·200	3·275					3·420						3·575
HIGHWAY DRAINAGE INVERT	1·850	3 metres of 225 dia @ 1 in 200	1·865	36 metres of 150 dia @ 1 in 200				1·965	16m of 150 dia @ 1 in 200					1·965
FOUL SEWER INVERT			1·734	87 metres of 150 dia @ 1 in 150				1·876	16m of 150 dia @ 1 in 150					2·077

LONGITUDINAL SECTION HORIZ 1:500
VERT 1:50

NOTES

All Highway Works including Highway Drainage to be in accordance with Lincolnshire County Councils "Development Road Guide and Specification".

Foul Sewers all to be in accordance with "Sewers for Adoption - Fourth Edition".

Highway Drains and Foul Sewers to be laid in "Extra-strength" Clay pipes with approved flexible joints with 150 mm Pea gravel bed and surround except where cover to pipes is less than 1.20m, when 150mm concrete (S.T.2) bed and surround should be provided.

●ps1 New street lights to L.C.C. spec 5/25/c/93 with Rec supply. Pram crossings to be installed at tangent point of junction with Textile paving

Give way markings and any necessary signing to be agreed on site with the Divisional Surveyor.

●ps1 New street lights to L.C.C. spec 6/55/c/93 with Rec supply and L.C.C. Type A Termination (SD/16/49A) to all new street lights.

SOUTH HOLLAND DC
HOUSING & PLANNING
13 MAY 1997
Ref: 0632/97

DETERMINED

Rev A Street Lighting Arm and Entry Positions Amended 25/4/97

WITHAM VALLEY CIVIL ENGINEERING LTD.

REDBOURNE HOUSE, CLOSHILL LANE, WYBERTON, BOSTON, LINCS. PE21 7AA
TEL 01205 311021
FAX 01205 359376

Project
Proposed Residential Development at
Battlefields Lane, Holbeach

Drawing Type
Layout of Roads and Sewers
and Longitudinal Section

Client
Kings Quality Homes
Holbeach Manor
Fleet Road
Holbeach
PE 12 7AX

Drawing No.
E/97/K/BL/2 A

Scale
As noted

Drawn By