



**Ground and Environmental
Investigation Limited**

**7 Lambert Place
Saxilby
Lincolnshire
LN1 4AP
01522 412058**

**Land off Penny Hill Road
Holbeach
PE12 7PS**

Phase 1 Contamination Risk Assessment

On behalf of Mr Ben Dawson



Site: Land off Penny Hill Road, Holbeach, PE12 7PS

Document Reference No: 22-196

Quality Management

Authorised by:	 Marc Pearson - Director
Date	April 2023
Revision	0
Contact	Marc Pearson (marc@groundenvironmental.com)

Ground and Environmental Investigation Ltd is a specialist geo-environmental consultancy and ground investigation company operating nationally.

Our approach to all of projects is to provide our clients with cost-effective solution to potential geo-environmental hazards, essential considerations before site acquisition, or prior to final development scheme design.

We offer a full range of geo-environmental services from initial due diligence site assessments through to engineering and ground remediation design.

Table of Contents

1	INTRODUCTION	1
2	SITE LOCATION AND LAYOUT	1
3	SITE HISTORY	3
4	PLANNING HISTORY	5
5	ENVIRONMENTAL SETTING.....	5
5.1	GEOLOGY	5
5.2	GROUNDWATER.....	5
5.3	RADON	6
5.4	OTHER ENVIRONMENTAL INFORMATION	6
6	CONTAMINATION RISK ASSESSMENT	8
6.1	CONTAMINANT SOURCES.....	9
6.2	RISK TO HUMAN HEALTH.....	9
6.3	RISKS TO WATER RESOURCES	9
6.4	RISKS TO PLANTS	10
6.5	RISKS TO BUILDINGS & SERVICES.....	10
6.6	GAS ASSESSMENT	10
7	PRELIMINARY CONCEPTUAL SITE MODEL	11
8	CONCLUSIONS AND RECOMMENDATIONS	13

Drawings

1. Proposed Site Plan

Appendices

1. Historical Maps
2. Envirocheck Report

1 INTRODUCTION

Ground and Environmental Investigation Ltd (GEI) was commissioned by Mr Ben Dawson to undertake a Phase 1 Contamination Risk Assessment on land off Penny Hill Road, Holbeach, PE12 7PS.

It was understood that the development of the site is proposed to comprise the construction of 5no. residential properties with associated access road, car parking and private gardens. A proposed site plan is attached as Drawing 1.

The purpose of the Phase 1 Contamination Risk Assessment is to provide a preliminary risk assessment identifying any potential contamination arising from the site's former and current use, and any risks which may arise from such contamination. In addition, a conceptual model of the site will show the relationship between any sources of contamination, potential receptors, and the pathways for any contamination on site.

2 SITE LOCATION AND LAYOUT

The site is situated to the east of Penny Hill Road, approximately 750m north of Holbeach in a mixed agricultural and residential setting. The site is located at approximate Grid Reference TF 361 257 and occupies an area of approximately 0.46 hectares.

The following features surround the site:

- To the north, the site is bound by a sports field;
- To the west, the site is bound by Penny Hill Road, beyond which are fields in agricultural production and residential properties;
- To the east, the site is bound by Old River (Drain), beyond which are fields in agricultural production;
- To the south, the site is bound by residential properties and an industrial/commercial business park.

A site walkover was undertaken on the 31st March 2023. At the time of the walkover, the site was broadly split into two areas. The majority of the site was given over to grassland for equestrian grazing with surrounding wooden and metal fencing.

Land off Penny Hill Road, Holbeach Phase 1 Contamination Risk Assessment



In the south-east of the site was an area previously occupied by the sales suite for a local housing development. The area comprised a mixture of gravel hardstanding and soft landscaping with stockpiles of gravel. Services comprising water and electric were noted.





No significant visual or olfactory signs of contamination were noted across the site. Healthy vegetation was growing and did not show any sign of phytotoxic stress.

3 SITE HISTORY

A map search was carried out for the site and extracts of the following Ordnance Survey maps were obtained covering the period between 1888 and 2023.

These are presented in Appendix 1 and the relevant historic details are summarised as follows:

Mapping Date Range	On Site	Surrounding Area
1887 - 1888	The site appears to be a portion of a larger unnamed field, likely in agricultural production.	The site is in a rural agricultural setting on the outskirts of Holbeach. Penny Hill Road is present adjacent to the western site boundary. Buildings are mapped approximately 50m to the south, but their use is not noted. Cherry House is present approximately 100m to the west. A surface water drain (Old River) is mapped adjacent to the eastern site boundary.
1904	No significant development is noted on site.	The buildings approximately 50m south are noted as Town Farm.
1931		No significant development is noted in surrounding area.
1969 - 1970		Limited development of Town Farm has occurred.

Mapping Date Range	On Site	Surrounding Area
		Residential properties have been constructed approximately 100m to the west. Allotment gardens are mapped approximately 100m to the east. County Agricultural Centre has been constructed approximately 150m to the southwest and George Farmer Secondary School is mapped approximately 250m to the southwest.
1976 - 1977		A series of glasshouses relating to a plant nursery are mapped approximately 100m to the north. A sewage works is mapped approximately 450m to the northwest.
1977 - 1982		Further glasshouses have been constructed to adjacent to the northern site boundary.
1991 - 1992		Limited residential development has occurred to the west and south of the site.
1992 - 1995		No significant development is noted in surrounding area.
2003		
2010		The glasshouses are no longer mapped.
2023		No significant development is noted in surrounding area.

Aerial photography from 1999 indicated that the site is grassland with a soil bund present to the eastern boundary. Glasshouses are present adjacent to the northern site boundary.

Photography from 2007 indicated that the glasshouses have undergone demolition.

Photography from 2015 indicates the site is given over to scrub and possibly used as grazing land. The field to the north of the site boundary is in use a sports ground.

Photography from 2018 indicates the drainage around field to the north has been reconfigured to allow for sports pitches. The site appears to be in use for grazing.

Photography from 2022 shows the site as per its current layout with the southwestern area segregated.

to 2021 does not indicate any further significant development on site or in the vicinity. The aerial photography indicates that the north-western corner of the site was fenced for grazing and the southwestern area used for storage of materials/plant.

4 PLANNING HISTORY

A review was undertaken of the South Holland District Council planning database on the 4th April 2023 as part of the review of the site history.

No additional potentially contaminative activities or other information pertinent to this assessment were identified from the historical planning records.

5 ENVIRONMENTAL SETTING

5.1 GEOLOGY

Reference to the British Geological Survey online geological map of the area indicates that the geology underlying the site comprises superficial Tidal Flat Deposits over solid geology of the West Walton Formation.

The geological memoir for the area described these strata as follows:

Tidal Flat Deposits

Tidal flat deposits, including mud flat and sand flat deposits, form extensive nearly horizontal marshy land in the intertidal zone that is alternately covered and uncovered by the rise and fall of the tide. They consist of unconsolidated sediment, mainly mud and/or sand. They may form the top surface of a deltaic deposit.

West Walton Formation

Calcareous mudstone, silty mudstone and siltstone, with subordinate fine-grained sandstones and argillaceous limestone (cementstone) or siltstone nodules; typically rhythmic alternations of dark grey, silty mudstone (rich in fine-grained shell and plant material) with pale grey mudstone; ooidal, and in some cases coralline marls and limestones developed locally.

5.2 GROUNDWATER

Reference to the British Geological Survey 1:50,000 scale Aquifer Designation Dataset, shows the site to be set upon Unproductive strata with respect to the superficial and solid geology.

Unproductive Strata are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow.

Land off Penny Hill Road, Holbeach

Phase 1 Contamination Risk Assessment



The site is not situated within an Environment Agency-designated Groundwater Source Protection Zone.

5.3 RADON

Reference to the National Radiological Protection Board's "Radon Atlas of England and Wales" indicated that the property is not situated within a Radon Affected Area (less than 1% of homes are estimated to be at or above the Action Level of 200 Bq/m³). No radon protective measures are necessary in the construction of new dwellings or extensions.

5.4 OTHER ENVIRONMENTAL INFORMATION

Reference was made to the Groundsure environmental database, extracts from which are provided in Appendix 2. Relevant information relating to the sites environmental sensitivity is summarised as follows:

Dataset		On site	Nearest significant off-site feature
Past Land Use	Historical industrial land uses	Nursery	315m west. Sewage Works.
	Historical tanks	None	256m north. Unspecified tank.
	Historical energy features	None	243m southwest. Electricity substation.
Waste and Landfill	Historical landfill (EA/NRW) records	None	76m northeast. Household Waste.
	Waste exemptions	None	380m southeast. Use of waste in construction.
Industrial Land Use	Recent industrial land uses	None	36m southeast. Signs.
	Licensed Discharges to controlled waters	None	428m northwest. Sewage discharges – Final/Treated Effluent – Water Company.
	List 2 Dangerous Substances	None	429m northwest. Holbeach STW.
	Pollution Incidents	None	178m north. Oils and Fuel. Category 3 (Minor) Impact to Water.
Geological	Potential for Collapsible Ground Stability Hazards	Negligible	
	Potential for Compressible Ground Stability Hazards	Moderate	

Land off Penny Hill Road, Holbeach
Phase 1 Contamination Risk Assessment



Dataset		On site	Nearest significant off-site feature
	Potential for Ground Dissolution Stability Hazards	Negligible	
	Potential for Landslide Ground Stability Hazards	Very low	
	Potential for Running Sand Ground Stability Hazards	Moderate	
	Potential for Shrinking or Swelling Clay Ground Stability Hazards	Low	
	Artificial and Made Ground	None	None within 500m.
Hydrology and Hydrogeology	Surface Water Abstractions	None	516m west. Spray Irrigation – Direct.
	Groundwater Abstractions	None	None within 2000m.
	Potable Abstractions	None	None within 2000m.
	Source Protection Zones	None	None within 500m.
	Water Network	None	12m east. Inland river not influenced by normal tidal action.
Visual and cultural designations	Listed Buildings	None	58m south. Town Farm, Holbeach. Grade 2.

6 CONTAMINATION RISK ASSESSMENT

This risk assessment has been undertaken with due regard to the advice relating to groundwater as provided in the Environment Agency's "Methodology for the Derivation of Remedial Targets for Soil and Groundwater to Protect Water Resources", the advice provided in the Contaminated Land (England) Regulations 2000, and the associated statutory guidance. The guidance defines contaminated land as any land that is in such a condition that by reason of substances in, on or under the land:

- significant harm is being caused or there is a significant possibility of such harm being caused; or
- pollution of controlled water is being or is likely to be caused.

This definition is based on the principles of risk assessment defined as a combination of the probability (or frequency) of occurrence of a defined hazard and the magnitude (including the seriousness) of the consequences. Central to the risk assessment process is the concept of pollutant linkage, that is a linkage between a contaminant and a receptor by means of a pathway.

Statutory definitions relating to pollution linkage.	
Contaminant	"a substance which is in, on or under the land and which has the potential to cause harm or to cause pollution of controlled waters."
Receptor	"a living organism, a group of living organisms, and ecological system or a piece of property" which meets given criteria. "controlled waters which are, or could be, polluted by a contaminant".
Pathway	"one or more routes or means by, or through, which a receptor: • is being exposed to, or affected by, a contaminant, or • could be so exposed or affected".

The relationship between these components is discussed below in order to identify the existence of any source-pathway-receptor linkage on the site, and hence the potential risks associated with any contamination. This risk assessment is based on the residential development with plant uptake.

The significance of the risks to the receptors/targets identified is based on an evaluation of the potential pathways between the contaminant source and receptors based on a residential with plant uptake end use of the site.

Potential receptors/targets at the site and in the area in which the site is located include:

- future users and the public;
- construction/maintenance workers;
- groundwater resources; and
- underground services in and around the site.

6.1 CONTAMINANT SOURCES

The site was noted as being in agricultural use since the earliest available mapping (1887) and has remained undeveloped throughout. The site boundary lay within the curtilage of a plant growing nursery from the 1970s to early 2000s although it should be noted that there is no evidence of any development being undertaken or use of the land by the nursery.

The surrounding land use is not considered likely to have caused significant contamination at the site. A household waste landfill site is recorded in the environmental data to be located approximately 75m northeast of the site, however there is limited information regarding the site and no evidence of any such site in the historical mapping. An online search did not indicate any presence of a landfill site in the vicinity. It is therefore considered likely that the site was recorded but never developed.

The environmental data did not indicate the presence of any significant sources of contamination on site or in the surrounding area and there are no clear signs of significant on-site sources of contamination present on site.

6.2 RISK TO HUMAN HEALTH

Potential sources of significant concentrations of toxic metals or organic contamination were not identified during the historical map survey, data review or overview of the site. Therefore, the risks to human health from these contaminants is considered to be low.

As such it is considered that the soils on site would be unlikely to pose a risk of significant harm to human health.

6.3 RISKS TO WATER RESOURCES

The site is underlain by Unproductive strata in both the superficial and solid geology. The site is not located within a Source Protection Zone.

Due to the absence of any clear onsite contamination sources the risk to water resources is considered to be low.

6.4 RISKS TO PLANTS

Potential sources of significant concentrations of phytotoxic metals were not identified during the historical map survey, data review or walkover of the site. As such the risk to plants is low and further investigation is deemed unnecessary.

6.5 RISKS TO BUILDINGS & SERVICES

Given the absence of significant sources of ground contamination it is considered that the risks to developed buildings and services are low. This assumption is made based upon the absence of any clear onsite contamination with regard to both the walkover survey, environmental data review and the historical maps.

6.6 GAS ASSESSMENT

Historical mapping does not indicate any significant gas sources in the surrounding area.

Therefore it is considered that the risk from gas is low and further investigation is not required.

7 PRELIMINARY CONCEPTUAL SITE MODEL

A Preliminary Conceptual Site Model (PCSM) is a system diagram identifying contaminant sources, routes of exposure (pathways), and which receptors are affected by contaminants moving along those pathways.

The model is produced to identify the zones of the site with different potential contaminations characteristics (e.g. whether contaminants in the soil are likely to be on the surface or at depth, distributed over an entire area or in localised 'hot spots').

The PCSM presented in the table below is based on the findings of the desk study and site walkover.

Land off Penny Hill Road, Holbeach
Phase 1 Contamination Risk Assessment



Source	Pollutant	Pathway	Hazard	Receptor	Observations/ Recommendations	Assessed Risk
Contaminated ground	Metals (i.e. arsenic, copper, cobalt lead), and organic compounds.	→ Direct contact, ingestion, and inhalation.	Health risks including skin irritation.	→ Humans: site workers and future occupants.	No potential sources of significant contamination identified on site. No potential sources of contamination identified on site.	Low
		Ingestion.	Consumption of homegrown produce.	→ Humans – future site users.		Low
		Uptake by plants.	Phytotoxic effects.	→ Soft landscaped areas / plants.		Low
		Surface run off from hardstanding areas.	Lateral movement to surface watercourses.	→ Aquatic resources, ecology and subsequent users including humans.		Low
		Leaching/ Dispersion.	Downward migration to groundwater.	→ Aquatic resources – Groundwater abstractions wells / surface waters.		Low
		Direct contact	Aggressive chemical attack	→ Building structures and services	No potential sources of contamination identified on site.	Low
Liquid contaminant sources	Diesel, Petrol and Oils.	→ Direct contact; ingestion, inhalation.	Health risks including skin irritation. Lateral and vertical migration of contaminants.	→ Humans: site workers and future occupants. Groundwater and surface water.	No potential sources of contamination identified on site.	Low
Landfill, Made ground	Ground gases (CO ₂ , CH ₄)	Inhalation and ingress into buildings	Asphyxiation and explosions	Buildings/ humans/ future site users	No potential sources of contamination identified on site.	Low

8 CONCLUSIONS AND RECOMMENDATIONS

Ground and Environmental Investigation Ltd undertook a Phase 1 Contamination Risk Assessment on land off Penny Hill Road, Holbeach, PE12 7PS. The purpose of the Contamination Risk Assessment was to provide a preliminary assessment of contamination issues based on current Contaminated Land Legislation with regards to the development of the site comprising the construction of 5no. residential properties with associated private gardens.

- At the time of the study, the site was broadly split into two areas. The majority of the site was given over to grassland for equestrian grazing with surrounding wooden and metal fencing. In the south-east of the site was an area previously occupied by the sales suite for a local housing development.
- No historic development has been undertaken at the site.
- The geology underlying the site comprises superficial deposits of Tidal Flat Deposits over solid geology of the West Walton Formation.
- The superficial and solid geology are classified as Unproductive strata. The site is not located within an Environment Agency-designated Groundwater Source Protection Zone.
- No visual evidence of significant ground contamination was identified during the historical map search, environmental data review or site walkover.
- The risks to human health, water resources, plants, and buildings and services are considered to be low in the absence of any identifiable sources of ground contamination.

Based on the principles and definitions outlined under section 57 of the Environment Act 1995, the site would not be considered “Contaminated Land” based on a residential with plant uptake end use.



Notes


Copyright
© Robert Doughty Consultancy Limited.
All rights described in the Copyright, Designs and Patents Act 1988 have been asserted.

Ordnance Survey Map
© Crown Copyright. OS Licence No: AR 100010613.

Dimensions

All dimensions shown are for the purposes of obtaining the relevant planning permission only.

CDM 2015
This drawing is for illustrative purposes and/or obtaining the relevant planning permission only. It should not be used for construction and accordingly, risk identification under the Construction (Design & Management) Regulations 2015 has not been undertaken.



A House footprints revised 10.03.21

Rev	Description	Date
-----	-------------	------

rdc
Robert Doughty
Consultancy

32 High Street, Helpingham
Sleaford, Lincolnshire, NG34 0RA

Tel: 01529 421646
Email: admin@rdc-landplan.co.uk
Web: www.rdc-landplan.co.uk

Client
Steve Kennally

Project
Penny Hill Rd
Holbeach

Drawing
Proposed Site Plan

Scale @ A3	Date
1: 500	04/03/21

Drawn By	Checked By
WW	LMS

Job Number	Status	Purpose of Issue
817-12	SK	Discussion

Drawing No.	Rev
817-12_SK_SP02	A

APPENDIX 1

HISTORICAL MAPS

Site Details:

LAND AT PENNY HILL ROAD,
HOLBEACH, SPALDING

Client Ref: 22-196
Report Ref: GS-9442706
Grid Ref: 536148, 325692

Map Name: County Series

Map date: 1888

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1888
Revised 1888
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1888
Revised 1888
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1888
Revised 1888
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1888
Revised 1888
Edition N/A
Copyright N/A
Levelled N/A




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 23 March 2023

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf



Site Details:

LAND AT PENNY HILL ROAD,
HOLBEACH, SPALDING

Client Ref: 22-196
Report Ref: GS-9442706
Grid Ref: 536148, 325692

Map Name: County Series

Map date: 1904

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1904
Revised 1904
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1904
Revised 1904
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1904
Revised 1904
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1904
Revised 1904
Edition N/A
Copyright N/A
Levelled N/A



Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 23 March 2023

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf



Site Details:

LAND AT PENNY HILL ROAD,
HOLBEACH, SPALDING

Client Ref: 22-196
Report Ref: GS-9442706
Grid Ref: 536148, 325692

Map Name: County Series


Map date: 1931

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1931
Revised 1931
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1931
Revised 1931
Edition N/A
Copyright N/A
Levelled N/A




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 23 March 2023

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf



Site Details:

LAND AT PENNY HILL ROAD,
HOLBEACH, SPALDING

Client Ref: 22-196
Report Ref: GS-9442706
Grid Ref: 536148, 325692

Map Name: National Grid

Map date: 1969-1970

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1968
Revised 1968
Edition N/A
Copyright 1970
Levelled 1965

Surveyed 1968
Revised 1968
Edition N/A
Copyright 1969
Levelled 1964

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1968
Revised 1968
Edition N/A
Copyright 1969
Levelled 1964




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 23 March 2023

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf



Site Details:

LAND AT PENNY HILL ROAD,
HOLBEACH, SPALDING

Client Ref: 22-196
Report Ref: GS-9442706
Grid Ref: 536148, 325692

Map Name: National Grid

Map date: 1976-1977

Scale: 1:2,500

Printed at: 1:2,500



Surveyed N/A
Revised N/A
Edition N/A
Copyright 1976
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1976
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1977
Levelled N/A




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 23 March 2023

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf



Site Details:

LAND AT PENNY HILL ROAD,
HOLBEACH, SPALDING

Client Ref: 22-196
Report Ref: GS-9442706
Grid Ref: 536148, 325692

Map Name: National Grid

Map date: 1977-1982

Scale: 1:2,500

Printed at: 1:2,500



Surveyed N/A
Revised N/A
Edition N/A
Copyright 1977
Levelled N/A

Surveyed 1964
Revised 1982
Edition N/A
Copyright 1982
Levelled 1964




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 23 March 2023

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf



Site Details:

LAND AT PENNY HILL ROAD,
HOLBEACH, SPALDING

Client Ref: 22-196
Report Ref: GS-9442706
Grid Ref: 536148, 325692

Map Name: National Grid

Map date: 1982-1984


Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1965
Revised 1984
Edition N/A
Copyright 1984
Levelled 1965

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1982
Levelled 1964




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 23 March 2023

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf



Site Details:

LAND AT PENNY HILL ROAD,
HOLBEACH, SPALDING

Client Ref: 22-196
Report Ref: GS-9442706
Grid Ref: 536148, 325692

Map Name: National Grid

Map date: 1991-1992

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1991
Revised 1991
Edition N/A
Copyright 1991
Levelled N/A

Surveyed 1991
Revised 1991
Edition N/A
Copyright 1991
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1992
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1991
Levelled N/A




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 23 March 2023

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf



Site Details:

LAND AT PENNY HILL ROAD,
HOLBEACH, SPALDING


Client Ref: 22-196
Report Ref: GS-9442706
Grid Ref: 536148, 325692

Map Name: National Grid

Map date: 1995

Scale: 1:2,500

Printed at: 1:2,500




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 23 March 2023

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf



Site Details:

LAND AT PENNY HILL ROAD,
HOLBEACH, SPALDING


Client Ref: 22-196
Report Ref: GS-9442706
Grid Ref: 536148, 325692

Map Name: National Grid

Map date: 1995

Scale: 1:2,500

Printed at: 1:2,500



Surveyed N/A
Revised N/A
Edition N/A
Copyright 1995
Levelled N/A




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 23 March 2023

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf



Site Details:

LAND AT PENNY HILL ROAD,
HOLBEACH, SPALDING

Client Ref: 22-196
Report Ref: GS-9442706
Grid Ref: 536148, 325692

Map Name: National Grid

Map date: 1992-1995

Scale: 1:2,500

Printed at: 1:2,500



Surveyed N/A
Revised N/A
Edition N/A
Copyright 1995
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1995
Levelled N/A

Surveyed 1992
Revised 1992
Edition N/A
Copyright 1992
Levelled N/A

Surveyed 1995
Revised 1995
Edition N/A
Copyright 1995
Levelled N/A




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 23 March 2023

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf



Site Details:

LAND AT PENNY HILL ROAD,
HOLBEACH, SPALDING

Client Ref: 22-196
Report Ref: GS-9442706
Grid Ref: 536148, 325692

Map Name: LandLine

Map date: 2003

Scale: 1:1,250

Printed at: 1:1,250



Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 23 March 2023

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf



APPENDIX 2
ENVIROCHECK REPORT

LAND AT PENNY HILL ROAD, HOLBEACH, SPALDING,

Order Details

Date: 23/03/2023

Your ref: 22-196

Our Ref: GS-9442707

Site Details

Location: 536140 325701

Area: 0.46 ha

Authority: [South Holland District Council](#)



Summary of findings

p. 2

Aerial image

p. 8

OS MasterMap site plan

p.13

groundsure.com/insightuserguide

Contact us with any questions at:

info@groundsure.com

01273 257 755

Summary of findings

Page	Section	Past land use	On site	0-50m	50-250m	250-500m	500-2000m
14	1.1	<u>Historical industrial land uses</u>	2	0	0	17	-
15	1.2	<u>Historical tanks</u>	0	0	0	17	-
16	1.3	<u>Historical energy features</u>	0	0	1	1	-
17	1.4	Historical petrol stations	0	0	0	0	-
17	1.5	Historical garages	0	0	0	0	-
17	1.6	Historical military land	0	0	0	0	-
Page	Section	Past land use - un-grouped	On site	0-50m	50-250m	250-500m	500-2000m
18	2.1	<u>Historical industrial land uses</u>	2	0	0	19	-
19	2.2	<u>Historical tanks</u>	0	0	0	23	-
20	2.3	<u>Historical energy features</u>	0	0	1	1	-
21	2.4	Historical petrol stations	0	0	0	0	-
21	2.5	Historical garages	0	0	0	0	-
Page	Section	Waste and landfill	On site	0-50m	50-250m	250-500m	500-2000m
22	3.1	Active or recent landfill	0	0	0	0	-
22	3.2	Historical landfill (BGS records)	0	0	0	0	-
23	3.3	Historical landfill (LA/mapping records)	0	0	0	0	-
23	3.4	<u>Historical landfill (EA/NRW records)</u>	0	0	1	0	-
23	3.5	Historical waste sites	0	0	0	0	-
23	3.6	Licensed waste sites	0	0	0	0	-
24	3.7	<u>Waste exemptions</u>	0	0	0	3	-
Page	Section	Current industrial land use	On site	0-50m	50-250m	250-500m	500-2000m
25	4.1	<u>Recent industrial land uses</u>	0	1	1	-	-
26	4.2	Current or recent petrol stations	0	0	0	0	-
26	4.3	Electricity cables	0	0	0	0	-
26	4.4	Gas pipelines	0	0	0	0	-
26	4.5	Sites determined as Contaminated Land	0	0	0	0	-



26	4.6	Control of Major Accident Hazards (COMAH)	0	0	0	0	-
27	4.7	Regulated explosive sites	0	0	0	0	-
27	4.8	Hazardous substance storage/usage	0	0	0	0	-
27	4.9	Historical licensed industrial activities (IPC)	0	0	0	0	-
27	4.10	Licensed industrial activities (Part A(1))	0	0	0	0	-
27	4.11	Licensed pollutant release (Part A(2)/B)	0	0	0	0	-
28	4.12	Radioactive Substance Authorisations	0	0	0	0	-
28	4.13	<u>Licensed Discharges to controlled waters</u>	0	0	0	14	-
30	4.14	Pollutant release to surface waters (Red List)	0	0	0	0	-
30	4.15	Pollutant release to public sewer	0	0	0	0	-
30	4.16	List 1 Dangerous Substances	0	0	0	0	-
31	4.17	<u>List 2 Dangerous Substances</u>	0	0	0	2	-
31	4.18	<u>Pollution Incidents (EA/NRW)</u>	0	0	1	0	-
31	4.19	Pollution inventory substances	0	0	0	0	-
32	4.20	Pollution inventory waste transfers	0	0	0	0	-
32	4.21	Pollution inventory radioactive waste	0	0	0	0	-
Page	Section	Hydrogeology	On site	0-50m	50-250m	250-500m	500-2000m
33	5.1	<u>Superficial aquifer</u>	Identified (within 500m)				
34	5.2	<u>Bedrock aquifer</u>	Identified (within 500m)				
35	5.3	<u>Groundwater vulnerability</u>	Identified (within 50m)				
36	5.4	Groundwater vulnerability- soluble rock risk	None (within 0m)				
36	5.5	Groundwater vulnerability- local information	None (within 0m)				
37	5.6	Groundwater abstractions	0	0	0	0	0
38	5.7	<u>Surface water abstractions</u>	0	0	0	0	1
38	5.8	Potable abstractions	0	0	0	0	0
38	5.9	Source Protection Zones	0	0	0	0	-
38	5.10	Source Protection Zones (confined aquifer)	0	0	0	0	-
Page	Section	Hydrology	On site	0-50m	50-250m	250-500m	500-2000m
40	6.1	<u>Water Network (OS MasterMap)</u>	0	1	11	-	-



42	6.2	<u>Surface water features</u>	0	1	6	-	-
42	6.3	<u>WFD Surface water body catchments</u>	1	-	-	-	-
42	6.4	<u>WFD Surface water bodies</u>	0	0	0	-	-
43	6.5	WFD Groundwater bodies	0	-	-	-	-
Page	Section	River and coastal flooding	On site	0-50m	50-250m	250-500m	500-2000m
44	7.1	<u>Risk of flooding from rivers and the sea</u>	Low (within 50m)				
45	7.2	Historical Flood Events	0	0	0	-	-
45	7.3	Flood Defences	0	0	0	-	-
45	7.4	Areas Benefiting from Flood Defences	0	0	0	-	-
45	7.5	Flood Storage Areas	0	0	0	-	-
46	7.6	<u>Flood Zone 2</u>	Identified (within 50m)				
47	7.7	<u>Flood Zone 3</u>	Identified (within 50m)				
Page	Section	Surface water flooding					
48	8.1	<u>Surface water flooding</u>	1 in 100 year, 0.1m - 0.3m (within 50m)				
Page	Section	Groundwater flooding					
50	9.1	<u>Groundwater flooding</u>	Negligible (within 50m)				
Page	Section	Environmental designations	On site	0-50m	50-250m	250-500m	500-2000m
51	10.1	Sites of Special Scientific Interest (SSSI)	0	0	0	0	0
51	10.2	Conserved wetland sites (Ramsar sites)	0	0	0	0	0
51	10.3	Special Areas of Conservation (SAC)	0	0	0	0	0
51	10.4	Special Protection Areas (SPA)	0	0	0	0	0
52	10.5	National Nature Reserves (NNR)	0	0	0	0	0
52	10.6	Local Nature Reserves (LNR)	0	0	0	0	0
52	10.7	Designated Ancient Woodland	0	0	0	0	0
52	10.8	Biosphere Reserves	0	0	0	0	0
53	10.9	Forest Parks	0	0	0	0	0
53	10.10	Marine Conservation Zones	0	0	0	0	0
53	10.11	Green Belt	0	0	0	0	0
53	10.12	Proposed Ramsar sites	0	0	0	0	0



53	10.13	Possible Special Areas of Conservation (pSAC)	0	0	0	0	0
54	10.14	Potential Special Protection Areas (pSPA)	0	0	0	0	0
54	10.15	Nitrate Sensitive Areas	0	0	0	0	0
54	10.16	<u>Nitrate Vulnerable Zones</u>	1	0	0	1	0
55	10.17	<u>SSSI Impact Risk Zones</u>	1	-	-	-	-
56	10.18	SSSI Units	0	0	0	0	0
Page	Section	Visual and cultural designations	On site	0-50m	50-250m	250-500m	500-2000m
57	11.1	World Heritage Sites	0	0	0	-	-
58	11.2	Area of Outstanding Natural Beauty	0	0	0	-	-
58	11.3	National Parks	0	0	0	-	-
58	11.4	<u>Listed Buildings</u>	0	0	1	-	-
59	11.5	Conservation Areas	0	0	0	-	-
59	11.6	Scheduled Ancient Monuments	0	0	0	-	-
59	11.7	Registered Parks and Gardens	0	0	0	-	-
Page	Section	Agricultural designations	On site	0-50m	50-250m	250-500m	500-2000m
60	12.1	<u>Agricultural Land Classification</u>	Grade 1 (within 250m)				
61	12.2	Open Access Land	0	0	0	-	-
61	12.3	Tree Felling Licences	0	0	0	-	-
61	12.4	Environmental Stewardship Schemes	0	0	0	-	-
61	12.5	Countryside Stewardship Schemes	0	0	0	-	-
Page	Section	Habitat designations	On site	0-50m	50-250m	250-500m	500-2000m
62	13.1	Priority Habitat Inventory	0	0	0	-	-
62	13.2	Habitat Networks	0	0	0	-	-
62	13.3	Open Mosaic Habitat	0	0	0	-	-
62	13.4	Limestone Pavement Orders	0	0	0	-	-
Page	Section	Geology 1:10,000 scale	On site	0-50m	50-250m	250-500m	500-2000m
63	14.1	<u>10k Availability</u>	Identified (within 500m)				
64	14.2	Artificial and made ground (10k)	0	0	0	0	-
65	14.3	Superficial geology (10k)	0	0	0	0	-

65	14.4	Landslip (10k)	0	0	0	0	-
66	14.5	Bedrock geology (10k)	0	0	0	0	-
66	14.6	Bedrock faults and other linear features (10k)	0	0	0	0	-
Page	Section	Geology 1:50,000 scale	On site	0-50m	50-250m	250-500m	500-2000m
67	15.1	<u>50k Availability</u>	Identified (within 500m)				
68	15.2	Artificial and made ground (50k)	0	0	0	0	-
68	15.3	Artificial ground permeability (50k)	0	0	-	-	-
69	15.4	<u>Superficial geology (50k)</u>	1	0	0	0	-
70	15.5	<u>Superficial permeability (50k)</u>	Identified (within 50m)				
70	15.6	Landslip (50k)	0	0	0	0	-
70	15.7	Landslip permeability (50k)	None (within 50m)				
71	15.8	<u>Bedrock geology (50k)</u>	1	0	0	0	-
72	15.9	<u>Bedrock permeability (50k)</u>	Identified (within 50m)				
72	15.10	Bedrock faults and other linear features (50k)	0	0	0	0	-
Page	Section	Boreholes	On site	0-50m	50-250m	250-500m	500-2000m
73	16.1	<u>BGS Boreholes</u>	0	0	7	-	-
Page	Section	Natural ground subsidence					
75	17.1	<u>Shrink swell clays</u>	Low (within 50m)				
76	17.2	<u>Running sands</u>	Moderate (within 50m)				
77	17.3	<u>Compressible deposits</u>	Moderate (within 50m)				
78	17.4	<u>Collapsible deposits</u>	Negligible (within 50m)				
79	17.5	<u>Landslides</u>	Very low (within 50m)				
80	17.6	<u>Ground dissolution of soluble rocks</u>	Negligible (within 50m)				
Page	Section	Mining, ground workings and natural cavities	On site	0-50m	50-250m	250-500m	500-2000m
81	18.1	Natural cavities	0	0	0	0	-
81	18.2	BritPits	0	0	0	0	-
81	18.3	Surface ground workings	0	0	0	-	-
81	18.4	Underground workings	0	0	0	0	0
82	18.5	Historical Mineral Planning Areas	0	0	0	0	-



82	18.6	Non-coal mining	0	0	0	0	0
82	18.7	Mining cavities	0	0	0	0	0
82	18.8	JPB mining areas	None (within 0m)				
82	18.9	Coal mining	None (within 0m)				
83	18.10	Brine areas	None (within 0m)				
83	18.11	Gypsum areas	None (within 0m)				
83	18.12	Tin mining	None (within 0m)				
83	18.13	Clay mining	None (within 0m)				
Page	Section	Radon					
84	19.1	<u>Radon</u>	Less than 1% (within 0m)				
Page	Section	Soil chemistry	On site	0-50m	50-250m	250-500m	500-2000m
86	20.1	<u>BGS Estimated Background Soil Chemistry</u>	1	0	-	-	-
86	20.2	BGS Estimated Urban Soil Chemistry	0	0	-	-	-
86	20.3	BGS Measured Urban Soil Chemistry	0	0	-	-	-
Page	Section	Railway infrastructure and projects	On site	0-50m	50-250m	250-500m	500-2000m
87	21.1	Underground railways (London)	0	0	0	-	-
87	21.2	Underground railways (Non-London)	0	0	0	-	-
87	21.3	Railway tunnels	0	0	0	-	-
87	21.4	Historical railway and tunnel features	0	0	0	-	-
87	21.5	Royal Mail tunnels	0	0	0	-	-
88	21.6	Historical railways	0	0	0	-	-
88	21.7	Railways	0	0	0	-	-
88	21.8	Crossrail 1	0	0	0	0	-
88	21.9	Crossrail 2	0	0	0	0	-
88	21.10	HS2	0	0	0	0	-

Recent aerial photograph




Capture Date: 05/05/2021

Site Area: 0.46ha



Recent site history - 2018 aerial photograph



Aerial photography supplied by Getmapping PLC. © Copyright Getmapping PLC 2023. All Rights Reserved

Capture Date: 06/05/2018

Site Area: 0.46ha



Recent site history - 2015 aerial photograph




Capture Date: 06/04/2015

Site Area: 0.46ha



Recent site history - 2007 aerial photograph



Aerial photography supplied by Getmapping PLC. © Copyright Getmapping PLC 2023. All Rights Reserved.

Capture Date: 11/08/2007

Site Area: 0.46ha



Recent site history - 1999 aerial photograph



Capture Date: 18/06/1999

Site Area: 0.46ha




OS MasterMap site plan



Site Area: 0.46ha



1 Past land use



- Site Outline
- Search buffers in metres (m)
- Historical industrial land uses
- Historical tanks
- Historical energy features

1.1 Historical industrial land uses

Records within 500m

19

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 1:10,560 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on **page 14**

ID	Location	Land use	Dates present	Group ID
A	On site	Nursery	1976	2032064



ID	Location	Land use	Dates present	Group ID
A	On site	Nursery	1992	2036506
B	315m W	Sewage Works	1992	2029960
B	315m W	Sewage Works	1976	2035696
B	351m NW	Unspecified Tanks	1976	2016176
B	351m NW	Unspecified Tanks	1992	2032809
3	374m N	Unspecified Tank	1976	2004301
B	390m NW	Unspecified Tanks	1976	2022185
B	390m NW	Unspecified Tanks	1992	2030057
B	419m NW	Unspecified Tank	1992	2004302
B	450m NW	Unspecified Tank	1992	2004303
C	474m SW	Nursery	1950	2036805
C	475m SW	Nursery	1929 - 1938	2026241
C	479m SW	Nursery	1955	2028453
D	491m S	Old Workhouses	1903 - 1929	2033392
D	492m S	Unspecified Old Workhouse	1903	2021476
D	492m S	Unspecified Old Workhouse	1950	2027062
D	493m S	Unspecified Old Workhouse	1938	2032794
D	495m S	Unspecified Old Workhouse	1887	2024224

This data is sourced from Ordnance Survey / Groundsure.

1.2 Historical tanks

Records within 500m

17

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on **page 14**



ID	Location	Land use	Dates present	Group ID
2	256m N	Unspecified Tank	1982	337855
B	355m NW	Tanks	1995	340190
B	355m NW	Tanks	1982 - 1992	341897
B	382m NW	Settling Tanks	1968	339860
B	392m NW	Tanks	1992	341256
B	393m NW	Tanks	1968	341229
B	394m NW	Tanks	1995	341296
B	395m NW	Unspecified Tank	1982	337861
B	407m NW	Unspecified Tank	1982	337860
B	421m NW	Tanks	1995	340491
B	421m NW	Unspecified Tank	1982	337864
B	424m NW	Unspecified Tank	1991 - 1995	340481
B	426m NW	Unspecified Tank	1995	337858
B	433m NW	Unspecified Tank	1982	337859
4	433m SW	Tanks	1968	339388
5	439m S	Unspecified Tank	1968 - 1982	340984
B	456m NW	Unspecified Tank	1991 - 1995	341732

This data is sourced from Ordnance Survey / Groundsure.

1.3 Historical energy features

Records within 500m

2

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on **page 14**

ID	Location	Land use	Dates present	Group ID
1	243m SW	Electricity Substation	1982	221029



ID	Location	Land use	Dates present	Group ID
6	463m S	Electricity Substation	1999	221030

This data is sourced from Ordnance Survey / Groundsure.

1.4 Historical petrol stations

Records within 500m

0

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.

1.5 Historical garages

Records within 500m

0

Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.

1.6 Historical military land


Records within 500m

0

Areas of military land digitised from multiple sources including the National Archives, local records, MOD records and verified other sources, intelligently grouped into contiguous features.

This data is sourced from Ordnance Survey / Groundsure / other sources.

2 Past land use - un-grouped



- Site Outline
- Search buffers in metres (m)
- Historical industrial land uses
- Historical tanks
- Historical energy features

2.1 Historical industrial land uses

Records within 500m

21

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 10,560 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on **page 18**

ID	Location	Land Use	Date	Group ID
A	On site	Nursery	1992	2036506
A	On site	Nursery	1976	2032064
B	315m W	Sewage Works	1992	2029960

ID	Location	Land Use	Date	Group ID
B	315m W	Sewage Works	1976	2035696
B	351m NW	Unspecified Tanks	1992	2032809
B	351m NW	Unspecified Tanks	1976	2016176
3	374m N	Unspecified Tank	1976	2004301
B	390m NW	Unspecified Tanks	1992	2030057
B	390m NW	Unspecified Tanks	1976	2022185
B	419m NW	Unspecified Tank	1992	2004302
B	450m NW	Unspecified Tank	1992	2004303
D	474m SW	Nursery	1950	2036805
D	475m SW	Nursery	1938	2026241
D	476m SW	Nursery	1929	2026241
D	479m SW	Nursery	1955	2028453
E	491m S	Old Workhouses	1903	2033392
E	491m S	Old Workhouses	1929	2033392
E	492m S	Unspecified Old Workhouse	1950	2027062
E	492m S	Unspecified Old Workhouse	1903	2021476
E	493m S	Unspecified Old Workhouse	1938	2032794
E	495m S	Unspecified Old Workhouse	1887	2024224

This data is sourced from Ordnance Survey / Groundsure.

2.2 Historical tanks

Records within 500m

23

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on **page 18**

ID	Location	Land Use	Date	Group ID
2	256m N	Unspecified Tank	1982	337855
B	355m NW	Tanks	1995	340190



ID	Location	Land Use	Date	Group ID
B	355m NW	Tanks	1982	341897
B	355m NW	Tanks	1992	341897
B	355m NW	Tanks	1992	341897
B	382m NW	Settling Tanks	1968	339860
B	392m NW	Tanks	1992	341256
B	392m NW	Tanks	1992	341256
B	393m NW	Tanks	1968	341229
B	394m NW	Tanks	1995	341296
B	395m NW	Unspecified Tank	1982	337861
B	407m NW	Unspecified Tank	1982	337860
B	421m NW	Tanks	1995	340491
B	421m NW	Unspecified Tank	1982	337864
B	424m NW	Unspecified Tank	1991	340481
B	426m NW	Unspecified Tank	1995	337858
B	426m NW	Unspecified Tank	1995	340481
B	433m NW	Unspecified Tank	1982	337859
4	433m SW	Tanks	1968	339388
C	439m S	Unspecified Tank	1968	340984
C	439m S	Unspecified Tank	1982	340984
B	456m NW	Unspecified Tank	1991	341732
B	458m NW	Unspecified Tank	1995	341732

This data is sourced from Ordnance Survey / Groundsure.

2.3 Historical energy features

Records within 500m

2

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on **page 18**



ID	Location	Land Use	Date	Group ID
1	243m SW	Electricity Substation	1982	221029
5	463m S	Electricity Substation	1999	221030

This data is sourced from Ordnance Survey / Groundsure.

2.4 Historical petrol stations

Records within 500m

0

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.

2.5 Historical garages

Records within 500m


0

Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.



3 Waste and landfill



- Site Outline
- Search buffers in metres (m)
- Historical landfill (EA/NRW)
- Waste exemptions

3.1 Active or recent landfill

Records within 500m

0

Active or recently closed landfill sites under Environment Agency/Natural Resources Wales regulation.

This data is sourced from the Environment Agency and Natural Resources Wales.

3.2 Historical landfill (BGS records)

Records within 500m

0

Landfill sites identified on a survey carried out on behalf of the DoE in 1973. These sites may have been closed or operational at this time.

This data is sourced from the British Geological Survey.



3.3 Historical landfill (LA/mapping records)

Records within 500m

0

Landfill sites identified from Local Authority records and high detail historical mapping.

This data is sourced from the Ordnance Survey/Groundsure and Local Authority records.

3.4 Historical landfill (EA/NRW records)

Records within 500m

1

Known historical (closed) landfill sites (e.g. sites where there is no PPC permit or waste management licence currently in force). This includes sites that existed before the waste licensing regime and sites that have been licensed in the past but where a licence has been revoked, ceased to exist or surrendered and a certificate of completion has been issued.

Features are displayed on the Waste and landfill map on **page 22**

ID	Location	Details		
1	76m NE	Site Address: Battle Field, Penny Hill Road, Holbeach, Lincolnshire Licence Holder Address: -	Waste Licence: - Site Reference: RD7-56-01/89, SH-56-01/89, 2500/5044 Waste Type: Household Environmental Permitting Regulations (Waste) Reference: - Licence Issue: - Licence Surrender: -	Operator: - Licence Holder: - First Recorded - Last Recorded: -

This data is sourced from the Environment Agency and Natural Resources Wales.

3.5 Historical waste sites

Records within 500m

0

Waste site records derived from Local Authority planning records and high detail historical mapping.

This data is sourced from Ordnance Survey/Groundsure and Local Authority records.

3.6 Licensed waste sites

Records within 500m

0

Active or recently closed waste sites under Environment Agency/Natural Resources Wales regulation.

This data is sourced from the Environment Agency and Natural Resources Wales.

3.7 Waste exemptions

Records within 500m

3

Activities involving the storage, treatment, use or disposal of waste that are exempt from needing a permit. Exemptions have specific limits and conditions that must be adhered to.


Features are displayed on the Waste and landfill map on **page 22**

ID	Location	Site	Reference	Category	Sub-Category	Description
2	380m SE	47, LOW LANE, HOLBEACH, SPALDING, PE12 7PW	WEX281969	Using waste exemption	Not on a farm	Use of waste in construction
A	412m NW	-	WEX215253	Treating waste exemption	Not on a farm	Recovery of waste at a waste water treatment works
A	418m NW	-	WEX000051	Treating waste exemption	Not on a farm	Recovery of waste at a waste water treatment works

This data is sourced from the Environment Agency and Natural Resources Wales.



4 Current industrial land use



- Site Outline
- Search buffers in metres (m)
- Recent industrial land uses
- Licensed Discharges to controlled waters
- List 2 Dangerous Substances
- Pollution Incidents (EA/NRW)

4.1 Recent industrial land uses

Records within 250m

2

Current potentially contaminative industrial sites.

Features are displayed on the Current industrial land use map on **page 25**

ID	Location	Company	Address	Activity	Category
1	36m SE	Stuart Alan Signs	Town Farm, Penny Hill Road, Holbeach, Spalding, Lincolnshire, PE12 7PS	Signs	Industrial Products
3	199m SW	Electricity Sub Station	Lincolnshire, PE12	Electrical Features	Infrastructure and Facilities

This data is sourced from Ordnance Survey.



4.2 Current or recent petrol stations

Records within 500m**0**

Open, closed, under development and obsolete petrol stations.

This data is sourced from Experian.

4.3 Electricity cables

Records within 500m**0**

High voltage underground electricity transmission cables.

This data is sourced from National Grid.

4.4 Gas pipelines

Records within 500m**0**

High pressure underground gas transmission pipelines.

This data is sourced from National Grid.

4.5 Sites determined as Contaminated Land

Records within 500m**0**

Contaminated Land Register of sites designated under Part 2a of the Environmental Protection Act 1990.

This data is sourced from Local Authority records.

4.6 Control of Major Accident Hazards (COMAH)

Records within 500m**0**

Control of Major Accident Hazards (COMAH) sites. This data includes upper and lower tier sites, and includes a historical archive of COMAH sites and Notification of Installations Handling Hazardous Substances (NIHHS) records.

This data is sourced from the Health and Safety Executive.

4.7 Regulated explosive sites

Records within 500m**0**

Sites registered and licensed by the Health and Safety Executive under the Manufacture and Storage of Explosives Regulations 2005 (MSER). The last update to this data was in April 2011.

This data is sourced from the Health and Safety Executive.

4.8 Hazardous substance storage/usage

Records within 500m**0**

Consents granted for a site to hold certain quantities of hazardous substances at or above defined limits in accordance with the Planning (Hazardous Substances) Regulations 2015.

This data is sourced from Local Authority records.

4.9 Historical licensed industrial activities (IPC)

Records within 500m**0**

Integrated Pollution Control (IPC) records of substance releases to air, land and water. This data represents a historical archive as the IPC regime has been superseded.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.10 Licensed industrial activities (Part A(1))

Records within 500m**0**

Records of Part A(1) installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.11 Licensed pollutant release (Part A(2)/B)

Records within 500m**0**

Records of Part A(2) and Part B installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

This data is sourced from Local Authority records.

4.12 Radioactive Substance Authorisations

Records within 500m

0

Records of the storage, use, accumulation and disposal of radioactive substances regulated under the Radioactive Substances Act 1993.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.13 Licensed Discharges to controlled waters

Records within 500m

14

Discharges of treated or untreated effluent to controlled waters under the Water Resources Act 1991.

Features are displayed on the Current industrial land use map on **page 25**

ID	Location	Address	Details	
A	428m NW	HOLBEACH WATER RECYCLING CENTRE, TOLLS LANE, HOLBEACH, SPALDING, LINCOLNSHIRE, PE12 7PX	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - WATER COMPANY Permit Number: AW5NF378A Permit Version: 1 Receiving Water: HOLBEACH RIVER	Status: PRE NRA LEGISLATION WHERE ISSUE DATE 01-SEP-89 (HISTORIC ONLY) Issue date: 15/07/1985 Effective Date: 15/07/1985 Revocation Date: 22/12/2005
A	428m NW	HOLBEACH WATER RECYCLING CENTRE, TOLLS LANE, HOLBEACH, SPALDING, LINCOLNSHIRE, PE12 7PX	Effluent Type: SEWAGE DISCHARGES - STW STORM OVERFLOW/STORM TANK - WATER COMPANY Permit Number: AW5NF378A Permit Version: 1 Receiving Water: HOLBEACH RIVER	Status: PRE NRA LEGISLATION WHERE ISSUE DATE 01-SEP-89 (HISTORIC ONLY) Issue date: 15/07/1985 Effective Date: 15/07/1985 Revocation Date: 22/12/2005
A	428m NW	HOLBEACH WATER RECYCLING CENTRE, TOLLS LANE, HOLBEACH, SPALDING, LINCOLNSHIRE, PE12 7PX	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - WATER COMPANY Permit Number: AW5NF378A Permit Version: 2 Receiving Water: HOLBEACH RIVER	Status: MODIFIED - (WRA 91 SCHED 10 - AS AMENDED BY ENV ACT 1995) Issue date: 23/12/2005 Effective Date: 23/12/2005 Revocation Date: 14/12/2006
A	428m NW	HOLBEACH WATER RECYCLING CENTRE, TOLLS LANE, HOLBEACH, SPALDING, LINCOLNSHIRE, PE12 7PX	Effluent Type: SEWAGE DISCHARGES - STW STORM OVERFLOW/STORM TANK - WATER COMPANY Permit Number: AW5NF378A Permit Version: 2 Receiving Water: HOLBEACH RIVER	Status: MODIFIED - (WRA 91 SCHED 10 - AS AMENDED BY ENV ACT 1995) Issue date: 23/12/2005 Effective Date: 23/12/2005 Revocation Date: 14/12/2006
A	464m NW	HOLBEACH WATER RECYCLING CENTRE, TOLLS LANE, HOLBEACH, SPALDING, LINCOLNSHIRE, PE12 7PX	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - WATER COMPANY Permit Number: AW5NF378A Permit Version: 3 Receiving Water: HOLBEACH RIVER	Status: MODIFIED - (WRA 91 SCHED 10 - AS AMENDED BY ENV ACT 1995) Issue date: 15/12/2006 Effective Date: 15/12/2006 Revocation Date: 31/12/2009



ID	Location	Address	Details	
A	464m NW	HOLBEACH WATER RECYCLING CENTRE, TOLLS LANE, HOLBEACH, SPALDING, LINCOLNSHIRE, PE12 7PX	Effluent Type: SEWAGE DISCHARGES - STW STORM OVERFLOW/STORM TANK - WATER COMPANY Permit Number: AW5NF378A Permit Version: 3 Receiving Water: HOLBEACH RIVER	Status: MODIFIED - (WRA 91 SCHED 10 - AS AMENDED BY ENV ACT 1995) Issue date: 15/12/2006 Effective Date: 15/12/2006 Revocation Date: 31/12/2009
A	464m NW	HOLBEACH WATER RECYCLING CENTRE, TOLLS LANE, HOLBEACH, SPALDING, LINCOLNSHIRE, PE12 7PX	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - WATER COMPANY Permit Number: AW5NF378A Permit Version: 4 Receiving Water: HOLBEACH RIVER	Status: MODIFIED - (WRA 91 SCHED 10 - AS AMENDED BY ENV ACT 1995) Issue date: 24/09/2009 Effective Date: 01/01/2010 Revocation Date: 15/03/2010
A	464m NW	HOLBEACH WATER RECYCLING CENTRE, TOLLS LANE, HOLBEACH, SPALDING, LINCOLNSHIRE, PE12 7PX	Effluent Type: SEWAGE DISCHARGES - STW STORM OVERFLOW/STORM TANK - WATER COMPANY Permit Number: AW5NF378A Permit Version: 4 Receiving Water: HOLBEACH RIVER	Status: MODIFIED - (WRA 91 SCHED 10 - AS AMENDED BY ENV ACT 1995) Issue date: 24/09/2009 Effective Date: 01/01/2010 Revocation Date: 15/03/2010
A	464m NW	HOLBEACH WATER RECYCLING CENTRE, TOLLS LANE, HOLBEACH, SPALDING, LINCOLNSHIRE, PE12 7PX	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - WATER COMPANY Permit Number: AW5NF378A Permit Version: 5 Receiving Water: HOLBEACH RIVER	Status: MODIFIED - (WRA 91 SCHED 10 - AS AMENDED BY ENV ACT 1995) Issue date: 16/03/2010 Effective Date: 16/03/2010 Revocation Date: 21/12/2012
A	464m NW	HOLBEACH WATER RECYCLING CENTRE, TOLLS LANE, HOLBEACH, SPALDING, LINCOLNSHIRE, PE12 7PX	Effluent Type: SEWAGE DISCHARGES - STW STORM OVERFLOW/STORM TANK - WATER COMPANY Permit Number: AW5NF378A Permit Version: 5 Receiving Water: HOLBEACH RIVER	Status: MODIFIED - (WRA 91 SCHED 10 - AS AMENDED BY ENV ACT 1995) Issue date: 16/03/2010 Effective Date: 16/03/2010 Revocation Date: 21/12/2012
A	464m NW	HOLBEACH WATER RECYCLING CENTRE, TOLLS LANE, HOLBEACH, SPALDING, LINCOLNSHIRE, PE12 7PX	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - WATER COMPANY Permit Number: AW5NF378A Permit Version: 6 Receiving Water: HOLBEACH RIVER	Status: MODIFIED - (WRA 91 SCHED 10 - AS AMENDED BY ENV ACT 1995) Issue date: 16/03/2010 Effective Date: 22/12/2012 Revocation Date: 30/03/2019
A	464m NW	HOLBEACH WATER RECYCLING CENTRE, TOLLS LANE, HOLBEACH, SPALDING, LINCOLNSHIRE, PE12 7PX	Effluent Type: SEWAGE DISCHARGES - STW STORM OVERFLOW/STORM TANK - WATER COMPANY Permit Number: AW5NF378A Permit Version: 6 Receiving Water: HOLBEACH RIVER	Status: MODIFIED - (WRA 91 SCHED 10 - AS AMENDED BY ENV ACT 1995) Issue date: 16/03/2010 Effective Date: 22/12/2012 Revocation Date: 30/03/2019



ID	Location	Address	Details	
A	464m NW	HOLBEACH WATER RECYCLING CENTRE, TOLLS LANE, HOLBEACH, SPALDING, LINCOLNSHIRE, PE12 7PX	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - WATER COMPANY Permit Number: AW5NF378A Permit Version: 7 Receiving Water: HOLBEACH RIVER	Status: VARIED UNDER EPR 2010 Issue date: 25/02/2019 Effective Date: 31/03/2019 Revocation Date: -
A	464m NW	HOLBEACH WATER RECYCLING CENTRE, TOLLS LANE, HOLBEACH, SPALDING, LINCOLNSHIRE, PE12 7PX	Effluent Type: SEWAGE DISCHARGES - STW STORM OVERFLOW/STORM TANK - WATER COMPANY Permit Number: AW5NF378A Permit Version: 7 Receiving Water: HOLBEACH RIVER	Status: VARIED UNDER EPR 2010 Issue date: 25/02/2019 Effective Date: 31/03/2019 Revocation Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

4.14 Pollutant release to surface waters (Red List)

Records within 500m	0
----------------------------	----------

Discharges of specified substances under the Environmental Protection (Prescribed Processes and Substances) Regulations 1991.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.15 Pollutant release to public sewer

Records within 500m	0
----------------------------	----------

Discharges of Special Category Effluents to the public sewer.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.16 List 1 Dangerous Substances

Records within 500m	0
----------------------------	----------

Discharges of substances identified on List I of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.17 List 2 Dangerous Substances

Records within 500m

2

Discharges of substances identified on List II of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

Features are displayed on the Current industrial land use map on **page 25**

ID	Location	Name	Status	Receiving Water	Authorised Substances
A	429m NW	Holbeach Stw	Not Active	-	-
A	429m NW	Holbeach Stw	Not Active	-	-

This data is sourced from the Environment Agency and Natural Resources Wales.

4.18 Pollution Incidents (EA/NRW)

Records within 500m

1

Records of substantiated pollution incidents. Since 2006 this data has only included category 1 (major) and 2 (significant) pollution incidents.

Features are displayed on the Current industrial land use map on **page 25**

ID	Location	Details	
2	178m N	Incident Date: 04/06/2001 Incident Identification: 14304 Pollutant: Oils and Fuel Pollutant Description: Mixed/Waste Oils	Water Impact: Category 3 (Minor) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)

This data is sourced from the Environment Agency and Natural Resources Wales.

4.19 Pollution inventory substances

Records within 500m

0

The pollution inventory (substances) includes reporting on annual emissions of certain regulated substances to air, controlled waters and land. A reporting threshold for each substance is also included. Where emissions fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.

4.20 Pollution inventory waste transfers

Records within 500m**0**

The pollution inventory (waste transfers) includes reporting on annual transfers and recovery/disposal of controlled wastes from a site. A reporting threshold for each waste type is also included. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.

4.21 Pollution inventory radioactive waste

Records within 500m**0**

The pollution inventory (radioactive wastes) includes reporting on annual releases of radioactive substances from a site, including the means of release. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.

5 Hydrogeology - Superficial aquifer



- Site Outline**
- Search buffers in metres (m)**
- Principal
 - Secondary A
 - Secondary B
 - Secondary Undifferentiated
 - Unproductive
 - Unknown

5.1 Superficial aquifer

Records within 500m

1

Aquifer status of groundwater held within superficial geology.


Features are displayed on the Hydrogeology map on **page 33**

ID	Location	Designation	Description
1	On site	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.



Bedrock aquifer



- Site Outline**
- Search buffers in metres (m)**
- Principal
 - Secondary A
 - Secondary B
 - Secondary Undifferentiated
 - Unproductive

5.2 Bedrock aquifer

Records within 500m

1

Aquifer status of groundwater held within bedrock geology.



Features are displayed on the Bedrock aquifer map on **page 34**

ID	Location	Designation	Description
1	On site	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.



Groundwater vulnerability



5.3 Groundwater vulnerability

Records within 50m

1

An assessment of the vulnerability of groundwater to a pollutant discharged at ground level based on the hydrological, geological, hydrogeological and soil properties within a one kilometre square grid. Groundwater vulnerability is described as High, Medium or Low as follows:

- High - Areas able to easily transmit pollution to groundwater. They are likely to be characterised by high leaching soils and the absence of low permeability superficial deposits.
- Medium - Intermediate between high and low vulnerability.
- Low - Areas that provide the greatest protection from pollution. They are likely to be characterised by low leaching soils and/or the presence of superficial deposits characterised by a low permeability.

Features are displayed on the Groundwater vulnerability map on **page 35**

ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
1	On site	Summary Classification: Unproductive aquifer (may have productive aquifer beneath) Combined classification: Unproductive Bedrock Aquifer, Unproductive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: Unproductive Aquifer type: Unproductive Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Unproductive Aquifer type: Unproductive Flow mechanism: Well connected fractures

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.

5.4 Groundwater vulnerability- soluble rock risk

Records on site

0

This dataset identifies areas where solution features that enable rapid movement of a pollutant may be present within a 1km grid square.

This data is sourced from the British Geological Survey and the Environment Agency.

5.5 Groundwater vulnerability- local information

Records on site


0

This dataset identifies areas where additional local information affecting vulnerability is held by the Environment Agency. Further information can be obtained by contacting the Environment Agency local Area groundwater team through the Environment Agency National Customer Call Centre on 03798 506 506 or by email on enquiries@environment-agency.gov.uk.

This data is sourced from the British Geological Survey and the Environment Agency.



Abstractions and Source Protection Zones



- Site Outline
- Search buffers in metres (m)
- Source Protection Zone 1
Inner catchment
- Source Protection Zone 2
Outer catchment
- Source Protection Zone 3
Total catchment
- Source Protection Zone 4
Zone of Special Interest
- Source Protection Zone 1c
Inner catchment - confined aquifer
- Source Protection Zone 2c
Outer catchment - confined aquifer
- Source Protection Zone 3c
Total catchment - confined aquifer
- Drinking water abstraction licences
Polygon features
- Drinking water abstraction licences
Linear features
- Groundwater abstraction licence (point)
- Groundwater abstraction licence (area)
- Groundwater abstraction licence (linear)
- Surface Water Abstractions (point)
- Surface Water Abstractions (area)
- Surface Water Abstractions (linear)

5.6 Groundwater abstractions

Records within 2000m

0

Licensed groundwater abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, between two points (line data) or a larger area.

This data is sourced from the Environment Agency and Natural Resources Wales.

5.7 Surface water abstractions

Records within 2000m

1

Licensed surface water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on **page 37**

ID	Location	Details	
1	516m W	Status: Historical Licence No: AN/033/0053/028 Details: Spray Irrigation - Direct Direct Source: SURFACE WATER SOURCE OF SUPPLY Point: DRAIN IN WHITTLESEY & DISTRICT IDB Data Type: Line Name: P & L Hayes (Farms) Limited Easting: 535535 Northing: 300683	Annual Volume (m ³): 10480 Max Daily Volume (m ³): 1090.8 Original Application No: - Original Start Date: 20/05/2011 Expiry Date: 31/03/2025 Issue No: 7 Version Start Date: 25/04/2019 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.8 Potable abstractions

Records within 2000m

0

Licensed potable water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

This data is sourced from the Environment Agency and Natural Resources Wales.

5.9 Source Protection Zones

Records within 500m

0

Source Protection Zones define the sensitivity of an area around a potable abstraction site to contamination.

This data is sourced from the Environment Agency and Natural Resources Wales.

5.10 Source Protection Zones (confined aquifer)

Records within 500m

0


Source Protection Zones in the confined aquifer define the sensitivity around a deep groundwater abstraction to contamination. A confined aquifer would normally be protected from contamination by overlying geology and is only considered a sensitive resource if deep excavation/drilling is taking place.



This data is sourced from the Environment Agency and Natural Resources Wales.



6 Hydrology



- Site Outline
- Search buffers in metres (m)
- Water Network (OS MasterMap)
- Surface water features (wider than 5m)
- Surface water features (narrower than 5m)
- WFD River, canal and surface water transfer water bodies
- WFD Lake water bodies
- WFD Transitional and coastal water bodies
- WFD Surface water body catchments boundaries
- WFD Groundwater body boundaries

6.1 Water Network (OS MasterMap)

Records within 250m

12

Detailed water network of Great Britain showing the flow and precise central course of every river, stream, lake and canal.

Features are displayed on the Hydrology map on **page 40**

ID	Location	Type of water feature	Ground level	Permanence	Name
3	12m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Old River



ID	Location	Type of water feature	Ground level	Permanence	Name
A	111m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
5	138m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Old River
B	139m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	Old River
B	140m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Old River
D	145m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
D	149m NE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
E	160m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
6	177m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Old River
C	226m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Old River
8	229m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
F	238m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-

This data is sourced from the Ordnance Survey.



6.2 Surface water features

Records within 250m

7

Covering rivers, streams and lakes (some overlap with OS MasterMap Water Network data in previous section) but additionally covers smaller features such as ponds. Rivers and streams narrower than 5m are represented as a single line. Lakes, ponds and rivers or streams wider than 5m are represented as polygons.

Features are displayed on the Hydrology map on **page 40**

This data is sourced from the Ordnance Survey.

6.3 WFD Surface water body catchments

Records on site

1

The Water Framework Directive is an EU-led framework for the protection of inland surface waters, estuaries, coastal waters and groundwater through river basin-level management planning. In terms of surface water, these basins are broken down into smaller units known as management, operational and water body catchments.

Features are displayed on the Hydrology map on **page 40**

ID	Location	Type	Water body catchment	Water body ID	Operational catchment	Management catchment
1	On site	River	Whaplode River	GB205031055495	Welland Lower	Welland

This data is sourced from the Environment Agency and Natural Resources Wales.

6.4 WFD Surface water bodies

Records identified

1

Surface water bodies under the Directive may be rivers, lakes, estuary or coastal. To achieve the purpose of the Directive, environmental objectives have been set and are reported on for each water body. The progress towards delivery of the objectives is then reported on by the relevant competent authorities at the end of each six-year cycle. The river water body directly associated with the catchment listed in the previous section is detailed below, along with any lake, canal, coastal or artificial water body within 250m of the site. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each water body listed.

Features are displayed on the Hydrology map on **page 40**

ID	Location	Type	Name	Water body ID	Overall rating	Chemical rating	Ecological rating	Year
-	937m W	River	Whaplode River	GB205031055495	Moderate	Fail	Moderate	2019

This data is sourced from the Environment Agency and Natural Resources Wales.



6.5 WFD Groundwater bodies

Records on site


0

Groundwater bodies are also covered by the Directive and the same regime of objectives and reporting detailed in the previous section is in place. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each groundwater body listed.

This data is sourced from the Environment Agency and Natural Resources Wales.



7 River and coastal flooding



- Site Outline
- Search buffers in metres (m)
- River and coastal flooding:
- High
- Medium
- Low
- Very Low
- Historical Flood Events
- Areas Used for Flood Storage
- Areas Benefiting from Flood Defences
- Flood Defences

7.1 Risk of flooding from rivers and the sea

Records within 50m

2

The chance of flooding from rivers and/or the sea in any given year, based on cells of 50m within the Risk of Flooding from Rivers and Sea (RoFRaS)/Flood Risk Assessment Wales (FRAW) models. Each cell is allocated one of four flood risk categories, taking into account flood defences and their condition. The risk categories for RoFRaS for rivers and the sea and FRAW for rivers are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 100 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 100 chance) or High (greater than or equal to 1 in 30 chance). The risk categories for FRAW for the sea are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 200 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 200 chance) or High (greater than or equal to 1 in 30 chance).

Features are displayed on the River and coastal flooding map on **page 44**

Distance	Flood risk category
On site	Low
0 - 50m	Low

This data is sourced from the Environment Agency and Natural Resources Wales.

7.2 Historical Flood Events

Records within 250m	0
----------------------------	----------

Records of historic flooding from rivers, the sea, groundwater and surface water. Records began in 1946 when predecessor bodies started collecting detailed information about flooding incidents, although limited details may be included on flooding incidents prior to this date. Takes into account the presence of defences, structures, and other infrastructure where they existed at the time of flooding, and includes flood extents that may have been affected by overtopping, breaches or blockages.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.3 Flood Defences

Records within 250m	0
----------------------------	----------

Records of flood defences owned, managed or inspected by the Environment Agency and Natural Resources Wales. Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.4 Areas Benefiting from Flood Defences

Records within 250m	0
----------------------------	----------

Areas that would benefit from the presence of flood defences in a 1 in 100 (1%) chance of flooding each year from rivers or 1 in 200 (0.5%) chance of flooding each year from the sea.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.5 Flood Storage Areas

Records within 250m	0
----------------------------	----------

Areas that act as a balancing reservoir, storage basin or balancing pond to attenuate an incoming flood peak to a flow level that can be accepted by the downstream channel or to delay the timing of a flood peak so that its volume is discharged over a longer period.

This data is sourced from the Environment Agency and Natural Resources Wales.



River and coastal flooding - Flood Zones



- Site Outline
- Search buffers in metres (m)
- Flood zone 2
- Flood zone 3

7.6 Flood Zone 2

Records within 50m

1

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land between Flood Zone 3 (see next section) and the extent of the flooding from rivers or the sea with a 1 in 1000 (0.1%) chance of flooding each year.

Features are displayed on the River and coastal flooding map on **page 44**

Location	Type
On site	Zone 2 - (Fluvial /Tidal Models)

This data is sourced from the Environment Agency and Natural Resources Wales.



7.7 Flood Zone 3

Records within 50m

1

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land with a 1 in 100 (1%) or greater chance of flooding each year from rivers or a 1 in 200 (0.5%) or greater chance of flooding each year from the sea.


Features are displayed on the River and coastal flooding map on **page 44**

Location	Type
On site	Zone 3 - (Fluvial /Tidal Models)

This data is sourced from the Environment Agency and Natural Resources Wales.



8 Surface water flooding



— Site Outline

Search buffers in metres (m)

1 in 1000 return period

- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

1 in 250 return period

- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

1 in 100 return period

- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

1 in 30 return period

- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

8.1 Surface water flooding

Highest risk on site

1 in 250 year, 0.1m - 0.3m

Highest risk within 50m

1 in 100 year, 0.1m - 0.3m

Ambiental Risk Analytics surface water (pluvial) FloodMap identifies areas likely to flood as a result of extreme rainfall events, i.e. land naturally vulnerable to surface water ponding or flooding. This data set was produced by simulating 1 in 30 year, 1 in 100 year, 1 in 250 year and 1 in 1,000 year rainfall events. Modern urban drainage systems are typically built to cope with rainfall events between 1 in 20 and 1 in 30 years, though some older ones may flood in a 1 in 5 year rainfall event.

Features are displayed on the Surface water flooding map on **page 48**

The data shown on the map and in the table above shows the highest likelihood of flood events happening at the site. Lower likelihood events may have greater flood depths and hence a greater potential impact on a site.


The table below shows the maximum flood depths for a range of return periods for the site.

Return period	Maximum modelled depth
1 in 1000 year	Between 0.1m and 0.3m
1 in 250 year	Between 0.1m and 0.3m
1 in 100 year	Between 0.05m and 0.1m
1 in 30 year	Negligible

This data is sourced from Ambiantal Risk Analytics.



9 Groundwater flooding



9.1 Groundwater flooding

Highest risk on site

Negligible

Highest risk within 50m

Negligible

Groundwater flooding is caused by unusually high groundwater levels. It occurs when the water table rises above the ground surface or within underground structures such as basements or cellars. Groundwater flooding tends to exhibit a longer duration than surface water flooding, possibly lasting for weeks or months, and as a result it can cause significant damage to property. This risk assessment is based on a 1 in 100 year return period and a 5m Digital Terrain Model (DTM).

Features are displayed on the Groundwater flooding map on **page 50**

This data is sourced from Ambiantal Risk Analytics.

10 Environmental designations

10.1 Sites of Special Scientific Interest (SSSI)

Records within 2000m**0**

Sites providing statutory protection for the best examples of UK flora, fauna, or geological or physiographical features. Originally notified under the National Parks and Access to the Countryside Act 1949, SSSIs were re-notified under the Wildlife and Countryside Act 1981. Improved provisions for the protection and management of SSSIs were introduced by the Countryside and Rights of Way Act 2000 (in England and Wales) and (in Scotland) by the Nature Conservation (Scotland) Act 2004 and the Wildlife and Natural Environment (Scotland) Act 2010.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.2 Conserved wetland sites (Ramsar sites)

Records within 2000m**0**

Ramsar sites are designated under the Convention on Wetlands of International Importance, agreed in Ramsar, Iran, in 1971. They cover all aspects of wetland conservation and wise use, recognizing wetlands as ecosystems that are extremely important for biodiversity conservation in general and for the well-being of human communities. These sites cover a broad definition of wetland; marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, and even some marine areas.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.3 Special Areas of Conservation (SAC)

Records within 2000m**0**

Areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.4 Special Protection Areas (SPA)

Records within 2000m**0**

Sites classified by the UK Government under the EC Birds Directive, SPAs are areas of the most important habitat for rare (listed on Annex I to the Directive) and migratory birds within the European Union.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.



10.5 National Nature Reserves (NNR)

Records within 2000m**0**

Sites containing examples of some of the most important natural and semi-natural terrestrial and coastal ecosystems in Great Britain. They are managed to conserve their habitats, provide special opportunities for scientific study or to provide public recreation compatible with natural heritage interests.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.6 Local Nature Reserves (LNR)

Records within 2000m**0**

Sites managed for nature conservation, and to provide opportunities for research and education, or simply enjoying and having contact with nature. They are declared by local authorities under the National Parks and Access to the Countryside Act 1949 after consultation with the relevant statutory nature conservation agency.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.7 Designated Ancient Woodland

Records within 2000m**0**

Ancient woodlands are classified as areas which have been wooded continuously since at least 1600 AD. This includes semi-natural woodland and plantations on ancient woodland sites. 'Wooded continuously' does not mean there is or has previously been continuous tree cover across the whole site, and not all trees within the woodland have to be old.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.8 Biosphere Reserves

Records within 2000m**0**

Biosphere Reserves are internationally recognised by UNESCO as sites of excellence to balance conservation and socioeconomic development between nature and people. They are recognised under the Man and the Biosphere (MAB) Programme with the aim of promoting sustainable development founded on the work of the local community.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.9 Forest Parks

Records within 2000m**0**

These are areas managed by the Forestry Commission designated on the basis of recreational, conservation or scenic interest.

This data is sourced from the Forestry Commission.

10.10 Marine Conservation Zones

Records within 2000m**0**

A type of marine nature reserve in UK waters established under the Marine and Coastal Access Act (2009). They are designated with the aim to protect nationally important, rare or threatened habitats and species.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.11 Green Belt

Records within 2000m**0**

Areas designated to prevent urban sprawl by keeping land permanently open.

This data is sourced from the Ministry of Housing, Communities and Local Government.

10.12 Proposed Ramsar sites

Records within 2000m**0**

Ramsar sites are areas listed as a Wetland of International Importance under the Convention on Wetlands of International Importance especially as Waterfowl Habitat (the Ramsar Convention) 1971. The sites here supplied have a status of 'Proposed' having been identified for potential adoption under the framework.

This data is sourced from Natural England.

10.13 Possible Special Areas of Conservation (pSAC)

Records within 2000m**0**

Special Areas of Conservation are areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive. Those sites supplied here are those with a status of 'Possible' having been identified for potential adoption under the framework.

This data is sourced from Natural England and Natural Resources Wales.



10.14 Potential Special Protection Areas (pSPA)

Records within 2000m

0

Special Protection Areas (SPAs) are areas designated (or 'classified') under the European Union Wild Birds Directive for the protection of nationally and internationally important populations of wild birds. Those sites supplied here are those with a status of 'Potential' having been identified for potential adoption under the framework.

This data is sourced from Natural England.

10.15 Nitrate Sensitive Areas

Records within 2000m

0

Areas where nitrate concentrations in drinking water sources exceeded or was at risk of exceeding the limit of 50 mg/l set by the 1980 EC Drinking Water Directive. Voluntary agricultural measures as a means of reducing the levels of nitrate were introduced by DEFRA as MAFF, with payments being made to farmers who complied. The scheme was started as a pilot in 1990 in ten areas, later implemented within 32 areas. The scheme was closed to further new entrants in 1998, although existing agreements continued for their full term. All Nitrate Sensitive Areas fell within the areas designated as Nitrate Vulnerable Zones (NVZs) in 1996 under the EC Nitrate Directive (91/676/EEC).

This data is sourced from Natural England.

10.16 Nitrate Vulnerable Zones

Records within 2000m

2


Areas at risk from agricultural nitrate pollution designated under the EC Nitrate Directive (91/676/EEC). These are areas of land that drain into waters polluted by nitrates. Farmers operating within these areas have to follow mandatory rules to tackle nitrate loss from agriculture.

Location	Name	Type	NVZ ID	Status
On site	Whaplode River NVZ	Surface Water	824	Existing
259m N	Whaplode River NVZ	Surface Water	824	Existing

This data is sourced from Natural England and Natural Resources Wales.



SSSI Impact Zones and Units



- Site Outline
- Search buffers in metres (m)
- SSSI Impact Risk Zones
- SSSI Units
- Not recorded
- Favourable
- Unfavourable - Recovering
- Unfavourable - No change
- Unfavourable - Declining
- Partially destroyed
- Destroyed

10.17 SSSI Impact Risk Zones

Records on site

1

Developed to allow rapid initial assessment of the potential risks to SSSIs posed by development proposals. They define zones around each SSSI which reflect the particular sensitivities of the features for which it is notified and indicate the types of development proposal which could potentially have adverse impacts.

Features are displayed on the SSSI Impact Zones and Units map on **page 55**

ID	Location	Type of developments requiring consultation
1	On site	Infrastructure - Airports, helipads and other aviation proposals. Discharges - Any discharge of water or liquid waste of more than 20m³/day to ground (ie to seep away) or to surface water, such as a beck or stream.

This data is sourced from Natural England.



10.18 SSSI Units

Records within 2000m

0

Divisions of SSSIs used to record management and condition details. Units are the smallest areas for which Natural England gives a condition assessment, however, the size of units varies greatly depending on the types of management and the conservation interest.

This data is sourced from Natural England and Natural Resources Wales.



11 Visual and cultural designations



- Site Outline
- Search buffers in metres (m)
- Listed buildings
- Conservation areas
- Conservation areas - no data
- National Parks
- Areas of Outstanding Natural Beauty
- Registered parks and gardens
- Scheduled Monuments
- World Heritage Sites

11.1 World Heritage Sites

Records within 250m

0

Sites designated for their globally important cultural or natural interest requiring appropriate management and protection measures. World Heritage Sites are designated to meet the UK's commitments under the World Heritage Convention.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.2 Area of Outstanding Natural Beauty

Records within 250m

0

Areas of Outstanding Natural Beauty (AONB) are conservation areas, chosen because they represent 18% of the finest countryside. Each AONB has been designated for special attention because of the quality of their flora, fauna, historical and cultural associations, and/or scenic views. The National Parks and Access to the Countryside Act of 1949 created AONBs and the Countryside and Rights of Way Act, 2000 added further regulation and protection. There are likely to be restrictions to some developments within these areas.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

11.3 National Parks

Records within 250m

0

In England and Wales, the purpose of National Parks is to conserve and enhance landscapes within the countryside whilst promoting public enjoyment of them and having regard for the social and economic well-being of those living within them. In Scotland National Parks have the additional purpose of promoting the sustainable use of the natural resources of the area and the sustainable social and economic development of its communities. The National Parks and Access to the Countryside Act 1949 established the National Park designation in England and Wales, and The National Parks (Scotland) Act 2000 in Scotland.

This data is sourced from Natural England, Natural Resources Wales and the Scottish Government.

11.4 Listed Buildings

Records within 250m

1

Buildings listed for their special architectural or historical interest. Building control in the form of 'listed building consent' is required in order to make any changes to that building which might affect its special interest. Listed buildings are graded to indicate their relative importance, however building controls apply to all buildings equally, irrespective of their grade, and apply to the interior and exterior of the building in its entirety, together with any curtilage structures.

Features are displayed on the Visual and cultural designations map on **page 57**

ID	Location	Name	Grade	Reference Number	Listed date
1	58m S	Town Farm, Holbeach, South Holland, Lincolnshire, PE12	II	1147017	07/12/1987

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.5 Conservation Areas

Records within 250m**0**

Local planning authorities are obliged to designate as conservation areas any parts of their own area that are of special architectural or historic interest, the character and appearance of which it is desirable to preserve or enhance. Designation of a conservation area gives broader protection than the listing of individual buildings. All the features within the area, listed or otherwise, are recognised as part of its character. Conservation area designation is the means of recognising the importance of all factors and of ensuring that planning decisions address the quality of the landscape in its broadest sense.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.6 Scheduled Ancient Monuments

Records within 250m**0**

A scheduled monument is an historic building or site that is included in the Schedule of Monuments kept by the Secretary of State for Digital, Culture, Media and Sport. The regime is set out in the Ancient Monuments and Archaeological Areas Act 1979. The Schedule of Monuments has c.20,000 entries and includes sites such as Roman remains, burial mounds, castles, bridges, earthworks, the remains of deserted villages and industrial sites. Monuments are not graded, but all are, by definition, considered to be of national importance.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.


11.7 Registered Parks and Gardens

Records within 250m**0**

Parks and gardens assessed to be of particular interest and of special historic interest. The emphasis being on 'designed' landscapes, rather than on planting or botanical importance. Registration is a 'material consideration' in the planning process, meaning that planning authorities must consider the impact of any proposed development on the special character of the landscape.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

12 Agricultural designations



- Site Outline
- Search buffers in metres (m)
- Grade 1 - excellent quality
- Grade 2 - very good quality
- Grade 3 - good to moderate quality
- Grade 3a - good quality
- Grade 3b - moderate quality
- Grade 4 - poor quality
- Grade 5 - very poor quality
- Non-agricultural land
- Urban land
- Exclusion land
- Tree felling licences
- Open Access land

12.1 Agricultural Land Classification

Records within 250m

2

Classification of the quality of agricultural land taking into consideration multiple factors including climate, physical geography and soil properties. It should be noted that the categories for the grading of agricultural land are not consistent across England, Wales and Scotland.

Features are displayed on the Agricultural designations map on **page 60**

ID	Location	Classification	Description
1	On site	Grade 1	Excellent quality agricultural land. Land with no or very minor limitations to agricultural use. A very wide range of agricultural and horticultural crops can be grown and commonly includes top fruit, soft fruit, salad crops and winter harvested vegetables. Yields are high and less variable than on land of lower quality.



ID	Location	Classification	Description
2	23m NW	Grade 1	Excellent quality agricultural land. Land with no or very minor limitations to agricultural use. A very wide range of agricultural and horticultural crops can be grown and commonly includes top fruit, soft fruit, salad crops and winter harvested vegetables. Yields are high and less variable than on land of lower quality.

This data is sourced from Natural England.

12.2 Open Access Land

Records within 250m

0

The Countryside and Rights of Way Act 2000 (CROW Act) gives a public right of access to land without having to use paths. Access land includes mountains, moors, heaths and downs that are privately owned. It also includes common land registered with the local council and some land around the England Coast Path. Generally permitted activities on access land are walking, running, watching wildlife and climbing.

This data is sourced from Natural England and Natural Resources Wales.

12.3 Tree Felling Licences

Records within 250m

0

Felling Licence Application (FLA) areas approved by Forestry Commission England. Anyone wishing to fell trees must ensure that a licence or permission under a grant scheme has been issued by the Forestry Commission before any felling is carried out or that one of the exceptions apply.

This data is sourced from the Forestry Commission.

12.4 Environmental Stewardship Schemes

Records within 250m

0

Environmental Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. The schemes identified may be historical schemes that have now expired, or may still be active.

This data is sourced from Natural England.

12.5 Countryside Stewardship Schemes

Records within 250m

0

Countryside Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. Main objectives are to improve the farmed environment for wildlife and to reduce diffuse water pollution.

This data is sourced from Natural England.



13 Habitat designations

13.1 Priority Habitat Inventory

Records within 250m**0**

Habitats of principal importance as named under Natural Environment and Rural Communities Act (2006) Section 41.

This data is sourced from Natural England.

13.2 Habitat Networks

Records within 250m**0**

Habitat networks for 18 priority habitat networks (based primarily, but not exclusively, on the priority habitat inventory) and areas suitable for the expansion of networks through restoration and habitat creation.

This data is sourced from Natural England.

13.3 Open Mosaic Habitat

Records within 250m**0**

Sites verified as Open Mosaic Habitat. Mosaic habitats are brownfield sites that are identified under the UK Biodiversity Action Plan as a priority habitat due to the habitat variation within a single site, supporting an array of invertebrates.

This data is sourced from Natural England.

13.4 Limestone Pavement Orders

Records within 250m**0**

Limestone pavements are outcrops of limestone where the surface has been worn away by natural means over millennia. These rocks have the appearance of paving blocks, hence their name. Not only do they have geological interest, they also provide valuable habitats for wildlife. These habitats are threatened due to their removal for use in gardens and water features. Many limestone pavements have been designated as SSSIs which affords them some protection. In addition, Section 34 of the Wildlife and Countryside Act 1981 gave them additional protection via the creation of Limestone Pavement Orders, which made it a criminal offence to remove any part of the outcrop. The associated Limestone Pavement Priority Habitat is part of the UK Biodiversity Action Plan priority habitat in England.

This data is sourced from Natural England.



14 Geology 1:10,000 scale - Availability



— Site Outline
Search buffers in metres (m)

- Full coverage
- Partial coverage
- No coverage

14.1 10k Availability

Records within 500m

1

An indication on the coverage of 1:10,000 scale geology data for the site, the most detailed dataset provided by the British Geological Survey. Either 'Full', 'Partial' or 'No coverage' for each geological theme.

Features are displayed on the Geology 1:10,000 scale - Availability map on **page 63**

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	No coverage	No coverage	No coverage	No coverage	NoCov

This data is sourced from the British Geological Survey.



Geology 1:10,000 scale - Artificial and made ground

14.2 Artificial and made ground (10k)

Records within 500m

0

Details of made, worked, infilled, disturbed and landscaped ground at 1:10,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

This data is sourced from the British Geological Survey.



Geology 1:10,000 scale - Superficial

14.3 Superficial geology (10k)

Records within 500m

0

Superficial geological deposits at 1:10,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

This data is sourced from the British Geological Survey.

14.4 Landslip (10k)

Records within 500m

0

Mass movement deposits on BGS geological maps at 1:10,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

This data is sourced from the British Geological Survey.



Geology 1:10,000 scale - Bedrock

14.5 Bedrock geology (10k)

Records within 500m

0

Bedrock geology at 1:10,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

This data is sourced from the British Geological Survey.

14.6 Bedrock faults and other linear features (10k)

Records within 500m

0

Linear features at the ground or bedrock surface at 1:10,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

This data is sourced from the British Geological Survey.



15 Geology 1:50,000 scale - Availability



— Site Outline
Search buffers in metres (m)

□ Geological map tile

15.1 50k Availability

Records within 500m

1

An indication on the coverage of 1:50,000 scale geology data for the site. Either 'Full' or 'No coverage' for each geological theme.

Features are displayed on the Geology 1:50,000 scale - Availability map on **page 67**

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	Full	Full	Full	No coverage	EW144_spalding_v4

This data is sourced from the British Geological Survey.



Geology 1:50,000 scale - Artificial and made ground

15.2 Artificial and made ground (50k)

Records within 500m

0

Details of made, worked, infilled, disturbed and landscaped ground at 1:50,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

This data is sourced from the British Geological Survey.

15.3 Artificial ground permeability (50k)

Records within 50m


0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any artificial deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.



Geology 1:50,000 scale - Superficial



- Site Outline
- Search buffers in metres (m)
- Landslip (50k)
- Superficial geology (50k)
Please see table for more details.

15.4 Superficial geology (50k)

Records within 500m

1

Superficial geological deposits at 1:50,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:50,000 scale - Superficial map on **page 69**

ID	Location	LEX Code	Description	Rock description
1	On site	TFD-XCZ	TIDAL FLAT DEPOSITS	CLAY AND SILT

This data is sourced from the British Geological Survey.



15.5 Superficial permeability (50k)

Records within 50m**1**

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any superficial deposits (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	Intergranular	Low	Very Low

This data is sourced from the British Geological Survey.

15.6 Landslip (50k)

Records within 500m**0**

Mass movement deposits on BGS geological maps at 1:50,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

This data is sourced from the British Geological Survey.

15.7 Landslip permeability (50k)


Records within 50m**0**

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any landslip deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.



Geology 1:50,000 scale - Bedrock



Site Outline

Search buffers in metres (m)

..... Bedrock faults and other linear features (50k)

Bedrock geology (50k)
Please see table for more details.

15.8 Bedrock geology (50k)

Records within 500m

1

Bedrock geology at 1:50,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on **page 71**

ID	Location	LEX Code	Description	Rock age
1	On site	WWB-MDSI	WEST WALTON FORMATION - MUDSTONE AND SILTSTONE	OXFORDIAN

This data is sourced from the British Geological Survey.



15.9 Bedrock permeability (50k)

Records within 50m**1**

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of bedrock (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	Fracture	Low	Very Low

This data is sourced from the British Geological Survey.

15.10 Bedrock faults and other linear features (50k)

Records within 500m**0**

Linear features at the ground or bedrock surface at 1:50,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

This data is sourced from the British Geological Survey.



16 Boreholes



— Site Outline
Search buffers in metres (m)

- Confidential
- 0 - 10m
- 10 - 30m
- 30m+
- Unknown

16.1 BGS Boreholes

Records within 250m

7

The Single Onshore Boreholes Index (SOBI); an index of over one million records of boreholes, shafts and wells from all forms of drilling and site investigation work held by the British Geological Survey. Covering onshore and nearshore boreholes dating back to at least 1790 and ranging from one to several thousand metres deep.

Features are displayed on the Boreholes map on **page 73**

ID	Location	Grid reference	Name	Length	Confidential	Web link
1	98m SW	536070 325570	A151 CHERRY LANE HOLBEACH 28	5.0	N	504048
2	126m SW	536070 325540	A151 CHERRY LANE HOLBEACH 27	6.0	N	504047
A	176m SW	536042 325497	HOLBEACH SCIENCE PARK TP 9	1.5	N	16108403




ID	Location	Grid reference	Name	Length	Confidential	Web link
3	179m S	536088 325483	HOLBEACH SCIENCE PARK TP 1	1.2	N	16108397
A	187m SW	536013 325499	HOLBEACH SCIENCE PARK TP 4	2.9	N	16108401
A	188m SW	536020 325494	HOLBEACH SCIENCE PARK TP 3	1.5	N	16108400
A	193m SW	536005 325497	HOLBEACH SCIENCE PARK TP 8	1.5	N	16108402

This data is sourced from the British Geological Survey.



17 Natural ground subsidence - Shrink swell clays



— Site Outline
Search buffers in metres (m)

- ☐ No data
- ☐ Negligible
- ☐ Very low
- ☐ Low
- ☐ Moderate
- ☐ High

17.1 Shrink swell clays

Records within 50m

1

The potential hazard presented by soils that absorb water when wet (making them swell), and lose water as they dry (making them shrink). This shrink-swell behaviour is controlled by the type and amount of clay in the soil, and by seasonal changes in the soil moisture content (related to rainfall and local drainage).



Features are displayed on the Natural ground subsidence - Shrink swell clays map on **page 75**

Location	Hazard rating	Details
On site	Low	Ground conditions predominantly medium plasticity.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Running sands



17.2 Running sands

Records within 50m

1

The potential hazard presented by rocks that can contain loosely-packed sandy layers that can become fluidised by water flowing through them. Such sands can 'run', removing support from overlying buildings and causing potential damage.



Features are displayed on the Natural ground subsidence - Running sands map on **page 76**

Location	Hazard rating	Details
On site	Moderate	Running sand conditions are probably present. Constraints may apply to land uses involving excavation or the addition or removal of water.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Compressible deposits



17.3 Compressible deposits

Records within 50m

1

The potential hazard presented by types of ground that may contain layers of very soft materials like clay or peat and may compress if loaded by overlying structures, or if the groundwater level changes, potentially resulting in depression of the ground and disturbance of foundations.

Features are displayed on the Natural ground subsidence - Compressible deposits map on **page 77**

Location	Hazard rating	Details
On site	Moderate	Compressibility and uneven settlement hazards are probably present. Land use should consider specifically the compressibility and variability of the site.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Collapsible deposits



— Site Outline
Search buffers in metres (m)

- ☐ No data
- ☐ Negligible
- ☐ Very low
- ☐ Low
- ☐ Moderate
- ☐ High

© Crown copyright and database rights 2023. Ordnance Survey licence 100035207

17.4 Collapsible deposits

Records within 50m

1

The potential hazard presented by natural deposits that could collapse when a load (such as a building) is placed on them or they become saturated with water.



Features are displayed on the Natural ground subsidence - Collapsible deposits map on **page 78**

Location	Hazard rating	Details
On site	Negligible	Deposits with potential to collapse when loaded and saturated are believed not to be present.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Landslides



17.5 Landslides

Records within 50m

1

The potential for landsliding (slope instability) to be a hazard assessed using 1:50,000 scale digital maps of superficial and bedrock deposits, combined with information from the BGS National Landslide Database and scientific and engineering reports.

Features are displayed on the Natural ground subsidence - Landslides map on **page 79**

Location	Hazard rating	Details
On site	Very low	Slope instability problems are not likely to occur but consideration to potential problems of adjacent areas impacting on the site should always be considered.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Ground dissolution of soluble rocks



- Site Outline
- Search buffers in metres (m)
- ☐ No data
 - ☐ Negligible
 - ☐ Very low
 - ☐ Low
 - ☐ Moderate
 - ☐ High

17.6 Ground dissolution of soluble rocks

Records within 50m

1

The potential hazard presented by ground dissolution, which occurs when water passing through soluble rocks produces underground cavities and cave systems. These cavities reduce support to the ground above and can cause localised collapse of the overlying rocks and deposits.

Features are displayed on the Natural ground subsidence - Ground dissolution of soluble rocks map on **page 80**

Location	Hazard rating	Details
On site	Negligible	Soluble rocks are either not thought to be present within the ground, or not prone to dissolution. Dissolution features are unlikely to be present.

This data is sourced from the British Geological Survey.



18 Mining, ground workings and natural cavities

18.1 Natural cavities

Records within 500m

0

Industry recognised national database of natural cavities. Sinkholes and caves are formed by the dissolution of soluble rock, such as chalk and limestone, gulls and fissures by cambering. Ground instability can result from movement of loose material contained within these cavities, often triggered by water.

This data is sourced from Stantec UK Ltd.

18.2 BritPits

Records within 500m

0

BritPits (an abbreviation of British Pits) is a database maintained by the British Geological Survey of currently active and closed surface and underground mineral workings. Details of major mineral handling sites, such as wharfs and rail depots are also held in the database.

This data is sourced from the British Geological Survey.

18.3 Surface ground workings

Records within 250m

0

Historical land uses identified from Ordnance Survey mapping that involved ground excavation at the surface. These features may or may not have been subsequently backfilled.

This data is sourced from Ordnance Survey/Groundsure.

18.4 Underground workings

Records within 1000m

0

Historical land uses identified from Ordnance Survey mapping that indicate the presence of underground workings e.g. mine shafts.

This data is sourced from Ordnance Survey/Groundsure.

18.5 Historical Mineral Planning Areas

Records within 500m**0**

Boundaries of mineral planning permissions for England and Wales. This data was collated between the 1940s (and retrospectively to the 1930s) and the mid 1980s. The data includes permitted, withdrawn and refused permissions.

This data is sourced from the British Geological Survey.

18.6 Non-coal mining

Records within 1000m**0**

The potential for historical non-coal mining to have affected an area. The assessment is drawn from expert knowledge and literature in addition to the digital geological map of Britain. Mineral commodities may be divided into seven general categories - vein minerals, chalk, oil shale, building stone, bedded ores, evaporites and 'other' commodities (including ball clay, jet, black marble, graphite and chert).

This data is sourced from the British Geological Survey.

18.7 Mining cavities

Records within 1000m**0**

Industry recognised national database of mining cavities. Degraded mines may result in hazardous subsidence (crown holes). Climatic conditions and water escape can also trigger subsidence over mine entrances and workings.

This data is sourced from Stantec UK Ltd.

18.8 JPB mining areas

Records on site**0**

Areas which could be affected by former coal and other mining. This data includes some mine plans unavailable to the Coal Authority.

This data is sourced from Johnson Poole and Bloomer.

18.9 Coal mining

Records on site**0**

Areas which could be affected by past, current or future coal mining.

This data is sourced from the Coal Authority.



18.10 Brine areas

Records on site	0
-----------------	---

The Cheshire Brine Compensation District indicates areas that may be affected by salt and brine extraction in Cheshire and where compensation would be available where damage from this mining has occurred. Damage from salt and brine mining can still occur outside this district, but no compensation will be available.

This data is sourced from the Cheshire Brine Subsidence Compensation Board.

18.11 Gypsum areas

Records on site	0
-----------------	---

Generalised areas that may be affected by gypsum extraction.

This data is sourced from British Gypsum.

18.12 Tin mining

Records on site	0
-----------------	---

Generalised areas that may be affected by historical tin mining.

This data is sourced from Groundsure.



18.13 Clay mining

Records on site	0
-----------------	---

Generalised areas that may be affected by kaolin and ball clay extraction.

This data is sourced from the Kaolin and Ball Clay Association (UK).

19 Radon



19.1 Radon

Records on site

1

The Radon Potential data classifies areas based on their likelihood of a property having a radon level at or above the Action Level in Great Britain. The dataset is intended for use at 1:50,000 scale and was derived from both geological assessments and indoor radon measurements (more than 560,000 records). A minimum 50m buffer should be considered when searching the maps, as the smallest detectable feature at this scale is 50m. The findings of this section should supersede any estimations derived from the Indicative Atlas of Radon in Great Britain (1:100,000 scale).

Features are displayed on the Radon map on **page 84**

Location	Estimated properties affected	Radon Protection Measures required
On site	Less than 1%	None



This data is sourced from the British Geological Survey and UK Health Security Agency.



20 Soil chemistry

20.1 BGS Estimated Background Soil Chemistry

Records within 50m**1**

The estimated values provide the likely background concentration of the potentially harmful elements Arsenic, Cadmium, Chromium, Lead and Nickel in topsoil. The values are estimated primarily from rural topsoil data collected at a sample density of approximately 1 per 2 km². In areas where rural soil samples are not available, estimation is based on stream sediment data collected from small streams at a sampling density of 1 per 2.5 km²; this is the case for most of Scotland, Wales and southern England. The stream sediment data are converted to soil-equivalent concentrations prior to the estimation.

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg

This data is sourced from the British Geological Survey.

20.2 BGS Estimated Urban Soil Chemistry

Records within 50m**0**

Estimated topsoil chemistry of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc and bioaccessible Arsenic and Lead in 23 urban centres across Great Britain. These estimates are derived from interpolation of the measured urban topsoil data referred to above and provide information across each city between the measured sample locations (4 per km²).

This data is sourced from the British Geological Survey.

20.3 BGS Measured Urban Soil Chemistry

Records within 50m**0**

The locations and measured total concentrations (mg/kg) of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc in urban topsoil samples from 23 urban centres across Great Britain. These are collected at a sample density of 4 per km².

This data is sourced from the British Geological Survey.



21 Railway infrastructure and projects

21.1 Underground railways (London)

Records within 250m**0**

Details of all active London Underground lines, including approximate tunnel roof depth and operational hours.

This data is sourced from publicly available information by Groundsure.

21.2 Underground railways (Non-London)

Records within 250m**0**

Details of the Merseyrail system, the Tyne and Wear Metro and the Glasgow Subway. Not all parts of all systems are located underground. The data contains location information only and does not include a depth assessment.

This data is sourced from publicly available information by Groundsure.

21.3 Railway tunnels

Records within 250m**0**

Railway tunnels taken from contemporary Ordnance Survey mapping.

This data is sourced from the Ordnance Survey.

21.4 Historical railway and tunnel features

Records within 250m**0**

Railways and tunnels digitised from historical Ordnance Survey mapping as scales of 1:1,250, 1:2,500, 1:10,000 and 1:10,560.

This data is sourced from Ordnance Survey/Groundsure.

21.5 Royal Mail tunnels

Records within 250m**0**

The Post Office Railway, otherwise known as the Mail Rail, is an underground railway running through Central London from Paddington Head District Sorting Office to Whitechapel Eastern Head Sorting Office. The line is 10.5km long. The data includes details of the full extent of the tunnels, the depth of the tunnel, and the depth to track level.



This data is sourced from Groundsure/the Postal Museum.

21.6 Historical railways

Records within 250m	0
---------------------	---

Former railway lines, including dismantled lines, abandoned lines, disused lines, historic railways and razed lines.

This data is sourced from OpenStreetMap.

21.7 Railways

Records within 250m	0
---------------------	---

Currently existing railway lines, including standard railways, narrow gauge, funicular, trams and light railways.

This data is sourced from Ordnance Survey and OpenStreetMap.

21.8 Crossrail 1

Records within 500m	0
---------------------	---

The Crossrail railway project links 41 stations over 100 kilometres from Reading and Heathrow in the west, through underground sections in central London, to Shenfield and Abbey Wood in the east.

This data is sourced from publicly available information by Groundsure.

21.9 Crossrail 2

Records within 500m	0
---------------------	---

Crossrail 2 is a proposed railway linking the national rail networks in Surrey and Hertfordshire via an underground tunnel through London.

This data is sourced from publicly available information by Groundsure.

21.10 HS2

Records within 500m	0
---------------------	---

HS2 is a proposed high speed rail network running from London to Manchester and Leeds via Birmingham. Main civils construction on Phase 1 (London to Birmingham) of the project began in 2019, and it is currently anticipated that this phase will be fully operational by 2026. Construction on Phase 2a (Birmingham to Crewe) is anticipated to commence in 2021, with the service fully operational by 2027. Construction on Phase 2b (Crewe to Manchester and Birmingham to Leeds) is scheduled to begin in 2023 and be operational by 2033.

This data is sourced from HS2 Ltd.



Data providers

Groundsure works with respected data providers to bring you the most relevant and accurate information. To find out who they are and their areas of expertise see <https://www.groundsure.com/sources-reference>.

Terms and conditions

Groundsure's Terms and Conditions can be accessed at this link: <https://www.groundsure.com/terms-and-conditions-jan-2020/>.

