



ref:	revision	date

G. R. MERCHANT LTD.
I.ENG AMICE FIWO
ARCHITECTURAL, STRUCTURAL AND LAND DRAINAGE CONSULTANTS
4 Wrights Mews
12A Park Road, Hobeach, Spalding, Lincs. PE12 7EE
Tel: 01406 490800
Fax: 01406 425744
E-Mail: gr.merchant@btconnect.com

Project
RENOVATIONS & CONVERSION INTO FLATS.
THE FORMER FELL HOTEL.
21 HIGH STREET. HOLBEACH.
SPALDING. LINCS. PE12 7DU.

Client
MR. N. STAMATZAI.

Drawing
BASEMENT & GROUND FLOOR PLANS - PROPOSED.

Job Ref.	Drawing No.
2961-16.	09.
Date	**Drawn**
JUNE 2016.	SLD.

Scales
1/ 50 (unless otherwise stated)

DO NOT SCALE FROM THIS DRAWING
This drawing & copyright and may not be stored, sold, produced or used for any other purpose other than that for which it is issued. The General Contractor is to check all dimensions on site and report any discrepancies to the Architect. All details shown on this drawing including Building Regulations and design/construction may be developed. See soil surveys are recommended in respect of foundations conditions which may be discovered during construction unless reported to the Architect to that extent. No responsibility can be accepted for errors caused upon by/or the omissions related to the work. No responsibility can be accepted for electrical or mechanical installations shown on this drawing is limited & for information contained and does not purport to contain a full specification of the works, it is to ensure the appointed specialist sub-contractors before quotation work is undertaken. This drawing must not be used as a contract document since. The works will not be supervised or inspected on site by G.R. Merchant or any representative thereof. It is the client or their appointed agents responsibility to control normal/unusual, subsidence of materials, deterioration to specifications, variations to contract and/or the Building Regulations, which may arise during the course of the works. Any discrepancies or omissions in the drawings are to be reported to the Architect before work proceeds. Figured dimensions are to be taken in preference to scaled. Copyright of this drawing is retained by G.R. Merchant & Co. and should not be loaned, copied or passed to a third party without permission. This drawing is to be read in conjunction with all relevant Structural Engineers drawings and specifications. The Employer / Client shall ensure that the selected contractor is conversant with and adopts all measures necessary to achieve compliance with health and safety legislation for Building sites and Acts relating to Party Walls etc. Act 1996, when building in close proximity to adjoining neighbours boundaries. Buildings may be subject to the requirements of the Party Wall etc. Act 1996 and it is the responsibility of the Building Owner to comply with the Construction Design and Management Regulations as appointed Planning Supervisor. The works shall comply with all current British standard specification and relevant code of practice. Materials to be new unless otherwise stated and all components and materials etc. to be used fitted and installed for their purpose in accordance with manufacturers instructions and relevant code of practice. Existing walls, partitions, floors, roofs, chimneys, drains, services and the like are to be exposed where possible to determine their condition and adequacy to support the loads imposed by the new work. Where existing walls or chimneys are to be reduced in height or removed, the exposed surfaces shall be made good to match existing. Any suspected asbestos materials found on site must not be disturbed and the Local Authority Environmental Health Officer informed immediately. Existing timber lintols over openings to be exposed and checked for adequacy. Where openings are to be formed in existing walls, adequate temporary propping and support must be provided before any work is commenced. Existing walls to be exposed internally and externally to be checked for defective pointing and defective bricks and stones to be raked out and repointed in a suitable mortar mix. Existing timber floors to be exposed and checked for adequacy. Where new