SIDEBOTTOM RICHARDSON CHENG LTD
CONSULTING STRUCTURAL AND CIVIL ENGINEERS
15 High Street, Spalding, Lincs. PE11 1TW
Tel: 01775 712660
Fax: 01775 712635
Email: src@srcltd.com

Sheet No. 37917/BH01					Rev -
Status	FOR INFORMATION				
Date	Nov. '17	Drawn	JL	Checked	SRC
Scale	1:20	Design	-	File Name	37917-BH01

Location: Proposed Plots, 1 - 6, Marsh Road, Holbeach Hurn, Spalding, Lincs

Carried Out For: D. Brown

Date Undertaken: Nov. '17

Logged By: JAR

Equipment & Methods
100mmø HandAuger

Site Coordinates:

Ground Level:

Borehole No. 1

Description	Reduced Level	Legend	Depth (Thick)	Samples: Depth	Samples: Sample Reference	Samples: Sample Type	Samples: Sample No.	Test Required	M.P.T. Blow Count (Depth)
Topsoil.			400mm						
Moist Brown Firm Silt.			1300mm (900mm)						
Mid/Light Brown Silty Fine Sand.			2600mm (1300mm)						
Black Wet Silt.			3000mm (400mm)						

Remarks
Borehole Terminated @ 3.0m.

DETAILS ON THIS DRAWING ARE COPYRIGHT OF SIDEBOTTOM RICHARDSON CHENG LIMITED. THIS IS A CONFIDENTIAL DOCUMENT AND MUST NOT BE COPIED, USED OR DIVULGED IN ANY WAY WITHOUT PRIOR WRITTEN CONSENT
DETAILS ON THIS DRAWING ARE COPYRIGHT OF SIDEBOTTOM RICHARDSON CHENG LIMITED. THIS IS A CONFIDENTIAL DOCUMENT AND MUST NOT BE COPIED, USED OR DIVULGED IN ANY WAY WITHOUT PRIOR WRITTEN CONSENT