


MOVEMENT JOINT DETAIL 7 3149-8

SOUTH WEST 1-100


CLIENT TO CONFIRM HEIGHT OF DOOR D16 - ACCESS INTO AREA TRAILER.



NORTH EAST 1-100


LINE TO RAISE OF RAMP & TO DISCHARGE INTO ADJACENT GULLY (TYP EXISTING)

ADJACENT BUILDING IN FOREGROUND



MOVEMENT JOINT DETAIL 7 3149-8

NORTH WEST 1-100



SOUTH EAST 1-100

FIRE PRECAUTIONS

- BREAK GLASS CALL POINT
- HD HEAT OR SMOKE DETECTOR


FIRE ALARM SYSTEM - TO BE IN ACCORDANCE WITH BS 5839 PT 1 2002 DESIGN TO BE BY ELECTRICAL CONTRACTOR CHECK WITH CLIENT TO SEE IF HE WANTS AMOUNT OF AUTO DETECTION EXTENDED

- EMERGENCY LIGHTING DESIGN TO BE BY ELECTRICAL CONTRACTOR & CONFORM TO BS 5266 PT1 1999. EMERGENCY LIGHTING TO ILLUMINATE ALL ESCAPE ROUTES, FIRE FIGHTING EQUIPMENT & FIRE SIGNAGE
- N1 GENERAL FIRE PRECAUTION NOTICE
- NS FIRE EXIT KEEP CLEAR SIGNAGE
- N6 FIRE DOOR KEEP SHUT SIGN
- E→ GRAPHIC FIRE EXIT SIGNAGE HEIGHT OF SYMBOLS IN mm. PROVIDE DIRECTIONAL ARROWS AS REQ'D

COMPLETE WITH SIGNAGE INDICATING USAGE OF EXTINGUISHERS & LOCATION OF.

- DP 3-5 DRY POWDER EXTINGUISHER SIZE IN KG
- CO2 3 CARBON DIOXIDE EXTINGUISHER SIZE IN KG
- W 9 WATER EXTINGUISHER SIZE IN LITRES

LAYOUT OF FIRE EXIT SIGNAGE & EMERGENCY LIGHTING TO TAKE INTO ACCOUNT RACKING LAYOUT/ LAYOUT OF STORES. PROVIDE ADDITIONAL FIXTURES AS REQ'D.
FIRE EXTINGUISHER PROVISION SHOWN INDICATIVE PROVISION TO BE BE ACHIEVED BY SUPPLIER UPON OCCUPATION OF BUILDING.



FIRST FLOOR PLAN 1-50

3149-6

A

SHDC
Planning & Development
15 JUN 2004
Ref: 1463/03

AMENDED PLAN
Ref. A2

PODDINGTONS
Architectural Design Consultants
Unit 7, The Flaxmill, Flaxmill Lane, Pinchbeck,
Spalding, Lincs. PE11 3XQ.
Tel: 01775 720866 Fax: 01775 720877

Contractor To Check All Dimensions On Site Before Work Commences.

Rev.	Date.	Init.	Revision Details.

Project.
TERRY RUDD MOTORCYCLES LTD.
FEN ROAD, HOLBEACH.
PROPOSED ALTERATIONS & EXTENSION

Drawing.
FIRST FLOOR PLAN & ELEVATIONS

Scale.	Drawing. No.
1-50 1-100	3149-5
Drawn.	
Date. APRIL 2004	Rev.