

Mr Keith Bunn
Churchills Bar
49 West Street
Long Sutton
Spalding
PE12 9BN


QUOTATION







Reference	Replacement Sliding Sash Windows
Quotation Number	BUNN/280126/GDG-01
Date of Quotation	28 January 2026
Validity	30 days



Dear Keith,

Further to your enquiry and our recent visit to Churchills Bar, I have pleasure in quoting to supply & install the following replacement sliding sash windows manufactured in Accoya High Performance Modified Timber.

This quotation includes the most economical 14mm sashlite (slimline) double glazed unit, offering whole window 'U' values ranging from 1.8 to 1.9 W/m²K.

Item (sizes)	Description	Qty
	Sliding Sash - (3) BAR - GROUND FLOOR - FRONT LEFT Traditional Box Sliding Sash Window With Weatherseals. Lead Sash Weights & Nylon Sash Cord With Polished Brass Ball Bearing Pulleys, Sash Lifts, Sash Stops & Locking Sash Fasteners. Accoya High Performance Modified Timber 14mm (4-6-4) Clear Toughened Pilkington KS, Argon Gas Filled Sashlite Double Glazed Units With Black Warm Edge Spacer Bars Fully Factory Spray Finished With A 3 Coat Microporous Joinery Paint System - Any RAL or Farrow & Ball Colour (Single Colour Only). U-value=1.9	1

Item (sizes)	Description	Qty
	Sliding Sash - (W2) BAR - GROUND FLOOR - FRONT RIGHT Traditional Box Sliding Sash Window With Weatherseals. Lead Sash Weights & Nylon Sash Cord With Polished Brass Ball Bearing Pulleys, Sash Lifts, Sash Stops & Locking Sash Fasteners. Accoya High Performance Modified Timber 14mm (4-6-4) Clear Toughened Pilkington KS, Argon Gas Filled Sashlite Double Glazed Units With Black Warm Edge Spacer Bars Fully Factory Spray Finished With A 3 Coat Microporous Joinery Paint System - Any RAL or Farrow & Ball Colour (Single Colour Only). U-value=1.9	1
	Sliding Sash - (W3) BAR - GROUND FLOOR - SIDE LEFT Traditional Box Sliding Sash Window With Weatherseals. Lead Sash Weights & Nylon Sash Cord With Polished Brass Ball Bearing Pulleys, Sash Lifts, Sash Stops & Locking Sash Fasteners. Accoya High Performance Modified Timber 14mm (4-6-4) Clear Toughened Pilkington KS, Argon Gas Filled Sashlite Double Glazed Units With Black Warm Edge Spacer Bars Fully Factory Spray Finished With A 3 Coat Microporous Joinery Paint System - Any RAL or Farrow & Ball Colour (Single Colour Only). U-value=1.8	1
	Sliding Sash - (W4) BAR - GROUND FLOOR - SIDE RIGHT Traditional Box Sliding Sash Window With Weatherseals. Lead Sash Weights & Nylon Sash Cord With Polished Brass Ball Bearing Pulleys, Sash Lifts, Sash Stops & Locking Sash Fasteners. Accoya High Performance Modified Timber 14mm (4-6-4) Clear Toughened Pilkington KS, Argon Gas Filled Sashlite Double Glazed Units With Black Warm Edge Spacer Bars Fully Factory Spray Finished With A 3 Coat Microporous Joinery Paint System - Any RAL or Farrow & Ball Colour (Single Colour Only). U-value=1.9	1
	Sliding Sash - (W5) FIRST FLOOR - FRONT LEFT Traditional Box Sliding Sash Window With Weatherseals. Lead Sash Weights & Nylon Sash Cord With Polished Brass Ball Bearing Pulleys, Sash Lifts, Sash Stops & Locking Sash Fasteners. Accoya High Performance Modified Timber 14mm (4-6-4) Clear Toughened Pilkington KS, Argon Gas Filled Sashlite Double Glazed Units With Black Warm Edge Spacer Bars Fully Factory Spray Finished With A 3 Coat Microporous Joinery Paint System - Any RAL or Farrow & Ball Colour (Single Colour Only). U-value=1.9	1
	Sliding Sash - (W6) FIRST FLOOR - FRONT MIDDLE Traditional Box Sliding Sash Window With Weatherseals. Lead Sash Weights & Nylon Sash Cord With Polished Brass Ball Bearing Pulleys, Sash Lifts, Sash Stops & Locking Sash Fasteners. Accoya High Performance Modified Timber 14mm (4-6-4) Clear Toughened Pilkington KS, Argon Gas Filled Sashlite Double Glazed Units With Black Warm Edge Spacer Bars Fully Factory Spray Finished With A 3 Coat Microporous Joinery Paint System - Any RAL or Farrow & Ball Colour (Single Colour Only). U-value=1.8	1
	Sliding Sash - (W7) FIRST FLOOR - FRONT RIGHT Traditional Box Sliding Sash Window With Weatherseals. Lead Sash Weights & Nylon Sash Cord With Polished Brass Ball Bearing Pulleys, Sash Lifts, Sash Stops & Locking Sash Fasteners. Accoya High Performance Modified Timber 14mm (4-6-4) Clear Toughened Pilkington KS, Argon Gas Filled Sashlite Double Glazed Units With Black Warm Edge Spacer Bars Fully Factory Spray Finished With A 3 Coat Microporous Joinery Paint System - Any RAL or Farrow & Ball Colour (Single Colour Only). U-value=1.9	1

Item (sizes)	Description	Qty
	Sliding Sash - (W8) FIRST FLOOR - SIDE LEFT Traditional Box Sliding Sash Window With Weatherseals. Lead Sash Weights & Nylon Sash Cord With Polished Brass Ball Bearing Pulleys, Sash Lifts, Sash Stops & Locking Sash Fasteners. Accoya High Performance Modified Timber 14mm (4-6-4) Clear Toughened Pilkington KS, Argon Gas Filled Sashlite Double Glazed Units With Black Warm Edge Spacer Bars Fully Factory Spray Finished With A 3 Coat Microporous Joinery Paint System - Any RAL or Farrow & Ball Colour (Single Colour Only). U-value=1.9	1
	Sliding Sash - (W9) FIRST FLOOR - SIDE RIGHT Traditional Box Sliding Sash Window With Weatherseals. Lead Sash Weights & Nylon Sash Cord With Polished Brass Ball Bearing Pulleys, Sash Lifts, Sash Stops & Locking Sash Fasteners. Accoya High Performance Modified Timber 14mm (4-6-4) Clear Toughened Pilkington KS, Argon Gas Filled Sashlite Double Glazed Units With Black Warm Edge Spacer Bars Fully Factory Spray Finished With A 3 Coat Microporous Joinery Paint System - Any RAL or Farrow & Ball Colour (Single Colour Only). U-value=1.9	1

Factory spray finish colour - RAL 9016 Traffic White.

All frames will be sealed & pointed to external brickwork as required.

It is assumed that a suitable lintel or self supporting brickwork detail is present above all window and door openings. Supply and installation of any replacement or new lintels required is not included in this quotation.

Installation of windows W1, 2, 3, 5, 6, 7, 10 & 11 will include the removal of existing internal reveal linings, window boards & architraves and therefore this quotation includes the supply & installation of replacement items manufactured in sapele hardwood.

Installation of windows W4, 8 & 9 should not require replacement reveal linings, window boards or architraves. These windows will be fitted with internal trims only manufactured in sapele hardwood.

Disposal of existing windows to be via skip on site supplied by others.

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]