
**HARD & SOFT LANDSCAPING SCHEME**

A. EXISTING ACCESS TO GARNSGATE ROAD.
B. EXISTING 1.8M HIGH CLOSE BOARDED FENCE.
C. EXISTING 2.1M HIGH CLOSE BOARDED FENCE.
D. PROPOSED DRIVE.
E. PROPOSED 1M HIGH CLOSE BOARDED FENCE.
F. PROPOSED 1.8M HIGH CLOSE BOARDED FENCE.
G. SILVER BIRCH (BETULA PENDULA) FEATHERED.
H. HAWTHORN (CATAEGUS LAEVIGATA) FEATHERED.
J. WHITE BEAM (SORBUS ARIA) FEATHERED.
K. BEECH (FAGUS SYLVATICA) FEATHERED.
L. CHERRY (PRUNUS SUBHIRTELLA AUTUMNAUS) FEATHERED.
M. NURWAY MAPLE (ACER PLATANOIDES) FEATHERED.


All planting to be in accordance with BS 4428:1989 and amendment No. 1 (1991)

All trees to be planted with minimum 0.6m plastic mulch mat and to be staked, tied and tubed.

1/3 to ½ bag of peat free tree and shrub planting compost to be incorporated into backfill for each tree hole.




SITE PLAN
1/500




LOCATION PLAN
1/2500

SHDC
Planning & Development
19 MAY 2004
Ref: 0662/04

| ref | revision | date |
|---|---|---|
| B | LANDSCAPING | MAY '04 |
| A | RE-POSITION ON SITE | 4/5/04 |


**G. R. MERCHANT** I.ENG AMICE FIWO

**ARCHITECTURAL, STRUCTURAL AND LAND DRAINAGE CONSULTANTS**

Unit 4, Wrights Mews
12A Park Road, Holbeach,
Spalding, Lincs. PE12 7EE
Tel: 01406 490800
Fax: 01406 425744
E-Mail: G. R. Merchant @ Merchant. F9. Co. UK


Project
BUNGALOW & GARAGE
REAR OF ROSE VILLA
29 GARNSGATE ROAD
LONG SUTTON

Client
MR & MRS D BAKER

Drawing
SITE & LOCATION PLANS

| Job Ref. | Drawing No. |
|---|---|
| 288/01 | 01 ES |
| Date | Drawn |
| JULY 2001 | GRM |

Scales
AS INDICATED


**DO NOT SCALE FROM THIS DRAWING**

This drawing is copyright and may not be altered, traced, photographed or used for any other purpose other than that for which it is issued. The General Contractor is to check all dimensions on site and report any discrepancies to the Architect. All details shown on this drawing including foundations are based upon typical site conditions related to the area. No responsibility can be accepted for abnormal conditions which may be encountered. Site soil surveys are recommended the Architect do that design recommendations may be considered. Site soil surveys are recommended in respect of foundations to establish specific site conditions before foundation work is undertaken. This drawing is limited in the amount of information considered and does not purport to contain a full specification of the works. It is solely for the purpose of obtaining Planning / Building Regulation approval. This drawing must not be used as a contract document as/is. The works will not be supervised or inspected on site by G. R. Merchant or any representative thereof. It is the client or their appointed agents responsibility to control workmanship, substitution of materials, adherence to specification, variations to contract etc.

All materials to be new unless otherwise stated and all components, materials etc. to be used fixed and installed etc. to strict accordance with manufacturers instruction and relevant code of practice. Materials shall conform to appropriate British standard certification or BBA certificate or European code equivalent. The Employer / Client shall ensure that the selected contractor is competent with and adopts all measures necessary to achieve compliance with Health and Safety Legislation for Building sites and Work in general. The Employer / Client is advised that should the works need to comply with the Construction Design and Management Regulations an independent Planning Supervisor will be required. The works shall comprise of all that is shown on the drawing and details. Work that may not specifically shown but may be reasonably inferred as necessary to carry out the works shall be deemed to be included.