


Existing chimney stack to be taken out below ceiling level. Brickwork to be corbelled out to support the chimney stack above ceiling. Chimney pots to be capped off.




EXISTING SIDE ELEVATION




EXISTING REAR ELEVATION




EXISTING SIDE ELEVATION



PROPOSED SIDE ELEVATION



PROPOSED REAR ELEVATION



PROPOSED SIDE ELEVATION


ELECTRICAL KEY	
SYMBOL	DESCRIPTION
	DOUBLE SOCKET
	EXTERNAL DOUBLE SOCKET
	CEILING LIGHT
	WALL LIGHT
	EXTERNAL LIGHT
	LIGHT SWITCH
	PULL CORD LIGHT SWITCH
	FLUORESCENT LIGHT
	TELEPHONE POINT
	SMOKE DETECTOR
	COOKER POINT
D	DIMMER LIGHT SWITCH
	SINGLE SOCKET
	T.V. AERIAL
	SINGLE RADIATOR
	DOUBLE RADIATOR

WINDOWS
All windows to be double glazed and fitted with trickle vents providing the following background ventilation:-
Habitable rooms 8,000mm²
Kitchen, W.C., Utility and Baths 4,000mm 2
All glass lower than 1.5m above floor level, to doors adj. Sidelights and windows, and lower than 800mm above floor level should be break safety glass or laminated or toughened glass to B.S. 56206:1981.
Double glazing to have mm 12mm air gap between glass.


LINTELS
Lintels to be I.G. Catnic or similar approved lintels installed in accordance with manufacturer's instructions.
I.G. lintels to have cavity tray over.
Min. 2m headroom under all arches.

STUDWORK
Studs to be 50 x 100 @ 600 ctrs vertically & 1200m ctrs. horizontally, with 12.5mm plasterboard to each side.


EXTRACTOR FANS
Kitchen to have extract rate of 30 Litres/second adjacent to a hob or 60 Litres/second elsewhere.



SITE PLAN
1:500




LOCATION PLAN 1:2500



EXISTING FLOOR PLAN

All ceilings, walls and floors to be made good as necessary.



PROPOSED FLOOR PLAN

SOUTH HOLLAND DC HOUSING & PLANNING
-2 OCT 1998
Ref: 0976/98

DETERMINED PLAN

Peter Humphrey associates
18 Chapel Road,
Wisbech,
Cambridgeshire PE13 1RF
Telephone 01945 466966
Fax 01945 466433

PROJECT
Proposed Alterations
3 London Road
Long Sutton

CLIENT Mr and Mrs Joy

DATE	SCALE	JOB No
Aug 1998	1:50 1:100	1545 / 1

REVISED

British Institute of Architectural Technologists

COPYRIGHT. THIS DRAWING MUST NOT BE ISSUED, LOANED OR COPIED WITHOUT THE CONSENT OF THE ABOVE PRACTICE.