Robert Doughty Consultancy Ltd
32 High Street
Helpringham
Sleaford
Lincs
NG34 0RA

Council Offices
Priory Road
Spalding
Lincolnshire
PE11 2XE
Admin 01775 764723
DC Officers 01775 764703
facsimile 01775 762937
planningadvice@sholland.gov.uk
www.sholland.gov.uk

TOWN AND COUNTRY PLANNING ACT 1990

OUTLINE

Reference: H11-1264-18 **Date of Decision:** 7th November 2019

Applicant: Mr V Wells
C / O Robert Doughty Consultancy Ltd
32 High Street
Helpringham
Sleaford Lincs
NG34 0RA

Location: Land Off Lime Walk Long Sutton

Description: Proposed residential development - up to 70 dwellings

South Holland District Council hereby give notice that this application has been GRANTED (or equivalent) subject to the following condition(s):

1 Application for approval of reserved matters must be made not later than three years beginning with the date of this permission, and the development must be begun before the expiration of two years from the final approval of reserved matters or in the case of approval on different dates, the final approval of the last such matter to be approved.

Reason: As required by Section 92 of the Town and Country Planning Act 1990 as amended by the Planning and Compulsory Purchase Act 2004.

2 The development hereby permitted shall be carried out in accordance with the following approved plans:
Ecological Appraisal 18-0830.01 (Prepared by Delta Simons - July 2018)
818-3-OP-SP01
Design & Access Statement 818 3 DAS/ GF LMS (Prepared by Robert Doughty Consultancy - December 2018)
Flood Risk Assessment (Prepared by RM Associates - November 2018)
818-3-OP-SP02 (overview)

818-3-OP-LP01
BS5837:2012 Arboricultural Survey (Prepared by Delta Simons - July 2018)
Application Form

Reason: For the avoidance of doubt and in the interests of proper planning.

3 The following matters are reserved for subsequent approval by the Local Planning Authority and no development to which these matters relate shall be carried out until these matters have been approved, viz:

i) detailed drawings of the estate layout to a scale of not less than 1:500 and including road and plot layouts;
ii) detailed drawings to a scale of not less than 1:100 showing the siting, design and external appearance of each building, including a schedule of the materials to be used for external walls and roof;
iii) details of landscaping and tree planting.
iv) the existing and proposed site levels and floor levels of the buildings and hard surfaced areas.

Reason: The application was submitted in outline only and the above details are required to enable the Local Planning Authority to assess the detailed design, scale, appearance and layout of the development as well as ensure that appropriate access and services are provided to serve the development.
This Condition is imposed in accordance with Policies 2, 3, 4 and 30 of the South East Lincolnshire Local Plan, 2019 and national guidance contained in Section 14 of the National Planning Policy Framework, 2019.

4 When application is made to the Local Planning Authority for approval of reserved matters, that application shall be accompanied by a scheme of landscaping and tree planting indicating, inter alia, the number, species, heights on planting and positions of all trees in respect of the land to which that application relates, together with details of post-planting maintenance and such a scheme shall require the approval of the Local Planning Authority before any development is commenced. Such scheme as is approved by the Local Planning Authority shall be carried out and completed in its entirety during the first planting season following practical completion of the development. All trees, shrubs and bushes shall be maintained by the owner or owners of the land on which they are situated for the period of five years beginning with the date of completion of the scheme and during that period all losses shall be made good as and when necessary.

Note: The applicant is recommended to employ a qualified and experienced landscape designer to produce a landscaping scheme for the development.

Reason: To ensure that the development is adequately landscaped, in the interests of its visual amenity and that of the area in which it is set. This issue is integral to the development and therefore full details need to be finalised prior to the commencement of works.
This Condition is imposed in accordance with Policies 2 and 3 of the South East Lincolnshire Local Plan, 2019.

5 Prior to its installation, details of the proposed boundary treatment, including a schedule of

DC_FINAL_DECISION - ODB:14

materials, and details of the size and species of any hedging, shall be submitted to and approved in writing by the Local Planning Authority, and the details so approved shall be implemented in full before the development is first brought into use.

Reason: In the interests of the character and appearance of the development and the visual amenity of the area in which it is set.
This Condition is imposed in accordance with Policies 2 and 3 of the South East Lincolnshire Local Plan, 2019.

6 Before the commencement of the development hereby granted beyond oversite, full details of the proposed means of foul and surface water disposal to separate systems shall be submitted to and approved in writing by the Local Planning Authority and the details so approved shall be implemented in full before there are any flows into the receiving systems.

Reason: To ensure that the site is adequately drained, to avoid pollution, and to prevent increased risk of flooding.
This Condition is imposed in accordance with Policies 2, 3 and 30 of the South East Lincolnshire Local Plan, 2019 and national guidance contained in Section 14 of the National Planning Policy Framework, 2019.

7 The development hereby permitted shall not be commenced until a scheme to deal with any contamination of land or pollution of controlled waters has been submitted to and approved in writing by the Local Planning Authority (LPA) and until the measures approved in that scheme have been implemented. The scheme shall include all of the following measures:

i) a desk-top study carried out to identify and evaluate all potential sources of contamination and the impacts on land and/or controlled waters, relevant to the site. The desk-top study shall establish a 'conceptual site model' and identify all plausible pollutant linkages. Furthermore, the assessment shall set objectives for intrusive site investigation works/Quantitative Risk Assessment (or state if none required). Two full copies of the desk- top study and a non-technical summary shall be submitted to the LPA without delay upon completion.
ii) if identified as being required following the completion of the desk-top study, a site investigation shall be carried out to fully and effectively characterise the nature and extent of any land contamination and/or pollution of controlled waters. It shall specifically include a risk assessment that adopts the Source-Pathway-Receptor principle, in order that any potential risks are adequately assessed taking into account the sites existing status and proposed new use. Two full copies of the site investigation and findings shall be forwarded to the LPA without delay upon completion.
iii) thereafter, a written method statement detailing the remediation requirements for land contamination and/or pollution of controlled waters affecting the site shall be submitted to and approved in writing by the LPA, and all requirements shall be implemented and completed to the satisfaction of the LPA. No deviation shall be made from this scheme. If during redevelopment contamination not previously considered is identified, then the LPA shall be notified immediately and no further work shall be carried out until a method statement detailing a scheme for dealing with the suspect contamination has been submitted to and agreed in writing by the LPA.
iv) two full copies of a full closure report shall be submitted to and approved in writing by

DC_FINAL_DECISION - ODB:14

the LPA. The report shall provide verification that the required works regarding contamination have been carried out in accordance with the approved Method Statement(s). Post-remediation sampling and monitoring results shall be included in the closure report to demonstrate that the required remediation has been fully met.

Note
The applicant is advised that the phased risk assessment required by the Contaminated Land Scheme Condition should be carried out in accordance with the procedural guidance of the Environmental Protection Act 1990 Part 11A.
The applicant's attention is also drawn to the document entitled "Developing Land Within Lincolnshire - A guide to submitting planning applications to develop land that may be contaminated", which can be obtained through the Local Environmental Health Department.

Reason: To assess whether the site is polluted and to address any pollution to ensure a satisfactory development. This issue is integral to the development and therefore full details need to be finalised prior to the commencement of works.
This Condition is imposed in accordance with Policy 30 of the South East Lincolnshire Local Plan, 2019.

8 The water consumption of each dwelling hereby permitted should not exceed the requirement of 110 litres per person per day (as set out as the optional requirement in Part G of the Building Regulations 2010 and the South East Lincolnshire Local Plan, 2019). The person carrying out the work must inform the Building Control Body that this duty applies. A notice confirming the requirement for the water consumption has been met shall be submitted to the Building Control Body and Local Planning Authority, no later than five days after the completion of each individual dwelling.

Reason: To protect the quality and quantity of water resources available to the district.
This Condition is imposed in accordance with Policy 31 of the South East Lincolnshire Local Plan, 2019.

9 The development permitted by this planning permission shall be carried out in accordance with the approved Flood Risk Assessment (FRA) dated November 2018, compiled by RM Associates and the following mitigation measures detailed within the FRA:

Finished floor levels are set no lower than 3.4m above Ordnance Datum (AOD) and flood resilient construction incorporated into the design to 300mm above the predicted flood level.

The mitigation measures shall be fully implemented prior to occupation and subsequently in accordance with the timing/phasing arrangements embodied within the scheme, or within any other period as may subsequently be agreed, in writing, by the Local Planning Authority.

Reason: To reduce the risk of flooding to the proposed development and future occupants.
This Condition is imposed in accordance with Section 14 of the National Planning Policy Framework, 2019.

10 Before each dwelling is occupied, the roads and footways providing access to that dwelling, for the whole of its frontage from an existing public highway, shall be constructed to a specification to enable them to be adopted as Public Highway, less the carriageway and footway surface courses. The carriageway and footway surface courses shall be completed within three months from the date upon which the erection is commenced of the penultimate dwelling.

Reason: To ensure that a safe and suitable standard of vehicular and pedestrian access is provided for residents throughout the construction period of the development and that the roads and footways are completed within a reasonable period following completion of the dwellings.
This Condition is imposed in accordance with Policy 2 of the South East Lincolnshire Local Plan, 2019.

11 No dwelling shall be commenced before the first 60 metres of estate road from its junction with the public highway, including visibility splays, have been completed.

Reason: To ensure construction and delivery vehicles, and the vehicles of site personnel may be parked and/or unloaded off the existing highway, in the interests of highway safety and the amenity of neighbouring residents.
This Condition is imposed in accordance with Policy 2 of the South East Lincolnshire Local Plan, 2019.

12 The permitted development shall be undertaken in accordance with a surface water drainage scheme which shall first have been approved in writing by the Local Planning Authority.

The scheme shall:

· be based on sustainable drainage principles and an assessment of the hydrological and hydrogeological context of the development;

· provide details of how run-off will be safely conveyed and attenuated during storms up to and including the 1 in 100 year critical storm event, with an allowance for climate change, from all hard surfaced areas within the development into the existing local drainage infrastructure and watercoursesystem without exceeding the run-off rate for the undeveloped site;

· provide attenuation details and discharge rates which shall be restricted to 1.4 litres per second per hectare;

· provide details of the timetable for and any phasing of implementation for the drainage scheme; and

· provide details of how the scheme shall be maintained and managed over the lifetime of the development, including any arrangements for adoption by any public body or Statutory Undertaker and any other arrangements required to secure the operation of the drainage system throughout its lifetime.

No dwelling shall be occupied until the approved scheme has been completed or provided

on the site in accordance with the approved phasing. The approved scheme shall be retained and maintained in full, in accordance with the approved details.

To ensure that the permitted development is adequately drained without creating or increasing flood risk to land or property adjacent to, or downstream of, the permitted development.

When application is made for Reserved Matters approval, the submission shall include details of a 1.8 metre wide footway on the east side of Lime Walk, to connect the permitted development to the existing footway network in Long Sutton. The works shall include any necessary kerbing and drainage.

Reason: To ensure that the permitted development is adequately drained without creating or increasing flood risk to land or property adjacent to, or downstream of, the permitted development.
This Condition is imposed in accordance with Policies 2 and 3 of the South East Lincolnshire Local Plan, 2019 and national guidance contained in Section 14 of the National Planning Policy Framework, 2019.

Notes:

The Local Planning Authority has acted positively and proactively in determining this application by assessing it against all material considerations, including national guidance, planning policies and representations that have been received during the public consultation exercise, and subsequently determining to grant planning permission.

This decision notice, the relevant accompanying report and the determined plans can be viewed online at http://planning.sholland.gov.uk/OcellaWeb/planningSearch

This planning permission is subject to an Agreement under Section 106 of the Town & Country Planning Act 1990 dated 30 October 2019 and can only be implemented as a consequence of meeting the provisions of that Agreement

Where private drives exist provision should be made for Fire Appliances and Rubbish Trucks, Rubbish should not carried further than 30m from the property.

It is not clear, from the submitted details, if the road layout would include a vehicular access between the site and Magpie Close. A vehicular connection to the adjacent development is desirable in terms of providing route options but is not essential to make the proposed development acceptable in planning terms. A pedestrian connection between the two adjacent developments would also be desirable.
Access to the site from Lime Walk will require the construction of a bridge over the existing watercourse. This bridge will be adoptable by the Highway Authority. The Highway Authority is currently experiencing a high workload demand on its Structural Engineering team and accordingly the developer is advised to submit the design for this bridge as soon as possible, to allow the necessary technical compliance check to be undertaken.



Phil Norman
Planning and Building Control Manager
South Holland District Council

BUILDING REGULATIONS:
This decision refers only to planning permission as granted under the Town and Country Planning Act 1990. The works that you are proposing may also require Building Regulations and this planning permission does not give authority under Building Regulations to commence work. Please contact the Building Control section for further information on 01775 764557 or bcadmin@sholland.gov.uk

RIGHTS OF APPEAL

Appeals to the Secretary of State

If you are aggrieved by the decision of your Local Planning Authority to refuse permission for the proposed development or grant consent subject to conditions, then you can appeal to the Secretary of State under Section 78 of the Town and Country Planning Act 1990 or Section 20 of the Planning (Listed Building and Conservation Areas) Act 1990.

Timescales for appealing

The deadlines for appeals are calculated from the **date of decision** and are as follows for the types of applications below:

12 Weeks	6 Months	8 Weeks
Householder Applications	Planning Permission	Consent to Display Adverts
Minor Commercial Development	Listed Building Consent	
Agricultural Determinations	Other Prior Approval Applications	
Householder Prior Approval Applications		

If you intend to submit an appeal that you would like examined by inquiry then you must notify the Local Planning Authority and Planning Inspectorate (inquiryappeals@planning inspectorate.gov.uk) at least 10 days before submitting the appeal. Further details are on GOV.UK.

Enforcement Notices

If an enforcement notice was served prior to the planning application being determined then the deadline for appealing is 28 days from the date of the **planning refusal**.

If an enforcement notice is served after the planning application is determined then the deadline for appealing is 28 days from the date of the **enforcement notice** OR **the timescales stated above for each application type** from the date of the planning refusal - whichever is sooner.

Appeals can be made online at: https://www.gov.uk/planning-inspectorate. If you are unable to access the online appeal form, please contact the Planning Inspectorate to obtain a paper copy of the appeal form on tel: 0303 444 5000.

The Secretary of State can allow a longer period for giving notice of an appeal but will not normally be prepared to use this power unless there are special circumstances which excuse the delay in giving notice of appeal.

The Secretary of State need not consider an appeal if it seems to the Secretary of State that the

Local Planning Authority could not have granted planning permission for the proposed development or could not have granted it without the conditions they imposed, having regard to the statutory requirements, to the provisions of any development order and to any directions given under the order.

Purchase Notices

If either the Local Planning Authority or the Secretary of State refuses permission to develop land or grant it subject to conditions the owner may claim that he can neither put the land to a reasonably beneficial use in its existing state nor can he render the land capable of a reasonably beneficial use by the carrying out of any development which has been or would be permitted.

In these circumstances the owner may serve a purchase notice on the Council in whose area the land is situated. This notice will require the Council to purchase his interest in the land in accordance with the provisions of the Part VI of the Town and Country Planning Act 1990 or Section 32 of the Planning (Listed Building and Conservation Areas) Act 1990.

Compensation

In certain circumstances compensation may be claimed from the Local Planning Authority if permission is refused or granted subject to conditions by the Secretary of State on appeal or on reference of the application to him.

These circumstances are set out in Section 114 and related provisions of the Town and Country Planning Act 1990 and Section 27 of the Planning (Listed Building and Conservation Areas) Act 1990.