Peele School Nursery

Statement of Flood Risk

August 2008

Produced for: Lincolnshire County Council

Prepared by: Sarah Luff

Document Control Sheet

Project Title	Peele School Nursery	**Report Title**	Flood Risk Assessment
Issue / Revision	1 / 1	**Status**	Final

Record of Issue

Issue	Rev.	Status	Author	Date	Check	Date	Authorised	Date
1	1	Final	S Luff	25/07/08	E Jordan	25/07/08	E Jordan	25/07/08

This Report is presented to Lincolnshire County Council in respect of the Peele School Nursery and may not be used or relied on by any other person or by the client in relation to any other matters not covered specifically by the scope of this Report.

Notwithstanding anything to the contrary contained in the report, Mouchel Limited is obliged to exercise reasonable skill, care and diligence in the performance of the services required by Lincolnshire County Council and Mouchel Limited shall not be liable except to the extent that it has failed to exercise reasonable skill, care and diligence, and this report shall be read and construed accordingly.

This Report has been prepared by Mouchel Limited. No individual is personally liable in connection with the preparation of this Report. By receiving this Report and acting on it, the client or any other person accepts that no individual is personally liable whether in contract, tort, for breach of statutory duty or otherwise.

Introduction

Peele school is located on Little London Road in Long Sutton, Lincolnshire. The Peele School is within the South Holland District of Lincolnshire. The site contains a number of temporary buildings and classrooms including the Nursery that has been in place for five years. This statement of flood risk has been produced to support the reapplication for planning permission for the temporary Nursery building.

Flood Risk

The School is located in an area of moderate flood risk. The chance of flooding in any year is between 1.3% (1 in 75) or less and greater than 0.5% (1 in 200). This takes into account the effect of any flood defences that may be in this area.



© Crown copyright. All rights reserved. Environment Agency, 100026380, 2008

Source: Environment Agency Website

Flood Risk Management

The EA are responsible for managing the 'main rivers' and coastal flood banks. The Internal Drainage Board is responsible for maintaining and updating drainage systems to allow people to live and work within this area.

The School is within the South Holland Internal Drainage Board area in the Lutton Leam catchment. The drainage ditches drain to the River Nene via the Lutton Leam. The Lutton Leam Sluice is the first line of defence against tidal water entering the watercourse, therefore the tidal extent is downstream of the sluice.

Existing Nursery Classroom

The Nursery is a temporary building on the school campus that has been in place for approximately 5 years. The temporary Nursery building does not contribute further to the existing quantity of surface water runoff from the site. Although temporary, this building is an established part of the school campus.