

SLIM SASH WINDOW IN FINGER JOINTED REDWOOD


Item: 1

Quote Ref: 25/1 V1

Item Reference: Entrance Hall

Style: 1/1

Key Features:



Detailed Specification:

VIEWED FROM OUTSIDE.

Width (mm)	1120	Add Ons Required	No	Sash Horns	Top Sash
Height (mm)	1670	Cill	No	Glass Pattern	Clear
Feature Mould	Bevel	Cill Species	203mm (included in overall ht) Finger Jointed Redwood	Top Glass Type	4mm Annealed
Sash Style	Single	Cill Horns	No	Bottom Glass Type	4mm Toughened
Box Depth	Slim - 149mm	Trickle Vents Required	No	Glazing Features	Astragal Squares
Hanging Method	Hidden Spring	Swept Heads to Top Sash	No	Size of Bar	18mm
Slider Style	Both	Swept Heads to Bottom Sash	No	D Handles	None
Frame Width (mm)	65	Window Board Required	No	Hardware Colour	Polished Chrome hook fastener
Frame Head Size (mm)	65	Window Board Groove	No	Limit Stop	No
Equal Top and Bottom?	Yes	Finishing Assembly	None		
Egress Compliance	Fire Escape Compliant	FSC Certified	Yes		
Colour	Pure White (RAL 9010)				

SLIM SASH WINDOW IN FINGER JOINTED REDWOOD



Quote Ref: 25/1 V1

Item: 2

Item Reference: Snug

Style: 1/1

Key Features:



Detailed Specification:

VIEWED FROM OUTSIDE.

Width (mm)	1140	Add Ons Required	No	Sash Horns	Top Sash
Height (mm)	1670	Cill	203mm (included in overall ht)	Glass Pattern	Clear
Feature Mould	Bevel	Cill Species	Finger Jointed Redwood	Top Glass Type	4mm Annealed
Sash Style	Single	Cill Horns	No	Bottom Glass Type	4mm Toughened
Box Depth	Slim - 149mm	Trickle Vents Required	No	Glazing Features	Astragal Squares
Hanging Method	Hidden Spring	Swept Heads to Top Sash	No	Size of Bar	18mm
Slider Style	Both	Swept Heads to Bottom Sash	No	D Handles	None
Frame Width (mm)	65	Window Board Required	No	Hardware Colour	Polished Chrome hook fastener
Frame Head Size (mm)	65	Window Board Groove	No	Limit Stop	No
Equal Top and Bottom?	Yes	Finishing Assembly	None		
Egress Compliance	Fire Escape Compliant	FSC Certified	Yes		
Colour	Pure White (RAL 9010)				

SLIM SASH WINDOW IN FINGER JOINTED REDWOOD

Quantity: 1


Item: 3

Style: 0/0

Item Reference: Downstairs toilet

Quote Ref: 25/1 V1


Key Features:



Detailed Specification:

VIEWED FROM OUTSIDE.

Width (mm)	750	Add Ons Required	No	Sash Horns	Top Sash
Height (mm)	1400	Cill	No	Glass Pattern	Satinovo
Feature Mould	Bevel	Cill Species	203mm (included in overall ht)	Top Glass Type	4mm Annealed
Sash Style	Single	Cill Horns	Finger Jointed Redwood	Bottom Glass Type	4mm Toughened
Box Depth	Slim - 149mm	Trickle Vents Required	No	Glazing Features	None
Hanging Method	Hidden Spring	Swept Heads to Top Sash	No	D Handles	None
Slider Style	Both	Swept Heads to Bottom Sash	No	Hardware Colour	Polished Chrome hook fastener
Frame Width (mm)	65	Window Board Required	No	Limit Stop	No
Frame Head Size (mm)	65	Window Board Groove	No		
Equal Top and Bottom?	Yes	Finishing Assembly	None		
Egress Compliance	Not Fire Escape Compliant	FSC Certified	Yes		
Colour	Pure White (RAL 9010)				



Item: 4	SLIM SASH WINDOW IN FINGER JOINTED REDWOOD		▲	Quantity: 1																																																																								
Style: 33/33	Item Reference: Landing		Quote Ref: 25/1 V1																																																																									
Key Features:  																																																																												
Detailed Specification: <table><tr><td>Width (mm)</td><td>1000</td><td>Add Ons Required</td><td>No</td><td>Sash Horns</td><td>Top Sash</td></tr><tr><td>Height (mm)</td><td>1300</td><td>Cill</td><td>203mm (included in overall ht)</td><td>Glass Pattern</td><td>Clear</td></tr><tr><td>Feature Mould</td><td>Bevel</td><td>Cill Species</td><td>Finger Jointed Redwood</td><td>Glass Type</td><td>4mm Annealed</td></tr><tr><td>Sash Style</td><td>Single</td><td>Cill Horns</td><td>No</td><td>Glazing Features Size of Bar</td><td>Astragal Squares 18mm</td></tr><tr><td>Box Depth</td><td>Slim - 149mm</td><td>Trickle Vents Required</td><td>No</td><td>D Handles Hardware Colour</td><td>None</td></tr><tr><td>Hanging Method</td><td>Hidden Spring</td><td>Swept Heads to Top Sash</td><td>No</td><td>Limit Stop</td><td>Polished Chrome hook fastener</td></tr><tr><td>Slider Style</td><td>Both</td><td>Swept Heads to Bottom Sash</td><td>No</td><td></td><td>No</td></tr><tr><td>Frame Width (mm)</td><td>65</td><td>Window Board Required</td><td>No</td><td></td><td></td></tr><tr><td>Frame Head Size (mm)</td><td>65</td><td>Window Board Groove</td><td>No</td><td></td><td></td></tr><tr><td>Equal Top and Bottom?</td><td>Yes</td><td>Finishing Assembly</td><td>None</td><td></td><td></td></tr><tr><td>Egress Compliance</td><td>Not Fire Escape Compliant</td><td>FSC Certified</td><td>Yes</td><td></td><td></td></tr><tr><td>Colour</td><td>Pure White (RAL 9010)</td><td></td><td></td><td></td><td></td></tr></table>					Width (mm)	1000	Add Ons Required	No	Sash Horns	Top Sash	Height (mm)	1300	Cill	203mm (included in overall ht)	Glass Pattern	Clear	Feature Mould	Bevel	Cill Species	Finger Jointed Redwood	Glass Type	4mm Annealed	Sash Style	Single	Cill Horns	No	Glazing Features Size of Bar	Astragal Squares 18mm	Box Depth	Slim - 149mm	Trickle Vents Required	No	D Handles Hardware Colour	None	Hanging Method	Hidden Spring	Swept Heads to Top Sash	No	Limit Stop	Polished Chrome hook fastener	Slider Style	Both	Swept Heads to Bottom Sash	No		No	Frame Width (mm)	65	Window Board Required	No			Frame Head Size (mm)	65	Window Board Groove	No			Equal Top and Bottom?	Yes	Finishing Assembly	None			Egress Compliance	Not Fire Escape Compliant	FSC Certified	Yes			Colour	Pure White (RAL 9010)				
Width (mm)	1000	Add Ons Required	No	Sash Horns	Top Sash																																																																							
Height (mm)	1300	Cill	203mm (included in overall ht)	Glass Pattern	Clear																																																																							
Feature Mould	Bevel	Cill Species	Finger Jointed Redwood	Glass Type	4mm Annealed																																																																							
Sash Style	Single	Cill Horns	No	Glazing Features Size of Bar	Astragal Squares 18mm																																																																							
Box Depth	Slim - 149mm	Trickle Vents Required	No	D Handles Hardware Colour	None																																																																							
Hanging Method	Hidden Spring	Swept Heads to Top Sash	No	Limit Stop	Polished Chrome hook fastener																																																																							
Slider Style	Both	Swept Heads to Bottom Sash	No		No																																																																							
Frame Width (mm)	65	Window Board Required	No																																																																									
Frame Head Size (mm)	65	Window Board Groove	No																																																																									
Equal Top and Bottom?	Yes	Finishing Assembly	None																																																																									
Egress Compliance	Not Fire Escape Compliant	FSC Certified	Yes																																																																									
Colour	Pure White (RAL 9010)																																																																											

Style: 33/33

Item Reference: Bed 1

Quote Ref: 25/1 V1

Key Features:



Detailed Specification:

VIEWED FROM OUTSIDE.



Width (mm)	985	Add Ons Required	No	Sash Horns	Top Sash
Height (mm)	1320	Cill	No	Glass Pattern	Clear
Feature Mould	Bevel	Cill Species	203mm (included in overall ht) Finger Jointed Redwood	Glass Type	4mm Annealed
Sash Style	Single	Cill Horns	No	Glazing Features Size of Bar	Astragal Squares 18mm
Box Depth	Slim - 149mm	Trickle Vents Required	No	D Handles	None
Hanging Method	Hidden Spring	Swept Heads to Top Sash	No	Hardware Colour	Polished Chrome hook fastener
Slider Style	Both	Swept Heads to Bottom Sash	No	Limit Stop	No
Frame Width (mm)	65	Window Board Required	No		
Frame Head Size (mm)	65	Window Board Groove	No		
Equal Top and Bottom?	Yes	Finishing Assembly	None		
Egress Compliance	Fire Escape Compliant	FSC Certified	Yes		
Colour	Pure White (RAL 9010)				

SLIM SASH WINDOW IN FINGER JOINTED REDWOOD

Item: 6 Item Reference: Cart Shed Quote Ref: 25/1 V1

Style: 33/33

Key Features:



Detailed Specification:

VIEWED FROM OUTSIDE.

Width (mm)	1000	Add Ons Required	No	Sash Horns	Top Sash
Height (mm)	1300	Cill	203mm (included in overall ht)	Glass Pattern	Clear
Feature Mould	Bevel	Cill Species	Finger Jointed Redwood	Glass Type	4mm Annealed
Sash Style	Single	Cill Horns	No	Glazing Features	Astragal Squares
Box Depth	Slim - 149mm	Trickle Vents Required	No	Size of Bar	18mm
Hanging Method	Hidden Spring	Swept Heads to Top Sash	No	D Handles	None
Slider Style	Both	Swept Heads to Bottom Sash	No	Hardware Colour	Polished Chrome hook fastener
Frame Width (mm)	65	Window Board Required	No	Limit Stop	No
Frame Head Size (mm)	65	Window Board Groove	No		
Equal Top and Bottom?	Yes	Finishing Assembly	None		
Egress Compliance	Not Fire Escape Compliant	FSC Certified	Yes		
Colour	Pure White (RAL 9010)				

FLUSH CASEMENT WINDOW IN FINGER JOINTED REDWOOD (SPECIAL)


Item: 7

Quote Ref: 25/1 V1

Style: One Off

Item Reference: Living Room 1

Key Features:



VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

Detailed Specification:

Width (mm)	1240	Head Drip	None	Swept Heads	No
Height (mm)	1850	Add Ons Required	No	Glass Pattern	Clear
Frame Head Size	60mm	Trickle Vents Required	No	Glass Type	4mm Toughened
Feature Mould Style Option	Bevel Dummy Sash	Window Board Required	No	Glazing Features	None
Equalise Glass Heights	Yes	Window Board Groove	No	FSC Certified	Yes
Colour	Pure White (RAL 9010)				
Cill	145mm x 38mm (inc. in overall ht)				
Cill Species	Finger Jointed Redwood				
Cill Horns	No				
Factory Fit Cill	Yes				

Notes: Priced with vertical glazing bar.



FLUSH CASEMENT WINDOW IN FINGER JOINTED REDWOOD


Item: 8

Quote Ref: 25/1 V1

Item Reference: Living Room 2

Style: **One Off**


Key Features:



Detailed Specification:

VIEWED FROM OUTSIDE, POINT OF ARROW DENOTES HINGE POSITION.

Width (mm)	870	Head Drip	None	Swept Heads	No
Height (mm)	690	Add Ons Required	No	Panel	Flat Panel
Frame Head Size	60mm	Trickle Vents Required	No	Glass Pattern	Clear
Feature Mould	Bevel	Window Board Required	No	Glass Type	4mm Annealed
Style Option	Glazed to Frame (externally beaded)	Window Board Groove	No	Glazing Features	Astragal Squares
Transom Drop (mm)	345			Size of Bar	18mm
Transom Drip	No			FSC Certified	Yes
Colour	Pure White (RAL 9010)				
Cill	145mm x 38mm (inc. in overall ht)				
Cill Species	Finger Jointed Redwood				
Cill Horns	No				
Factory Fit Cill	Yes				


Item: 9	FLUSH CASEMENT WINDOW IN FINGER JOINTED REDWOOD		▲	Quantity: 1	
Style: DL47	Item Reference: Downstairs bedroom		Quote Ref: 25/1 V1		
Key Features:					
					
Detailed Specification:					
Width (mm)	1800	Head Drip	None	Swept Heads	No
Height (mm)	1200	Add Ons Required	No	Glass Pattern	Clear
Frame Head Size	60mm	Trickle Vents Required	No	Glass Type	4mm Annealed
Feature Mould Style Option	Bevel Dummy Sash	Window Board Required	No	Glazing Features	None
Equalise Glass Widths	Yes	Window Board Groove	No	Handle Hinge System	Regent 316 Coastal - Polished Stainless Steel Friction with Kenrick locks
Colour	Pure White (RAL 9010)			FSC Certified	Yes
Cill	145mm x 38mm (inc. in overall ht)				
Cill Species	Finger Jointed Redwood				
Cill Horns	No				
Factory Fit Cill	No				

Item: 10

Style: DL21
Item Reference: Bathroom

Quote Ref: 25/1 V1


Key Features:




Detailed Specification:


VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.


Width (mm)	800	Head Drip	None	Swept Heads	No
Height (mm)	850			Glass Pattern	Satinovo
Frame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed
Feature Mould	Bevel	Trickle Vents Required	No	Glazing Features	None
Floating Mullion	No	Window Board Required	No	Handle	Regent 316 Coastal - Polished Stainless Steel
Equalise Glass Widths	Yes	Window Board Groove	No	Hinge System	Friction with Kenrick locks
Colour	Pure White (RAL 9010)			FSC Certified	Yes
Cill	145mm x 38mm (inc. in overall ht)				
Cill Species	Finger Jointed Redwood				
Cill Horns	No				
Factory Fit Cill	No				

Item: 11	ENTRANCE DOOR IN FINGER JOINTED REDWOOD		▲	Quantity: 1																																																												
Style: IN-A-Pomeroy	Item Reference: Front door	Quote Ref: 25/1 V1																																																														
Key Features:   DRAWING NOTES: VIEWED FROM OUTSIDE. ARROW DENOTES HINGE POSITION. DRAWINGS DO NOT DEPICT KNOCKERS, SPY HOLES, SECURITY CHAINS OR DOORKNOBS, REFER TO BROCHURE FOR FULL GLAZING CONFIGURATIONS.																																																																
Detailed Specification: <table><tr><td>Overall Width (mm)</td><td>900</td><td>Head Drip</td><td>None</td><td>Door Panel(s)</td><td>Plank Effect</td></tr><tr><td>Overall Height (mm)</td><td>2100</td><td>Cill Type</td><td>Aluminium Threshold only</td><td>Door Sash Glazing Features</td><td>None</td></tr><tr><td>Frame Head Size</td><td>60mm</td><td>Add Ons Required</td><td>No</td><td>Door Handle</td><td>Regent 316 - Oil Rubbed Bronze (Dark Kaba)</td></tr><tr><td>Stiles & Rails</td><td>110mm</td><td>Trickle Vents Required</td><td>No</td><td>Door Knocker</td><td>No</td></tr><tr><td>Feature Mould</td><td>Bevel</td><td>Threshold Board Required</td><td>No</td><td>Letterbox</td><td>Blacksmith Traditional - Black</td></tr><tr><td>Hinge Side</td><td>Left</td><td>Hinge Colour</td><td>Black</td><td>Letterbox Height (mm)</td><td>1200</td></tr><tr><td>Door Opens</td><td>In</td><td>Threshold Colour</td><td>Black</td><td>Security Chain</td><td>None</td></tr><tr><td>Door Sash Style</td><td>Pomeroy</td><td></td><td></td><td>Thumb Turn Required</td><td>Yes (Dark Kaba)</td></tr><tr><td>Colour</td><td>Pure White (RAL 9010)</td><td></td><td></td><td>FSC Certified</td><td>Yes</td></tr><tr><td></td><td></td><td></td><td></td><td>PAS24:2016 Compliant</td><td>Yes</td></tr></table>					Overall Width (mm)	900	Head Drip	None	Door Panel(s)	Plank Effect	Overall Height (mm)	2100	Cill Type	Aluminium Threshold only	Door Sash Glazing Features	None	Frame Head Size	60mm	Add Ons Required	No	Door Handle	Regent 316 - Oil Rubbed Bronze (Dark Kaba)	Stiles & Rails	110mm	Trickle Vents Required	No	Door Knocker	No	Feature Mould	Bevel	Threshold Board Required	No	Letterbox	Blacksmith Traditional - Black	Hinge Side	Left	Hinge Colour	Black	Letterbox Height (mm)	1200	Door Opens	In	Threshold Colour	Black	Security Chain	None	Door Sash Style	Pomeroy			Thumb Turn Required	Yes (Dark Kaba)	Colour	Pure White (RAL 9010)			FSC Certified	Yes					PAS24:2016 Compliant	Yes
Overall Width (mm)	900	Head Drip	None	Door Panel(s)	Plank Effect																																																											
Overall Height (mm)	2100	Cill Type	Aluminium Threshold only	Door Sash Glazing Features	None																																																											
Frame Head Size	60mm	Add Ons Required	No	Door Handle	Regent 316 - Oil Rubbed Bronze (Dark Kaba)																																																											
Stiles & Rails	110mm	Trickle Vents Required	No	Door Knocker	No																																																											
Feature Mould	Bevel	Threshold Board Required	No	Letterbox	Blacksmith Traditional - Black																																																											
Hinge Side	Left	Hinge Colour	Black	Letterbox Height (mm)	1200																																																											
Door Opens	In	Threshold Colour	Black	Security Chain	None																																																											
Door Sash Style	Pomeroy			Thumb Turn Required	Yes (Dark Kaba)																																																											
Colour	Pure White (RAL 9010)			FSC Certified	Yes																																																											
				PAS24:2016 Compliant	Yes																																																											
Notes: Measurements to be confirmed.																																																																



Optimal Door - Open In
 Feature Mould: Bevel
 Vertical Section
 Standard Aluminium Threshold

Item: 12	STABLE DOOR IN FINGER JOINTED REDWOOD		▲	Quantity: 1																																																																
Style: OUT-A-Pomeroy	Item Reference: Stable Door		Quote Ref: 25/1 V1																																																																	
Key Features:  DRAWING NOTES: VIEWED FROM OUTSIDE. ARROW DENOTES HINGE POSITION. DRAWINGS DO NOT DEPICT KNOCKERS, SPY HOLES, SECURITY CHAINS OR DOORKNOBS. REFER TO BROCHURE FOR FULL GLAZING CONFIGURATIONS.																																																																				
Detailed Specification: <table><tr><td>Overall Width (mm)</td><td>838</td><td>Head Drip</td><td>None</td><td>Door Panel(s)</td><td>Plank Effect</td></tr><tr><td>Overall Height (mm)</td><td>2090</td><td>Cill Type</td><td>Projecting Cill</td><td>Door Sash Glazing Features</td><td>None</td></tr><tr><td>Frame Head Size</td><td>60mm</td><td>Cill</td><td>145mm x 35mm (inc. in overall ht)</td><td>Escutcheon</td><td>Black (Dark Kaba)</td></tr><tr><td>Stiles & Rails</td><td>110mm</td><td>Cill Horns</td><td>No</td><td>Door Handle</td><td>Regent 316 - Oil Rubbed Bronze (Dark Kaba)</td></tr><tr><td rowspan="3">Feature Mould</td><td>Bevel</td><td>Cill Species</td><td>Finger Jointed Redwood</td><td>Door Knocker</td><td>No</td></tr><tr><td>Left</td><td>Factory Fit Cill</td><td>No</td><td>Letterbox</td><td>None</td></tr><tr><td>Out</td><td>Add Ons Required</td><td>No</td><td>Security Chain</td><td>None</td></tr><tr><td>Hinge Side</td><td>Pomeroy</td><td>Trickle Vents Required</td><td>No</td><td>Thumb Turn Required</td><td>Yes (Dark Kaba)</td></tr><tr><td>Door Sash Style</td><td>Stable</td><td>Threshold Board Required</td><td>No</td><td>Thumb Turn Position</td><td>Bottom Only</td></tr><tr><td>Door Type</td><td>Pure White (RAL 9010)</td><td>Hinge Colour</td><td>Brass</td><td>FSC Certified</td><td>Yes</td></tr><tr><td>Colour</td><td></td><td>Threshold Colour</td><td>Black</td><td></td><td></td></tr></table>					Overall Width (mm)	838	Head Drip	None	Door Panel(s)	Plank Effect	Overall Height (mm)	2090	Cill Type	Projecting Cill	Door Sash Glazing Features	None	Frame Head Size	60mm	Cill	145mm x 35mm (inc. in overall ht)	Escutcheon	Black (Dark Kaba)	Stiles & Rails	110mm	Cill Horns	No	Door Handle	Regent 316 - Oil Rubbed Bronze (Dark Kaba)	Feature Mould	Bevel	Cill Species	Finger Jointed Redwood	Door Knocker	No	Left	Factory Fit Cill	No	Letterbox	None	Out	Add Ons Required	No	Security Chain	None	Hinge Side	Pomeroy	Trickle Vents Required	No	Thumb Turn Required	Yes (Dark Kaba)	Door Sash Style	Stable	Threshold Board Required	No	Thumb Turn Position	Bottom Only	Door Type	Pure White (RAL 9010)	Hinge Colour	Brass	FSC Certified	Yes	Colour		Threshold Colour	Black		
Overall Width (mm)	838	Head Drip	None	Door Panel(s)	Plank Effect																																																															
Overall Height (mm)	2090	Cill Type	Projecting Cill	Door Sash Glazing Features	None																																																															
Frame Head Size	60mm	Cill	145mm x 35mm (inc. in overall ht)	Escutcheon	Black (Dark Kaba)																																																															
Stiles & Rails	110mm	Cill Horns	No	Door Handle	Regent 316 - Oil Rubbed Bronze (Dark Kaba)																																																															
Feature Mould	Bevel	Cill Species	Finger Jointed Redwood	Door Knocker	No																																																															
	Left	Factory Fit Cill	No	Letterbox	None																																																															
	Out	Add Ons Required	No	Security Chain	None																																																															
Hinge Side	Pomeroy	Trickle Vents Required	No	Thumb Turn Required	Yes (Dark Kaba)																																																															
Door Sash Style	Stable	Threshold Board Required	No	Thumb Turn Position	Bottom Only																																																															
Door Type	Pure White (RAL 9010)	Hinge Colour	Brass	FSC Certified	Yes																																																															
Colour		Threshold Colour	Black																																																																	
Notes: Hinge side to be confirmed.																																																																				



Optimal Door - Open Out
Feature Mould: Bevel
Vertical Section
Standard Threshold with 145mm x 35mm Projecting Cill

BI-FOLD DOOR IN FINGER JOINTED REDWOOD

▲ Quantity: 1


Item: 13

Item Reference: Bi-Fold door

Quote Ref: 25/1 V1

Style: 633


Key Features:



Detailed Specification:

VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

Width (mm)	6000	Head Drip	None	Swept Heads	No
Height (mm)	2090	Add Ons Required	No	Glass Pattern	Clear
Feature Mould	Bevel	Trickle Vents Required	No	Glass Type	4mm Toughened
Doors to Stack	Outside	Threshold Board Required	No	Glazing Features	None
External Access	Yes			Door Handle	Regent 316 - Oil Rubbed Bronze (Dark Kaba)
Bottom-Rail Height	95mm			Hardware Finish	Black
Colour	Pure White (RAL 9010)			Thumb Turn Required	Yes (Dark Kaba)
Cill	Standard			FSC Certified	Yes
Factory Fit Cill	Yes				
Threshold Colour	Silver				



Bi-Folding Door
Feature Mould: Bevel
Vertical Section - 95mm Bottom Rail
Standard Threshold