



Planning Statement

**Installation of play equipment at picnic area and
extending of footpath to allow access to parkland**

**Moulton Park,
High Road,
Moulton,
Spalding,
PE12 6PD**



1. Introduction

1.1 The Application

This Planning Statement has been prepared in support of a Full Planning application for the installation of play equipment within the previously approved picnic area within parkland at Moulton Park, High Road, Moulton. This application includes the extending of the public footpath to the south west of the parkland to allow public access in to the site safely. Moulton Parish Council have a lease on the land that is subject to this application and they have extensively explored options to make use of the area without impacting it's setting. This Planning Statement explains the application in greater detail and includes a Heritage Impact Assessment due to the park being situated in Moulton Conservation Area and being within close proximity of the Grade I listed Church of All Saints as well as numerous other Grade II listed buildings.

Historic England Advice Note 12 'Statements of Heritage Significance: Analysing Significance in Heritage Assets' has been used as guidance throughout. This document gives advice in accordance with the National Planning Policy Framework and emphasises that the level of detail in support of such applications for both Planning and Listed Building Consent should be no more than is necessary to reach an informed decision, yet needs to be proportionate to the significance of the heritage assets affected in the impact on that significance.

This application is to be made by JC Architectural Consultant on behalf of their client who intend to create a public open space that can be used by members of the public now and into the future.

1.2 Documents List

This application is accompanied by the following documents:

0489 Moulton Park Picnic Area Site Plan (SHDC)

0489-25-01 Proposed Footpath Alterations

26871rev1 – Plan

26871rev1 - Picture sheet

1.3 Listed Buildings

There are five listed buildings within close proximity of the parkland, although all of these are a reasonable distance south of the southern edge of the park, a considerable distance from the application area. These are:

- The old Vicarage, Church Lane, Listed Grade II

Vicarage, now house. Late C18, C20. Red brick. Hipped slate roof with 2 lateral stacks. 2 storeys and attic, 4 bay front. 4 long glazing bar doorways with flush wedge lintels. Central Venetian window above with tripartite glazing bar sashes; and flanked by single glazing bar sashes with flush wedge lintels. 2 segmental headed dormers with glazing bar sashes. Doorway in east return with semi-circular projecting hood supported on slender columns, semi-circular headed, pilastered doorway with fanlight with radiating spokes and panelled, partially glazed door. Single glazing bar sash to right. Semi-circular headed glazing bar sash over doorway. Single glazing bar sash to right. 2 segmental dormers with glazing bar sashes.

- The Goddards, Church Lane, Listed Grade II

House, now 3 dwellings. c.1800, C20. Red brick. Concrete tiled roof with stone coped gables and hidden behind ashlar coped parapet; gable stacks. 2 and a half storeys, 3 bay front with central doorway with open Doric porch with fluted columns and open pediment; inner semi-circular headed doorway, panelled reveal and partially glazed door. Doorway flanked by C20 canted bay windows with glazing bar doors flanked by single fixed glazing bar lights. 3 glazing bar sashes above with 3 smaller glazing bar sashes above them, all with flush painted wedge lintels. To the right and left is a single storey single bay; each with a single semi-circular headed glazing bar sash with intersecting tracery.

- 2 Bell Lane, Listed Grade II

House. 1702, late C19, C20. Rendered brick. Concrete tiled roof with rendered gable stacks. 2 storeys, 5 bay front with remnants of C19 quoins and high C18 plinth. Central doorway, plain

doorcase and plank door. Plaque above inscribed: 'JB 1702'. 2 plain sashes to the right, a single plain sash to the left. 5 smaller plain sashes above. All the windows with segmental heads, margin lights and raised keystones. Interior with enclosed central winder stair and chamfered spine beams. Single storey C20 kitchen outshut to right is not of special interest.

- **Manor House, Bell Lane, Listed Grade II**

House. Early C19. Red brick. Slate roof with wooden eaves and gable stacks. 2 storeys, 3 bay front with central doorway with semi-circular head, ornate fanlight and partially glazed panelled door. Doorway flanked by single 3 light plain sashes. 2 similar windows above flank a narrower 3 light plain sash. All the windows with flush wedge lintels.

- **Church of All Saints, High Street, Listed Grade I**

District: South Holland (District Authority)

Parish: The Moultons

National Grid Reference: TF 30710 24115

Details

TF 32 SW Moulton Hight Street (east side)

9/10 Church of All Saints 7.2.67 G.V. I

Parish church. c.1180, c.1200, mid C14, late C15, 1777, restored 1867. Limestone ashlar, some red brick. Lead and slate roofs with stone coped gables with eastern cross finial. West tower with spire, nave with north and south aisles, south porch and clerestorey, chancel with north organ chamber. 4 stage mid C14 tower partially remodelled in the late C15. Moulded plinth and 6 stage angle buttresses, the second stages with niches, each with crocketed and finialled gables supported on head label stops; inner cusped nodding ogee arches and slender columnar pedestals. 2 storey stair turret to north-east with 2 slit lights. Pointed west doorway, with continuous deeply moulded surround, hood mould and double plank doors. Castellated string course above. Pointed late C15 window above with bowtell moulded surround, 4 lights with foliate transom, lower semi-circular headedlights, upper ogee cusped lights, panel tracery, hood mould and lion head label stops. North and south sides each with C15 triangular headed window with bowtell moulded surround, 2 cusped ogee headed lights, panel tracery and hood mould with grotesque head label stops. Above the west window a clock breaks into an ornate C14 blind arcade with inner cusped, ogee nodding arches and outer curved crocketed and finialled gables which are carried across the buttresses on each side and are supported on grotesque heads and slender columns. North and south sides with single triangular headed windows each with 2 cusped ogee headed lights, transom, hood mould and head label stops. East side with the outline of the C15 nave roof. Bell stage with bell openings on all 4 sides, each with a pointed head, 2 ogee headed lights with castellated transom and lower semi-circular headed lights, hood mould and head label stops. Cusped diamond frieze above and moulded eaves with small sculptural motifs and projecting gargoyles. Battlements with ornate corner pinnacles. Slender crocketed flyers reach up to the crocketed C14 octagonal spire with 3 tiers of ornate lucarnes on alternating sides (related in design to the blind arcade on the west front), and weathervane. C12 north aisle heavily restored and extended to the east in the C19. West end with fragmentary C12 roll moulded plinth. C15 west window with flattened triangular head, 3 cusped lights, incipient panel tracery, hood mould and head label stops. North side with regularly placed 2 stage buttresses and sill band. Doorway of c.1180 with pointed head, continuous roll moulded inner order, chamfered outer order supported on single slender shafts with volute and foliate capitals; hood mould, head label stops and double plank door. 2 windows to the right, and 3 windows to the left, all with pointed heads; 3 C19 cusped ogee headed lights, flowing tracery and hood mould. C19 doorway beyond to left giving access to organ chamber, with pointed head, roll moulded surround, hood mould with

head label stops, and plank door. C19 east window with pointed head, 2 cusped, ogee headed lights, flowing tracery and hood mould. Clerestorey of c.1180 remodelled in late C15. 6 C15 windows are inserted into a C12 blind arcade; the former with flattened triangular heads, moulded surrounds and 2 semi-circular headed cusped lights; the latter with groups of 2 or 3 blind, pointed openings with roll moulded heads, capitals, large abaci but now without the supporting shafts. Mid C14 chancel raised in C15 red brick and now with moulded eaves and battlements. Pointed mid C15 window in north side, with 3 pointed cusped lights, panel tracery and hood mould. Fragmentary string course to left. Blocked pointed doorway below to left and 2 rows of corbels beyond. East end flanked by 3 stage diagonal buttress. Large pointed C19 window with 5 pointed cusped lights, panel tracery, hood mould and head label stops. C19 battlements, pinnacles and cross finial above. South side of chancel with regularly placed, slender, 3 stage buttresses and moulded plinth. C14 priest's doorway to left with continuous moulded surround, flattened triangular head, hood mould, head label stops and plank door. 2 C19 windows above to the right with pointed heads, 3 cusped pointed lights, panel tracery and hood mould. Single identical C15 window above to left. C14 polygonal stair turret originally giving access to rood loft inserted into re-entrant angle between chancel and south aisle, with ornate quatrefoil and string course, slit light, moulded eaves and battlements. South aisle refronted in C19. Mid C14 east window with pointed head, 2 cusped ogee heads, quatrefoil, hood mould and head label stops. Fragmentary string course to left. 2 pointed C19 south windows, each with 3 cusped pointed lights and 3 cusped oculi and hood mould. C19 gabled porch to left with pointed doorway with deeply moulded head, paired columns with ornate capitals, hood mould and foliate label stops. Porch contains boiler, but inner doorway of c.1200 partially visible with steeply pointed head, roll moulded surround, imposts and hood mould. 2 C19 windows to the west of porch, each with four centred head, 3 cusped lights, incipient panel tracery and C14 hood moulds. Similar mid C14 window in west end of south aisle. Clerestory of c.1180 somewhat remodelled in C15, with blind arcade with semi-circular, roll moulded heads supported on clustered shafts with foliate capitals; and 7 C15 windows inserted, each beneath a moulded basket arch. Mid C14 very tall interior tower arch with continuous triple filleted responds, castellated capitals, hood mould and label stops. Tower interior with corbel busts supporting rib vault with liernes, some tiercerons, central oculus and ornate bosses. Triangular headed north doorway with continuously moulded surround, hood mould, head label stops and plank door. 6 bay north and south C12 arcades, the westernmost bay of which was the original C12 tower; the original tower arch with broad rectangular sections of the original outer walls, triple rolls, the inner rolls being much taller, all with incipient stiff leaf capitals. The south pier with blocked pointed opening in east rectangular section. The next pair of piers to the east each with 4 rolls, plain moulded north capital, crocket south capital. Pair of round piers beyond, the north with incipient stiff leaf capital, the south with crocket capital incorporating grotesque heads. The next pair of piers to the east both with 4 large rolls alternating with 4 slender rolls, both with crocket capitals. Eastern responds of 3 large rolls alternating with slender keeled shafts, both with incipient stiff leaf capitals. C14 castellated pedestals for statues attached to four of the piers. Mid C14 doorway to rear of south respond on the north side, originally giving access to rood loft, with flattened triangular head, continuously moulded surround, ogee hood mould with partially intact crockets, large bust label stop to right and similar bust to left broken through by late C14 rood screen and bust in apex wearing pillbox cap. In a similar position on north respond a rectangular C15 aumbry with fragmentary inner corner shelf. A piscina of similar design in south aisle wall, with chamfered surround, grotesque head shelf and shallow bowl beneath. Pointed chancel arch, possibly of 1777, with curved soffit containing large foliate motifs. Late C14 rood screen heavily restored in C19, with 5 panels divided by slender openwork buttresses, central cusped ogee head with busts and foliate motifs on cusps, and pair of hinged panelled doors below. Flanking panels with blind tracery below with lion heads, birds eating corn, birds and griffons in spandrels. C19 ribbed coving and ornate parapet above. North west chancel C15 window blocked in C19, with organ pipes inserted in lights, panel tracery and C19 four centred arch below. Fragmentary mid C14 Easter Sepulchre on north wall with slight ogee head and suggestions of sleeping figure below. Blocked doorway to left with flattened triangular head, continuous moulded surround, hood mould and head label stops. Sedilia of c.1200 on south wall with shafts and semi-circular responds with moulded capitals supporting moulded ovolo heads. C19 stone reredos with mosaic detailing. Communion rail of 1895. C19 lectern, pews and pulpit. Late C17 pulpit dismantled in north aisle, with 6 panels with round arches, fretwork bands, flowerheads and castellated top. C15 tie beam nave roof and panelled aisle roofs on stone corbels. C19 chancel roof. C19 rectangular font. Fragmentary font of c.1200 upended in nave. Font of 1719 by William Tudd, on the Gibbons pattern, with the large figures of

Adam and Eve supporting the tree shaped pedestal, the latter entwined by serpent; the bulgy bowl with 3 oval scenes of: the baptism of Christ; the parting of the Red Sea and Noah's Ark, with leaves and apples around remainder of bowl. Monuments include one of white marble on black with urn, to Elizabeth Moore, died 1837; two in grey and white marble with winged cherub heads, to Helen Jenkins, died 1818, and the Reverend Samuel Elsdale, died 1827; two grey marble monuments to Alice Stixwold, died 1784, and William Corby, died 1793. Gravestones include: one to John Harox, died 1560; one to the Reverend John Chapman, died 1751; one to Edward Hunnings, died 1733; one to John Cookson, died 1681; a small brass dated 1662 and a C17 marble in the nave temporarily covered; one to John Cockle, died 1780 and one to John Cock, died 1708; one to William Corby, died 1768, another to Mary Holsin, died 1772; one to John Molson, died 1770; to Thomas Molson, died 1772; and John Molson, died 1767. One to John Burton, died 1768; one to Edward Hunnings, died 1787, and several C19 gravestones.

1.4 Conservation Area

The whole of Moulton Park falls within the Moulton Conservation Area, as can be seen by the SHDC map extract below showing the outline of the area in purple bordering the park along all four boundaries.



Outline of Moulton Conservation Area in purple

2. Proposal

2.1 Play Equipment

The picnic area has proven popular during the summer months since its inception following its approval in October 2023, offering a much desired green space for local people to use within a parkland which has remained out of use for several years. Since the purchase of the parkland by the John and Maureen Biggadike Foundation in 2024 they have planned to allow for regular public access across the whole parkland with the formation of a car parking area to the north west and considerably easier access to the site as a whole.

With the increasing popularity of the picnic area, options have been considered as to a suitable way to offer more use from the land other than just visiting and walking within the area established for this use, all the while ensuring any possible options are compliant with all agreements previously set in place for the area, does not impact negatively on the parkland setting, does not impact on protected trees, no permanent structures within the parkland etc. Play equipment was considered a sensible addition to the space with regards to its minimal impact on the setting and the surrounding area. The accompanying documents show the proposed equipment within the site and clearly demonstrate they visually they will have little impact within the parkland, by use of colour, material and scale. There is a requirement for safety flooring around the play equipment, the area this covers is shown on the accompanying documents, and this will in turn result in some area of the site to be excavated to allow for the necessary build up to achieve the desired soft finish. However, this area is well away from any trees, bushes or hedgerows so will have no impact on any of the protected elements of the parkland, including their root systems.

2.2 Access

The 12ft double field gate access from Bell Lane that was approved under the former application and instated following that will remain in use as it offers a direct access point into the picnic area. However, the proposed personnel access gate to the south west corner of the parkland that was

approved under the John & Maureen Biggadike Foundation application will be installed allowing easier access in to the parkland from the village and therefore more direct access in to the picnic area also.

In order for this access to be utilised there is a need for the existing public footpath to be extended from its current extent. The layout of this new extended section of footpath can be seen on the accompanying documents but it will generally start from the current end of the existing and snake around a telegraph pole towards the new access gate position. This will all be within the grass verge that falls within the ownership boundary of the parkland, and given its relatively small area, will have no significant impact on the locality of the site and the setting of the Conservation Area. The footpath will be constructed to highways specification and, whilst it is acknowledged that there will be an element of hedgerow and root structure lost, there is no material impact over what was previously approved under numerous applications.

3. Heritage Impact Assessment

The picnic site is already established and the proposed play equipment only acts as a continuation of this use. The Listed buildings are some distance from the park but the impact must still be assessed, especially on the Grade I Listed Church of All Saints, and the site also falls within the Moulton Conservation Area so the impact on this must also be assessed.

The proposed play equipment will see very little physical change to the picnic area, albeit there will be some element of structure to be installed, these will be minimal and they will blend in well by way of material and colour choice. The new access gate to the south west of the parkland has already been approved and the new section of footpath to access this will only appear as a very small continuation of the existing which ends in very close proximity to the proposed access.

It is very apparent that the significance of the nearby Listed buildings and the setting of the Conservation Area will not be altered in anyway by the proposed works and therefore the impact on these will be very minimal and it is therefore requested that the LPA approve this application.