

PLANNING AMENDMENT

For office use only

Application No. H13/0363/95/42

Date Registered 14 MAR 2003

Case Officer DMA

1. Please complete in block letters

NAME AND ADDRESS OF APPLICANT

C. Mann
Bramble Lodge
Seas End Rd

Tel. No. MSE

NAME AND ADDRESS OF AGENT

(if form completed by agent)

Tel. No. (Contact)

Please complete in block letters

FULL POSTAL ADDRESS OF THE APPLICATION SITE

Seas End Rd. MSE

Please complete

APPLICATION No.

This amendment **cannot be considered** unless the relevant reference is stated

H13/0363/95

Building Regulation reference relating to same development (if any)

2. Please tick **one** box only

Amendment is proposed where permission already granted

If yes, submit two forms and two plans.

A




or

Amendment is to a proposal currently being considered

If yes, submit four forms and four plans.

B



Please complete

I attach the necessary plans and request that the changes described below be accepted as an amendment. I understand that the Council may require a fresh application, together with fee if appropriate. If the amendment relates to a current application, I agree to an extension of the terminal date.

Signed Date

3. Please complete in block letters

FULL DESCRIPTION OF DEVELOPMENT IN ORIGINAL APPLICATION

New Dwelling

State details of amendments proposed

(Give a full detailed list of the changes, and also mark these clearly on the accompanying plans. Only the changes listed here will be considered.)

change roof tiles
(see letter)

State drawing no's of the current submission

Has this amendment been requested by the Council? (If so, state Officer dealing with the application)

YES / NO

Describe any part of the original development which is excluded by virtue of the amendment, and state any alteration to plot numbers

Has a similar amendment been submitted under Building Regulations?

Yes / No

FILE COPY



Terry Huggins
Acting Chief Executive
Andrew Petcher
Acting Director of Customer Services
Bob Atkins
Director of Corporate Services

Application no: H13/0363/95

Original Applicant
Mr E Bailey
Pipwell Gate
Moulton Seas End
Spalding
Lincs

Original Agent:
Cooper Architectural Design
Hocklesgate
Fleet
Spalding
Lincs

Description:

Location: Seas End Road
Moulton Seas End
Spalding
Lincs

Amendment: Revised roof materials - from Sandtoft Tile 'Bracken' to
Sandtoft Slate 'Dark Grey'

17-MAR-03

Dear Sir/Madam

TOWN AND COUNTRY PLANNING ACT 1990
NOTICE OF ACCEPTANCE OF AMENDMENT

The amended details submitted in respect of the above proposal have now been considered and there are no objections to the amendment being implemented to the extent described above.

Note: This Notice does not convey any approval under the Building Regulations and you may need to make a new submission.

Yours faithfully

A handwritten signature in black ink, appearing to read "S. J. J. J. J." or similar, written in a cursive style.

Head of Planning & Development

Ms C Mann
Bramble Lodge
Seas End Road
Moulton Seas End
Spalding Lincs PE12 6LD

Council Offices
Priory Road
Spalding
Lincolnshire
PE11 2XE
Telephone: (01775) 761161
Fax: (01775) 711253
Email: Info@sholland.gov.uk

Application Amendments

Application H13/0363/95 ?

Location Seas End Road
Moulton Seas End
Spalding
Lincs

Postcode House Number

Amendment 2 Date 14-03-2003

Type POS Post-Decision
Sub-Type

Description Revised roof materials - from Sandtoft Tile 'Bracken' to
Sandtoft Slate 'Dark Grey'

Long Description

Agent ? Des'n

Name Cooper Architectural Design

Address Hocklesgate

Fleet

Spalding

Lincs

Post Code E-Mail

Tel 01406 423762 Fax

Ref

AMENDMENT RECORD SHEET - POST DECISION

Admin

Validation:

Inadequate/Inappropriate

☐

Clarification/Details required:

Appears valid

☒

Registered

.....10/10/03

DC Procedural Assessment

Is the information given correct?

Yes/No (If No, state above what details are needed)

Is it an amendment in principle?

Immaterial/Needs new app

Confirmed:

.....10/10/03

Give a revised description if the details accepted are different to the submission:

Acceptance issued:

10/10/03

URGENT

Bramble Lodge
Seas End Rd
Moulton Seas End
Spalding Lincs
PE12 6LD.

11 March 2003

Dear Mr Gedney.

Application No: H13/0363/95

I refer to my telephone conversation with Sue Myles today when I advised her that the roof tile, which were approved in December 99 have been discontinued, I would like to submit the following tile as a replacement.

Sandtoft Calderdale Slate in Dark Grey.

If possible we would like the ridge tiles to be Terracotta red, otherwise to be Dark Grey the same as the tiles.

I have attached the page from the brochure which may be of help to you.

I look forward to hearing from you with confirmation that this is acceptable to enable building work to start.

Yours sincerely

CMann



Sandtoft concrete tiles

An extensive range that includes seven interlocking profiles and a double cambered plain tile.

There are many colours to choose from, with colour-through and sand faced finishes.

The range comes with a selection of accessories, including dry fix systems for verge and ridge, and an extensive range of decorative ridges, hips and finials.

Sand faced colours



02 Antique No. 2
DP/DR/L/FN/SP/PT



03 Mottled Red
DP/DR/L/FN/SP/PT



05 Cornish Grey
DP/DR/L/FN/SP/PT



06 Brindle
DP/DR/PT

Surface appearance

Slight colour variations may occur as a result of the production process. Under the influence of natural weathering, changes in colour and appearance will occur. Scratches and abrasions caused by packing, loading and transport, are permissible providing they do not prejudice the other quality requirements. Tiles and fittings may show slight efflorescence; it will slowly disappear, and it does not change the other quality requirements.

Colour-through



09 Light Grey
DP/DR/CS/BR/L/FN/SP/PT



14 Dark Grey
DP/DR/CS/BR/L/FN/SP/PT



10 Brown
DP/DR/CS/BR/L/FN/SP/PT



11 Terracotta Red
DP/DR/CS/BR/L/FN/SP/PT



12 Rustic*
DP/DR/CS/BR/L/FN/SP/PT



15 Dark Heather*
DP/DR/CS/BR/L/FN/SP/PT



16 Bracken*
DP/DR/CS/BR/L/FN/SP/PT



18 Charcoal*
DP/DR/CS/BR/L/FN/SP/PT

DP Double Pantile
DR Double Roman
CS Calderdale
BR Bold Roll
L Lindum
FN Standard Pattern
SP Shire Pantile
PT Plain Tile

*Variable applications designed to give the tile a weathered appearance.

All concrete products comply with the requirements of BS EN 490 and 491 and are manufactured under a quality management system which is certified to comply with BS EN ISO 9002.

not available

not available




Double Pantile

Recreating the flowing lines of the traditional pantile with an inherent strength taken from its curved design.



Technical data

Minimum pitch	22.5°
Min. headlap/max. gauge	75 mm/345 mm
Overall size	420 x 334 mm
Effective width	300 mm
Covering capacity (approx.)	9.7 tiles per m ²
Weight as laid (approx.)	46 kg per m ²
Tiles per pallet	210
Weight per 1000 (approx.)	4.75 tonnes
Colours	02, 03, 05, 06, 09, 10, 11, 12, 14, 15, 16, 18



Double Pantile in R.

Double Roman

A long established Roman design popular in most regions, available in 13 distinctive colours.



Technical data

Minimum pitch	22.5°
Min. headlap/max. gauge	75 mm/345 mm
Overall size	420 x 334 mm
Effective width	300 mm
Covering capacity (approx.)	9.7 tiles per m ²
Weight as laid (approx.)	44 kg per m ²
Tiles per pallet	210
Weight per 1000 (approx.)	4.50 tonnes
Colours	02, 03, 05, 06, 09, 10, 11, 12, 14, 15, 16, 18



Double Roman in Terracotta Re.