




EXISTING SECTION

Note: Existing brickwork to gables and eaves level is to be inspected for damage and localised repairs in materials to match existing to be carried out if necessary.
It is not intended to raise roof or wall levels or rebuild large sections of walling. Should this become necessary the Planning Officer should be consulted.



PROPOSED FLOOR LAYOUT




PROPOSED SECTION

Roof to be insulated between and under rafters. See construction notes

Walls to be thermally improved : see construction notes

Insulation to be provided for sound insulation between floor joists. Min 100mm thick density 10kg/m²

New floor throughout see construction notes



PROPOSED ROOF LAYOUT

Planning & Development
03 JUN 2011
Ref: 0417-11

NOTES:
All dimensions must be checked on site and not scaled from this drawing.

See Structural Engineers details and calculations for further information on construction details

	Date	Revisions
A		

© copyright

AGENT
MARK DAVIS MRICS
45 SYDNEY STREET
BOSTON PE21 8NZ
mobile 07543 326592

Client
MR A SHARP

Job Title
CONVERSION OF CHAPEL TO DWELLING
RED COW DROVE
MOULTON MARSH
SPALDING PE12 6LW

Drawing Title
CONSTRUCTION DETAILS

Scale
1:50

Date
MAY 2011

Drawn by

Drg No.
AS 003

Rev.

A PRODUCT OF THE UNO RANGE-ARCHITECT CAT. No 7311

594 x 841mm A1