

Top Of Bank 3.010

Pitching Stone set on concrete bed.
batter to conform with bank.

1500 Ø Pipe

Pipe to project from headwall by 50mm and cut off in line with bank slope

+1.540 Invert Level

Bed Level 0.710

Land Drain 1 Section invert level taken from topo survey and bed level taken from survey on opposite side where Section 2 is located. Level information is minimal in Land Drain 1 area.

Existing Watercourse

+3.200

150Ø Pipe

Pipe to project from headwall by 50mm and cut off in line with bank slope

IL 2.500

Pitching Stone set on concrete bed, batter to conform with bank.


Bed Level 0.710

Technical drawing showing a cross-section of a drainage structure. The structure consists of a central pipe surrounded by granular material, topped with a layer of Terram 500, and further covered by Type B material. The drawing includes labels for the materials and dimensions.

Labels and dimensions:

- Type B material
- Terram 500
- 150
- Bc
- 150 Ø perforated UPVC pipe
- Type A granular material
- Bc/6
- 100 min.

The diagram shows a cross-section of a material with a grid pattern. A vertical line runs through the center, and a horizontal line intersects it. The grid pattern is composed of rectangular cells. The horizontal line is positioned at the center of the grid. The vertical line is positioned at the center of the grid. The grid pattern is shown in a perspective view, with the cells appearing to recede into the distance. The horizontal line is a solid black line. The vertical line is a solid black line. The grid pattern is composed of thin black lines forming the cell boundaries.

[illegible]

RSK LDE LTD has followed its Design Risk Management process for Hazard Elimination and Risk reduction in developing the designs shown on this drawing.
Abnormal or unusual residual risks may be shown above where it is considered that such risk may not normally be expected by competent persons engaged on work of this nature or type.



Spring Lodge
172 Chester Road
Helsby
Cheshire, WA6 0AR
United Kingdom

Tel: +44 (0) 1928 726006
Fax: +44 (0) 1928 725633
Email: ldc@rsk.co.uk
Web: www.rsk.co.uk

Rev.
P2