



SECTION AA


100mm stud partition with 75x50 vertical members at 600c/c maximum and against the brick walls at each end and 38x75 noggins at mid height and at all edges 12mm plywood screw fixed at 150 c/c to all members. The end vertical members to be fixed to the wall with 12mmØ stainless steel threaded rod set in resin to a depth of 175mm.

Existing roof to be stripped and made good as follows
Scissor trusses joints and fractures to be reinforced using T-shaped plates 150mm short legs with 300mm long legs screw fixed into position.
Rafters to have 50x50 battens screwed to the tops at 150 mm staggered centres
Provide and fix new Tyvec breathable felt underlay over rafters.



FIRST FLOOR PLAN

NOTE
ALL WORK TO BE CARRIED OUT IN ACCORDANCE WITH THE STRUCTURAL ENGINEERS REPORT PROVIDED BY THE MORTON PARTNERSHIP LTD REF; EJM/KLC/10736-02 DATED 26;06;07.



ROOF PLAN

SHDC
Planning & Development
01 AUG 2007
Ref: 783/07

DETERMINATION PLAN

THE OLD COACH HOUSE
8 HIGH STREET MOULTON

PROPOSED 2 BEDROOM HOUSE CONVERSION

SCALE 1;20

DRAWING NoJBMOULTON 04