Burrell, Becky

From: Planning Department <planning@wlma.org.uk>
Sent: 12 October 2026 10:06
To: _planningadvice
Cc: Jason Gott
Subject: Our ref: 26_36689_P Your ref: H13-0808-26

CAUTION: This message originated from outside of your organisation. **DO NOT** click links or open attachments unless you recognise the sender and know the content is safe. If you believe it is suspicious please report with the phish alert button.

Good morning

On behalf of my colleague Ella, I would like to confirm that the Board do not object to the planning application H13-0808-26. The applicant does not require the Board's consent under Byelaw 10 for this specific application which relates to the installation of new brickwork outer skin, roof structure, and refurbishment.

Our comments relate only to any future works (such as landscaping/driveway entrance etc) within 9 metres which would require Byelaw 10 Consent. We would recommend the applicant contacts this office prior to any application being made.

If I can provide any further information, please do not hesitate to contact me.

Kind regards,

Rachael

Rachael Mason BSc (Hons), MCIWEM
Senior Sustainable Development Officer (SHIDB)
Water Management Alliance
01553 819630 | Planning@wlma.org.uk

Registered office: Pierpoint House, 28 Horsley's Fields, Kings Lynn, Norfolk, PE30 5DD
t: 01553 819600 | e: info@wlma.org.uk | www.wlma.org.uk | What3Words: caring.employ.visit

WMA members: Broads Drainage Board, East Suffolk Water Management Board, King's Lynn Drainage Board, Norfolk Rivers Drainage Board, Pevensey and Cuckmere Water Level Management Board, South Holland Drainage Board, Waveney, Lower Yare and Lothingland Drainage Board and in association with Bluntisham IDB, Haddenham Level Drainage Commissioners, Hundred of Wisbech IDB, Over & Willingham IDB, Swavesey IDB, Upper Ouse Water Management Board and Waldersey IDB.

Follow us: Twitter Facebook Instagram LinkedIn Bluesky YouTube

Your feedback is valuable to us, as we continually review and work to improve our services. So, if you have any suggestions, recommendations, questions, compliments or complaints, please visit our Contact Us Page

The information in this e-mail, and any attachments, is confidential and intended solely for the use of the individual or entity to whom it is addressed. The views expressed in this e-mail may not represent those of the Board(s). Nothing in this email message amounts to a contractual or legal commitment unless confirmed by a signed communication. All inbound and outbound e-mails may be monitored and recorded. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for any litigation. E-mail messages and attachments sent to or from the Water Management Alliance e-mail address may also be accessed by someone other than the sender or recipient, for business purposes.

If you receive this email late at night, early in the morning, or at the weekend - it means I am working flexibly. Flexibility works for me, but please do not feel that you should have to pick this up outside of your own normal working hours.

With our commitment to ISO 14001, please consider the environment before printing this e-mail.