copyright © HALL Infrastructure DESIGN Ltd.



Junction markings to Schedule 6 of the Traffic Signs Regulations & General Directions 2002


Dia. 1003
600mm line 300mm gap, 200mm thick.
300mm space between lines
Dia. 1004
4000mm line 2000mm gap, 100mm thick.
1 No. marks
Dia. 1029
600mm line 300mm gap, 100mm thick.
Dia. 1023
3750mm long


all lining in white thermoplastic screed.


Individual Soakaway for domestic roofwater


(variable length x 2.0m width x 1.4m deep, see layout for lengths)


SHDC
Planning & Development
29 SEP 2010
Ref: 0816-10



TYPE A: KERB / PRIVATE TARMAC ROAD / BLOCKPAVED FOOTPATH DETAIL



TYPE A: KERB / PRIVATE BLOCKPAVED ROAD / BLOCKPAVED FOOTPATH DETAIL



TYPE B: KERB / TARMAC SHARED DRIVEWAY DETAIL


TYPE C: KERB / POROUS BLOCK PAVING PARKING SPACE DETAIL
nb: SOAKAWAY INSTALLED BENEATH.


TYPE B / TYPE C ROAD EDGE DETAIL


TYPE D SINGLE DRIVEWAY DETAIL


SITE ENTRANCE / PRIVATE ROAD / TIE IN WITH EXISTING ROAD EDGE DETAIL


RUMBLE STRIP / TRAFFIC CALMING DETAIL

NOTES:

Domestic Drainage Notes

Pxx.xx DENOTES PLOT NUMBER
5.625 DENOTES PLOT/ESTATE'S FINISHED FLOOR LEVEL
(12.98) DENOTES EXISTING GROUND LEVEL
SURFACE WATER HOUSE DRAIN
FOUL WATER HOUSE DRAIN
RAINWATER PIPE ADAPTOR / GULLY HOPPER ON DRIVEWAYS
SVP ADAPTOR
FLOOR GULLY
WASH BASIN / BATH ADAPTOR
WC ADAPTOR
BACK INLET GULLY
RODDING EYE
POLYPROPYLENE INSPECTION CHAMBER - STORM
POLYPROPYLENE INSPECTION CHAMBER - FOUL
WATER BUTT SIZED BY THE DEVELOPER

POLYPROPYLENE INSPECTION CHAMBERS TO BE USED UP TO 1.2m DEPTH.

WHERE CHAMBERS ARE SITED WITHIN DRIVEWAYS PROVIDE 150mm C20 CONCRETE SURROUND

DOMESTIC DRAINAGE TO BE 100mm Ø UPVC OR CLAY LAID NO FLATTER THAN 1:80 GRADIENT.

x.xmWide x 2.0m Soakaway (1.4m deep) — soakaways filled with granular material providing 30% free volume and wrapped in terram geotextile

DO NOT SCALE. USE FIGURED DIMENSIONS ONLY. CHECK ON SITE AND ALL DISCREPANCIES TO BE REPORTED TO HALL Infrastructure DESIGN Ltd.

AMENDMENTS:

REF.	DESCRIPTION.	DATE.	BY.

CLIENT: Stepford Homes Ltd

PROJECT: Church Lane, Moulton

TITLE: Road and Sewer Layout

SCALE:	DATE:
1:250	September 2010

DRAWING No:	DRAWN BY:	CHECKED BY:
1011/01		

HALL -infrastructure- DESIGN
Storrs Cottage, The Square,
North Thoresby, Grimsby,
North East Lincs, DN36 5QL
Tel: 01472 259030
email: hall.design@btinternet.com