
3.2.2 Records of Environment Agency licensed waste sites within 1500m of the study site:

0

Database searched and no data found.

Groundsure
LOCATION INTELLIGENCE

4. Current Land Use Map



© Crown copyright and database rights 2016.
Ordnance Survey license 100035207.

Site Outline

250
500
Search Buffers (m)

Current Industrial Sites

Petrol & Fuel Sites

Electricity Transmission Cables

Gas Transmission Pipelines

4. Current Land Uses

4.1 Current Industrial Data

Records of potentially contaminative industrial sites within 250m of the study site: 9

The following records are represented as points on the Current Land Uses map.

ID	Distance (m)	Direction	Company	NGR	Address	Activity	Category
1A	0	On Site	Moulton Chapel Motors	529474 318218	Roman Road, Moulton Chapel, Spalding, PE12 0XQ	Petrol and Fuel Stations	Road and Rail
2A	0	On Site	Moulton Chapel Motors	529475 318221	Roman Road, Moulton Chapel, Spalding, PE12 0XQ	Vehicle Repair, Testing and Servicing	Repair and Servicing
3	16	E	Pumping Station	529782 318139	PE12	Water Pumping Stations	Industrial Features
4	33	NW	Telephone Exchange	529311 318115	PE12	Telecommunications Features	Infrastructure and Facilities
5	41	NE	S Thorpe & Sons	529796 318242	69, Roman Road, Moulton Chapel, Spalding, PE12 0XQ	Agricultural Contractors	Contract Services
6	46	N	Pumping Station	529330 318136	PE12	Water Pumping Stations	Industrial Features
7	91	E	Electricity Sub Station	529865 318234	PE12	Electrical Features	Infrastructure and Facilities
8	101	N	Tank	529581 318291	PE12	Tanks (Generic)	Industrial Features
9	132	N	Tulipland	529341 318295	Fengate, Moulton Chapel, Spalding, PE12 0XL	Fruit, Flower and Vegetable Growers	Farming

4.2 Petrol and Fuel Sites

Records of petrol or fuel sites within 500m of the study site: 1

The following petrol or fuel site records provided by Catalist are represented as points on the Current Land Use map:

ID	Distance (m)	Direction	NGR	Company	Address	LPG	Status
10	6	E	529493 318240	Pace	Moulton Chapel Motors, Roman Road, Roman Road, Moulton Chapel, Spalding, Lincolnshire, PE12 0XQ	No	Open

4.3 National Grid High Voltage Underground Electricity Transmission Cables

This dataset identifies the high voltage electricity transmission lines running between generating power plants and electricity substations. The dataset does not include the electricity distribution network (smaller, lower voltage cables distributing power from substations to the local user network). This information has been extracted from databases held by National Grid and is provided for information only with no guarantee as to its completeness or accuracy. National Grid do not offer any warranty as to the accuracy of the available data and are excluded from any liability for any such inaccuracies or errors.

Records of National Grid high voltage underground electricity transmission cables within 500m of the study site: 0

Database searched and no data found.

4.4 National Grid High Pressure Gas Transmission Pipelines

This dataset identifies high-pressure, large diameter pipelines which carry gas between gas terminals, power stations, compressors and storage facilities. The dataset does not include the Local Transmission System (LTS) which supplies gas directly into homes and businesses. This information has been extracted from databases held by National Grid and is provided for information only with no guarantee as to its completeness or accuracy. National Grid do not offer any warranty as to the accuracy of the available data and are excluded from any liability for any such inaccuracies or errors.

Records of National Grid high pressure gas transmission pipelines within 500m of the study site: 0

Database searched and no data found.

---

5. Geology

5.1 Artificial Ground and Made Ground

Database searched and no data found.

The database has been searched on site, including a 50m buffer.

5.2 Superficial Ground and Drift Geology

The database has been searched on site, including a 50m buffer.

Lex Code	Description	Rock Type
TFD	TIDAL FLAT DEPOSITS	CLAY AND SILT [UNLITHIFIED DEPOSITS CODING SCHEME]

5.3 Bedrock and Solid Geology


The database has been searched on site, including a 50m buffer.

Lex Code	Description	Rock Type
WWB-MDSI	WEST WALTON FORMATION	MUDSTONE AND SILTSTONE
OXC-MDST	OXFORD CLAY FORMATION	MUDSTONE

(Derived from the BGS 1:50,000 Digital Geological Map of Great Britain)

6 Hydrogeology and Hydrology

6a. Aquifer Within Superficial Geology



© Crown copyright and database rights 2016
Ordnance Survey license 100035207.

Site Outline

250 — 500 — Search Buffers (m)

Principal Aquifer

Secondary (A) Aquifer - Permeable Layers


Secondary (B) Aquifer - Lower Permeability Layers

Secondary Aquifer - Undifferentiated Layers

Unproductive

Unknown (lakes and landslip)

6b. Aquifer Within Bedrock Geology and Abstraction Licenses



© Crown copyright and database rights 2016
Ordnance Survey license 100035207.

Site Outline

250
500
Search Buffers (m)

Principal Aquifer

Secondary (A) Aquifer - Permeable Layers

Secondary (B) Aquifer - Lower Permeability Layers

Groundwater Abstraction Licence

Secondary Aquifer - Undifferentiated Layers


Unproductive

Unknown (lakes and landslip)

Surface Water Abstraction Licence

Groundsure
LOCATION INTELLIGENCE

6c. Hydrogeology – Source Protection Zones and Potable Water Abstraction Licenses



© Crown copyright and database rights 2016
Ordnance Survey license 100035207.

Site Outline

250 Search Buffers (m)
500

Source Protection Zone 1 - Inner Catchment

Source Protection Zone 2 - Outer Catchment


Source Protection Zone 3 - Total Catchment

Source Protection Zone 4 - Zone of Special Interest

Potable Water Abstraction Licence

Groundsure
LOCATION INTELLIGENCE

6d. Hydrogeology – Source Protection Zones within confined aquifer



© Crown copyright and database rights 2016
Ordnance Survey license 100035207.

Site Outline

250 — 500 — Search Buffers (m)


Source Protection Zone 1 - Inner Catchment

Source Protection Zone 2C - Outer Catchment within Confined Aquifer

Source Protection Zone 3C - Total Catchment within Confined Aquifer

Potable Water Abstraction Licence

6e. Hydrology – Detailed River Network and River Quality



© Crown copyright and database rights 2016.
Ordnance Survey license 100035207.

Site Outline

250
500
Search Buffers (m)

Primary River
Secondary River
Tertiary River
Lake/Reservoir
Underground River (inferred)
General Quality Assessment: Biology
General Quality Assessment: Chemistry

Canal
Canal Tunnel
Culvert
Multiple Channel Culvert
Underground River (Potential Sewer)
Underground River (local knowledge)

6.Hydrogeology and Hydrology

6.1 Aquifer within Superficial Deposits

Are there records of strata classification within the superficial geology at or in proximity to the property? Yes

From 1 April 2010, the Environment Agency's Groundwater Protection Policy has been using aquifer designations consistent with the Water Framework Directive. For further details on the designation and interpretation of this information, please refer to the Groundsure Enviro Insight User Guide.

The following aquifer records are shown on the Aquifer within Superficial Geology Map (6a):

ID	Distance (m)	Direction	Designation	Description
1	0	On Site	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow
2	222	E	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow

6.2 Aquifer within Bedrock Deposits

Are there records of strata classification within the bedrock geology at or in proximity to the property? Yes

From 1 April 2010, the Environment Agency's Groundwater Protection Policy has been using aquifer designations consistent with the Water Framework Directive. For further details on the designation and interpretation of this information, please refer to the Groundsure Enviro Insight User Guide.

The following aquifer records are shown on the Aquifer within Bedrock Geology Map (6b):

ID	Distance (m)	Direction	Designation	Description
1	0	On Site	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow
2	222	E	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow

6.3 Groundwater Abstraction Licences

Are there any Groundwater Abstraction Licences within 2000m of the study site? No

Database searched and no data found.

6.4 Surface Water Abstraction Licences

Are there any Surface Water Abstraction Licences within 2000m of the study site? Yes

The following Surface Water Abstraction Licences records are represented as points, lines and regions on the Aquifer within Bedrock Geology Map (6b):

ID	Distance (m)	Direction	NGR	Details	
3A	447	E	530030 316740	Status: Active Licence No: 5/32/11/*S/0052B Details: Spray Irrigation - Direct Direct Source: Surface Water Source Of Supply Point: Fresh Water Drain, Crown Hall Data Type: Line Name: A H CLARK FARMS LTD	Annual Volume (m^3): 4091 Max Daily Volume (m^3): 818.3 Application No: - Original Start Date: 1/4/1966 Expiry Date: - Issue No: 100 Version Start Date: 2/4/1966 Version End Date:
4A	447	E	530030 316720	Status: Historical Licence No: 5/32/11/*S/0052B Details: Spray Irrigation - Direct Direct Source: Surface Water Source Of Supply Point: Fresh Water Drain, Crown Hall Data Type: Line Name: A H CLARK FARMS LTD	Annual Volume (m^3): - Max Daily Volume (m^3): - Application No: - Original Start Date: 1/4/1966 Expiry Date: - Issue No: 100 Version Start Date: 2/4/1966 Version End Date:
5	469	E	530240 318290	Status: Historical Licence No: 5/32/11/*S/0052B Details: Spray Irrigation - Direct Direct Source: Surface Water Source Of Supply Point: Fresh Water Drain, Crown Hall Data Type: Line Name: A H CLARK FARMS LTD	Annual Volume (m^3): - Max Daily Volume (m^3): - Application No: - Original Start Date: 1/4/1966 Expiry Date: - Issue No: 100 Version Start Date: 2/4/1966 Version End Date:
6	470	E	530240 318290	Status: Active Licence No: 5/32/11/*S/0052B Details: Spray Irrigation - Direct Direct Source: Surface Water Source Of Supply Point: Fresh Water Drain, Crown Hall Data Type: Line Name: A H CLARK FARMS LTD	Annual Volume (m^3): 4091 Max Daily Volume (m^3): 818.3 Application No: - Original Start Date: 1/4/1966 Expiry Date: - Issue No: 100 Version Start Date: 2/4/1966 Version End Date:
Not shown	1333	S	530000 316800	Status: Historical Licence No: 5/32/11/*S/0052B Details: Spray Irrigation - Direct Direct Source: Surface Water Source Of Supply Point: Fresh Water Drain, Crown Hall Data Type: Point Name: A H CLARK FARMS LTD	Annual Volume (m^3): - Max Daily Volume (m^3): - Application No: - Original Start Date: 1/4/1966 Expiry Date: - Issue No: 100 Version Start Date: 2/4/1966 Version End Date:
Not shown	1556	W	527700 316000	Status: Active Licence No: 5/32/11/*S/0052C Details: Spray Irrigation - Direct Direct Source: Surface Water Source Of Supply Point: Moulton Mere Drain Data Type: Line Name: A H CLARK FARMS LTD	Annual Volume (m^3): 4000 Max Daily Volume (m^3): 818.3 Application No: - Original Start Date: 1/4/1966 Expiry Date: - Issue No: 100 Version Start Date: 2/4/1966 Version End Date:
Not shown	1726	NE	531070 319350	Status: Historical Licence No: 5/32/11/*S/0153 Details: Spray Irrigation - Direct Direct Source: Surface Water Source Of Supply Point: Little South Holland Drain - Moulton Data Type: Point Name: A C GARDEN SERVICES	Annual Volume (m^3): - Max Daily Volume (m^3): - Application No: N 1222 Original Start Date: - Expiry Date: 31/10/2010 Issue No: 1 Version Start Date: 16/8/2001 Version End Date:

6.5 Potable Water Abstraction Licences

Are there any Potable Water Abstraction Licences within 2000m of the study site? No

Database searched and no data found.

6.6 Source Protection Zones

Are there any Source Protection Zones within 500m of the study site? No

Database searched and no data found.

6.7 Source Protection Zones within Confined Aquifer

Are there any Source Protection Zones within the Confined Aquifer within 500m of the study site? No

Historically, Source Protection Zone maps have been focused on regulation of activities which occur at or near the ground surface, such as prevention of point source pollution and bacterial contamination of water supplies. Sources in confined aquifers were often considered to be protected from these surface pressures due to the presence of a low permeability confining layer (e.g. glacial till, clay). The increased interest in subsurface activities such as onshore oil and gas exploration, ground source heating and cooling requires protection zones for confined sources to be marked on SPZ maps where this has not already been done.

Database searched and no data found.

6.8 Groundwater Vulnerability and Soil Leaching Potential

Is there any Environment Agency information on groundwater vulnerability and soil leaching potential within 500m of the study site? No

Database searched and no data found.

6.9 River Quality

Is there any Environment Agency information on river quality within 1500m of the study site? No

6.9.1 Biological Quality:

Database searched and no data found.

6.9.2 Chemical Quality:

Database searched and no data found.

6.10 Detailed River Network

Are there any Detailed River Network entries within 500m of the study site? No

Database searched and no data found.

6.11 Surface Water Features


Are there any surface water features within 250m of the study site? Yes

The following surface water records are not represented on mapping:

Distance (m)	Direction
0	On Site
113	NE
117	NE
136	W
149	S
158	SW
170	NW
172	NW
234	NE


Groundsure
LOCATION INTELLIGENCE

7a. Environment Agency Flood Map for Planning (from rivers and the sea)



© Crown copyright and database rights 2016.
Ordnance Survey license 100035207.

7b. Environment Agency Risk of Flooding from Rivers and the Sea (RoFRaS) Map



© Crown copyright and database rights 2016.
Ordnance Survey license 100035207.

Site Outline

100 250 Search Buffers (m)

RoFRaS Rating

- Very Low
- Low
- Medium
- High

7 Flooding

7.1 River and Coastal Zone 2 Flooding

Is the site within 250m of an Environment Agency Zone 2 floodplain? Yes

Environment Agency Zone 2 floodplains estimate the annual probability of flooding as between 1 in 1000 (0.1%) and 1 in 100 (1%) from rivers and between 1 in 1000 (0.1%) and 1 in 200 (0.5%) from the sea. Any relevant data is represented on Map 7a – Flood Map for Planning:

ID	Distance (m)	Direction	Update	Type
1	0	On Site	08-Feb-2016	Zone 2 - (Fluvial /Tidal Models)
2	3	S	08-Feb-2016	Zone 2 - (Fluvial /Tidal Models)
3	62	NW	08-Feb-2016	Zone 2 - (Fluvial /Tidal Models)
4	138	S	08-Feb-2016	Zone 2 - (Fluvial /Tidal Models)
5	243	NE	08-Feb-2016	Zone 2 - (Fluvial /Tidal Models)

7.2 River and Coastal Zone 3 Flooding

Is the site within 250m of an Environment Agency Zone 3 floodplain? No

Zone 3 shows the extent of a river flood with a 1 in 100 (1%) or greater chance of occurring in any year or a sea flood with a 1 in 200 (0.5%) or greater chance of occurring in any year. Any relevant data is represented on Map 7a – Flood Map for Planning.

7.3 Risk of Flooding from Rivers and the Sea (RoFRaS) Flood Rating

What is the highest risk of flooding onsite? Low

The Environment Agency RoFRaS database provides an indication of river and coastal flood risk at a national level on a 50m grid with the flood rating at the centre of the grid calculated and given above. The data considers the probability that the flood defences will overtop or breach by considering their location, type, condition and standard of protection.

RoFRaS data for the study site indicates the property is in an area with a Low (greater than 1 in 1000 but less than 1 in 100) chance of flooding in any given year.

Any relevant data within 250m is represented on the RoFRaS Flood map. Data to 50m is reported in the table below.

ID	Distance (m)	Direction	RoFRas flood Risk
1	0.0	On Site	Low
2	3.0	S	Low

7.4 Flood Defences

Are there any Flood Defences within 250m of the study site? No

Database searched and no data found.

7.5 Areas benefiting from Flood Defences

Are there any areas benefiting from Flood Defences within 250m of the study site? No

7.6 Areas benefiting from Flood Storage

Are there any areas used for Flood Storage within 250m of the study site? No

7.7 Groundwater Flooding Susceptibility Areas

7.7.1 Are there any British Geological Survey groundwater flooding susceptibility areas within 50m of the boundary of the study site? No

Notes: Groundwater flooding may either be associated with shallow unconsolidated sedimentary aquifers which overlie unproductive aquifers (Superficial Deposits Flooding), or with unconfined aquifers (Clearwater Flooding).

7.7.2 What is the highest susceptibility to groundwater flooding in the search area based on the underlying geological conditions?

Not Prone

The area is not considered to be prone to groundwater flooding based on rock type.


7.8 Groundwater Flooding Confidence Areas

What is the British Geological Survey confidence rating in this result? Not Applicable

Notes: Groundwater flooding is defined as the emergence of groundwater at the ground surface or the rising of groundwater into man-made ground under conditions where the normal range of groundwater levels is exceeded.

The confidence rating is on a threefold scale - Low, Moderate and High. This provides a relative indication of the BGS confidence in the accuracy of the susceptibility result for groundwater flooding. This is based on the amount and precision of the information used in the assessment. In areas with a relatively lower level of confidence the susceptibility result should be treated with more caution. In other areas with higher levels of confidence the susceptibility result can be used with more confidence.

8. Designated Environmentally Sensitive Sites Map



© Crown copyright and database rights 2016.
Ordnance Survey license 100035207.

Site Outline

100 / 250 Search Buffers (m)

AONB

National Park

SSSI

Special Protection Areas

Nitrate Vulnerable Zones

Green Belt

Environmentally Sensitive Areas

Special Areas of Conservation

World Heritage Sites

Nitrate Sensitive Areas

Ancient Woodland

National Nature Reserve

Local Nature Reserves

Ramsar Sites

8. Designated Environmentally Sensitive Sites

Presence of Designated Environmentally Sensitive Sites within 2000m of the study site? No

8.1 Records of Sites of Special Scientific Interest (SSSI) within 2000m of the study site:

0

Database searched and no data found.

8.2 Records of National Nature Reserves (NNR) within 2000m of the study site:

0

Database searched and no data found.

8.3 Records of Special Areas of Conservation (SAC) within 2000m of the study site:

0

Database searched and no data found.

8.4 Records of Special Protection Areas (SPA) within 2000m of the study site:

0

Database searched and no data found.

8.5 Records of Ramsar sites within 2000m of the study site:

0

Database searched and no data found.

8.6 Records of Ancient Woodland within 2000m of the study site:

0

Database searched and no data found.

8.7 Records of Local Nature Reserves (LNR) within 2000m of the study site:

0

Database searched and no data found.

8.8 Records of World Heritage Sites within 2000m of the study site:

0

Database searched and no data found.

8.9 Records of Environmentally Sensitive Areas within 2000m of the study site:

0

Database searched and no data found.

8.10 Records of Areas of Outstanding Natural Beauty (AONB) within 2000m of the study site:

0

Database searched and no data found.

8.11 Records of National Parks (NP) within 2000m of the study site:

0

Database searched and no data found.

8.12 Records of Nitrate Sensitive Areas within 2000m of the study site:

0

Database searched and no data found.

8.13 Records of Nitrate Vulnerable Zones within 2000m of the study site:

0

Database searched and no data found.

8.14 Records of Green Belt land within 2000m of the study site:

0

Database searched and no data found.

---

9. Natural Hazards Findings

9.1 Detailed BGS GeoSure Data

BGS GeoSure Data has been searched to 50m. The data is included in tabular format. If you require further information on geology and ground stability, please obtain a **Groundsure Geo Insight**, available from our website. The following information has been found:

9.1.1 Shrink Swell

What is the maximum Shrink-Swell* hazard rating identified on the study site? Low

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard
Ground conditions predominantly medium plasticity. Do not plant trees with high soil moisture demands near to buildings. For new build, consideration should be given to advice published by the National House Building Council (NHBC) and the Building Research Establishment (BRE). There is a possible increase in construction cost to reduce potential shrink-swell problems. For existing property, there is a possible increase in insurance risk, especially during droughts or where vegetation with high moisture demands is present.

9.1.2 Landslides

What is the maximum Landslide* hazard rating identified on the study site? Very Low

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard
Slope instability problems are unlikely to be present. No special actions required to avoid problems due to landslides. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with landslides.

9.1.3 Soluble Rocks

What is the maximum Soluble Rocks* hazard rating identified on the study site? Negligible

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard
Soluble rocks are present, but unlikely to cause problems except under exceptional conditions. No special actions required to avoid problems due to soluble rocks. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with soluble rocks.

* This indicates an automatically generated 50m buffer and site.

9.1.4 Compressible Ground

What is the maximum Compressible Ground* hazard rating identified on the study site? Moderate

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard
Significant potential for compressibility problems. Avoid large differential loadings of ground. Do not drain or de-water ground near the property without technical advice. For new build Ö consider possibility of compressible ground in ground investigation, construction and building design. Consider effects of groundwater changes. Extra construction costs are likely. For existing property ×°ossible increase in insurance risk from compressibility, especially if water conditions or loading of the ground change significantly.

9.1.5 Collapsible Rocks

What is the maximum Collapsible Rocks* hazard rating identified on the study site? Negligible

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard
No indicators for collapsible deposits identified. No actions required to avoid problems due to collapsible deposits. No special ground investigation required, or increased construction costs or increased financial risk due to potential problems with collapsible deposits.

9.1.6 Running Sand

What is the maximum Running Sand*˙ hazard rating identified on the study site? Moderate

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard
Significant potential for running sand problems with relatively small changes in ground conditions. Avoid large amounts of water entering the ground (for example through pipe leakage or soak-aways). Do not dig (deep) holes into saturated ground near the property without technical advice. For new build Ö consider the consequences of soil and groundwater conditions during and after construction. For existing property Ö possible increase in insurance risk from running sand, for example, due to water leakage, high rainfall events or flooding.

9.2 Radon

9.2.1 Radon Affected Areas

Is the property in a Radon Affected Area as defined by the Health Protection Agency (HPA) and if so what percentage of homes are above the Action Level? The property is not in a Radon Affected Area, as less than 1% of properties are above the Action Level.

* This indicates an automatically generated 50m buffer and site.

9.2.2 Radon Protection

Is the property in an area where Radon Protection are required for new properties or extensions to existing ones as described in publication BR211 by the Building Research Establishment? No radon protective measures are necessary.

10. Mining

10.1 Coal Mining

Are there any coal mining areas within 75m of the study site? No

Database searched and no data found.

10.2 Non-Coal Mining

Are there any Non-Coal Mining areas within 50m of the study site boundary? No

Database searched and no data found.

10.3 Brine Affected Areas

Are there any brine affected areas within 75m of the study site? No
Guidance: No Guidance Required.

Contact Details

Groundsure Helpline
Telephone: 08444 159 000
info@groundsure.com

British Geological Survey Enquiries
Kingsley Dunham Centre
Keyworth, Nottingham NG12 5GG
Tel: 0115 936 3143.
Fax: 0115 936 3276.
Email:
Web:**www.bgs.ac.uk**
BGS Geological Hazards Reports and general geological enquiries:
enquiries@bgs.ac.uk

Environment Agency
National Customer Contact Centre, PO Box 544
Rotherham, S60 1BY
Tel: 08708 506 506
Web:**www.environment-agency.gov.uk**
Email:**enquiries@environment-agency.gov.uk**

Public Health England
Public information access office
Public Health England, Wellington House
133-155 Waterloo Road, London, SE1 8UG
www.gov.uk/phe
Email:**enquiries@phe.gov.uk**
Main switchboard: **020 7654 8000**

The Coal Authority
200 Lichfield Lane
Mansfield
Notts NG18 4RG
Tel: 0345 7626 848
DX 716176 Mansfield 5
www.coal.gov.uk

Ordnance Survey
Adanac Drive, Southampton
SO16 0AS
Tel: 08456 050505

Local Authority
Authority: South Holland District Council
Phone: 01775 761 161
Web: http://www.sholland.gov.uk/
Address: Council Offices, Priory Road, Spalding, Lincolnshire, PE11

Gemapping PLC
Virginia Villas, High Street, Hartley Witney,
Hampshire RG27 8NW
Tel: 01252 845444