St Mary's Church

York Stone path relayed in new position, with "Grasscrete" either side.

Take up existing York stone path and make good ground levels using top soil from excavations from new path.

New opening in wall with new iron gates.

Existing gates to be removed and wall to be made good.

The Lodge

Tarmaced Disabled parking area

Existing Yew Tree Removed

Lincolnshire Post & Rail Fencing

Gravel parking area between existing trees.

The Old Vicarage

SHDC
Planning & Development
22 OCT 2003

copy of revised block Plan.

St Mary's Church

York Stone path relayed in new position, with "Grasscrete" either side.

Take up existing York stone path and make good ground levels using top soil from excavations from new path.

New opening in wall with new iron gates.

Existing gates to be removed and wall to be made good.

The Lodge

Gravel parking area

Gravel parking area between existing trees.


Lincolnshire Post & Rail Fencing

The Old Vicarage


SHDC
Planning & Development
22 OCT 2003

copy of original block plan


Scale




South Elevation



North Elevation



Ground Floor



First Floor


The Lodge
The Old Vicarage
Splading Road
Pinchbeck

Existing Plans

Scale 1 : 50

DETERMINED PLAN


Ref: 00130Z



New window in existing opening. Cavity walling in fill below with facing brick to be agreed with planning officer.

South Elevation

New windows in new openings.




Remove existing doors. Adapt opening width, insert new windows & doorway. Infill with insulated cavity walling, with outer leaf in brick work to be agreed with the L.A. Planning officer.

North Elevation

New windows in existing openings.

New windows in new openings.




Lay Kingspan TF73 insulated floor over existing floors.

Remove existing doors. Adapt opening width, insert new windows & doorway. Infill with insulated cavity walling, with outer leaf in brick work to be agreed with the L.A. Planning officer.

New window in existing opening. Cavity walling in fill below with facing brick to be agreed with planning officer.

Ground Floor



New windows in existing openings.

Dry line internal face of all external walls with Kingspan TW56 insulated plaster board and skim finish.

First Floor

Plan Board 10/5/02

The Lodge
The Old Vicarage
Splading Road
Pinchbeck

Proposed Plans

Scale 1 : 50


DETERMINED PLAN



New window in existing opening. Cavity walling in fill below with facing brick to be agreed with planning officer.


Remove existing doors. Adapt opening width, insert new windows & doorway. Infill with insulated cavity walling, with outer leaf in brick work to be agreed with the L.A. Planning officer.

South Elevation



North Elevation

New windows in new openings.



Lay Kingspan TF73 insulated floor over existing floors.


Remove existing doors. Adapt opening width, insert new windows & doorway. Infill with insulated cavity walling, with outer leaf in brick work to be agreed with the L.A. Planning officer.

New window in existing opening. Cavity walling in fill below with facing brick to be agreed with planning officer.

Ground Floor

New windows in existing openings.

New windows in new openings.



New windows in existing openings.

Dry line internal face of all external walls with Kingspan TW56 insulated plaster board and skim finish.

First Floor


The Lodge
The Old Vicarage
Splading Road
Pinchbeck

Proposed Plans


Scale 1 : 50

SUPERSEDED


-7 JAN 2002




South Elevation



North Elevation



Ground Floor



First Floor

SHDC
Planning & Development
10 MAY 2002
Ref: 0131/02

AMENDED PLAN
Ref.

The Lodge
The Old Vicarage
Splading Road
Pinchbeck

Proposed Plans

Scale 1 : 50