

COPY OF PRE APPLICATION CONSULTATION LETTERS

**PROPOSED REPLACEMENT TELECOMMUNICATIONS RADIO
BASE STATION INSTALLATION ON LAND AT:**

**ABBAY PRINT,
ENTERPRISE WAY,
PINCHBECK,
SPALDING,
LINCOLNSHIRE,
PE11 3TZ**

NGR: E:525537, N: 324783

Our Ref: 25337

7/3/2017

South Holland DC
Planning Department
Priory Road,
Spalding,
Lincolnshire,
PE11 2XE

Dear Sir / Madam,

Applicant: EE Ltd

Site Name/Reference: Abbey Print (Temp)

Re: Proposed Installation of Replacement Telecommunications Mast at Abbey Print, Enterprise Way, Pinchbeck, Spalding, Lincolnshire, PE11 3TZ

EE Ltd are in the process of upgrading the above existing telecommunications site to enable it to provide services for the new Emergency Services Network (ESN). The purpose of this letter is to consult with you and seek your views on our proposal before any planning submission is made. We understand that you are not always able to provide site specific comments, however, EE are committed to consultation with the local planning authority and communities on their proposals and as such would encourage you to respond.

The proposal forms part of a new emergency services network being led by the Home Office. The Home Office (HO) is the lead government department for border control, immigration and passports; drugs and alcohol policy; counter-terrorism; crime; and police and fire, which along with the ambulance services makes up the three Emergency Services (3ES). This proposal forms part of the nation's Critical National Infrastructure. UK's Critical National Infrastructure (CNI) is a fundamental enabler for these important public safety services to be delivered effectively for the national good.

EE has been commissioned by the Home Office to deliver part of this new network through integration with many of its own 4G sites, including this one, in which to deliver for ESN and from which it will offer a service. EE will operate this site, which will become part of its core network. For further information, please see the attached document namely 'Emergency Services Network (ESN) – Information Note, which includes a map of its predicted infrastructure locations of which this site forms part of.

This proposal is for the:

- Remove existing 28m high mast and install new 30m high monopole adjacent to in new fenced compound along with 3 no. equipment cabinets along with ancillary development thereto.


All EE installations are designed to be fully compliant with the public exposure guidelines established by the International Commission on Non-Ionizing Radiation Protection (ICNIRP). These guidelines have the support of UK Government, the European Union and they also have the formal backing of the World Health Organisation. A certificate of ICNIRP compliance will be included within the forthcoming planning submission.

Finally, we would be interested in any local stakeholders or groups that you consider would like to know more about our proposals. For your information we will be similarly consulting the local ward Councillors and Parish Council

In order to give you time to send your comments or request further information, we commit to allow at least 14 days before an application is submitted to the Local Planning Authority. This 14 day period starts from the date at the top of this letter.

We look forward to receiving any comments you may have on the proposal.

Yours faithfully,

A handwritten signature in dark ink, appearing to read "Alison Hughes".

ALISON HUGHES MRTPI

For and on behalf of:
Clarke Telecom

Tel: +44 (0)1925 607 236

Fax: +44 (0)1925 607 398

Email: alison@en-trust.co.uk

(for and on behalf of EE Ltd)

Attachments:

- Planning Drawings and Maps;
 - 25337 Drawing Number 100 (Site Location Maps),
 - 25337 Drawing Number 102 (Proposed Site Layout Plan),
 - 25337 Drawing Number 104 (Proposed Site Elevation)
- Home Office ESN Briefing Note

Our Ref: 25337

7/3/2017

Cllr James Avery
29 Mayfield Close
Pinchbeck
Spalding
Lincolnshire
PE11 3SJ

Dear Councillor,

Applicant: EE Ltd

Site Name/Reference: Abbey Print (Temp)

Re: Proposed Installation of Replacement Telecommunications Mast at Abbey Print, Enterprise Way, Pinchbeck, Spalding, Lincolnshire, PE11 3TZ

EE Ltd are in the process of upgrading the above existing telecommunications site to enable it to provide services for the new Emergency Services Network (ESN). The purpose of this letter is to consult with you and seek your views on our proposal before any planning submission is made. We understand that you are not always able to provide site specific comments, however, EE are committed to consultation with the local planning authority and communities on their proposals and as such would encourage you to respond.

The proposal forms part of a new emergency services network being led by the Home Office. The Home Office (HO) is the lead government department for border control, immigration and passports; drugs and alcohol policy; counter-terrorism; crime; and police and fire, which along with the ambulance services makes up the three Emergency Services (3ES). This proposal forms part of the nation's Critical National Infrastructure. UK's Critical National Infrastructure (CNI) is a fundamental enabler for these important public safety services to be delivered effectively for the national good.

EE has been commissioned by the Home Office to deliver part of this new network through integration with many of its own 4G sites, including this one, in which to deliver for ESN and from which it will offer a service. EE will operate this site, which will become part of its core network. For further information, please see the attached document namely 'Emergency Services Network (ESN) – Information Note, which includes a map of its predicted infrastructure locations of which this site forms part of.

This proposal is for the:

- Remove existing 28m high mast and install new 30m high monopole adjacent to in new fenced compound along with 3 no. equipment cabinets along with ancillary development thereto.


All EE installations are designed to be fully compliant with the public exposure guidelines established by the International Commission on Non-Ionizing Radiation Protection (ICNIRP). These guidelines have the support of UK Government, the European Union and they also have the formal backing of the World Health Organisation. A certificate of ICNIRP compliance will be included within the forthcoming planning submission.

Finally, we would be interested in any local stakeholders or groups that you consider would like to know more about our proposals. For your information we will be similarly consulting the local authority and Parish Council.

In order to give you time to send your comments or request further information, we commit to allow at least 14 days before an application is submitted to the Local Planning Authority. This 14 day period starts from the date at the top of this letter.

We look forward to receiving any comments you may have on the proposal.

Yours faithfully,

A handwritten signature in dark ink, appearing to read "Alison Hughes".

ALISON HUGHES MRTPI

For and on behalf of:
Clarke Telecom

Tel: +44 (0)1925 607 236

Fax: +44 (0)1925 607 398

Email: alison@en-trust.co.uk

(for and on behalf of EE Ltd)

Attachments:

- Planning Drawings and Maps;
 - 25337 Drawing Number 100 (Site Location Maps),
 - 25337 Drawing Number 102 (Proposed Site Layout Plan),
 - 25337 Drawing Number 104 (Proposed Site Elevation)
- Home Office ESN Briefing Note

Our Ref: 25337

7/3/2017

Cllr Sally Ann Slade
29 Mayfield Close
Pinchbeck
Spalding
Lincolnshire
PE11 3SJ

Dear Councillor,

Applicant: EE Ltd

Site Name/Reference: Abbey Print (Temp)

Re: Proposed Installation of Replacement Telecommunications Mast at Abbey Print, Enterprise Way, Pinchbeck, Spalding, Lincolnshire, PE11 3TZ

EE Ltd are in the process of upgrading the above existing telecommunications site to enable it to provide services for the new Emergency Services Network (ESN). The purpose of this letter is to consult with you and seek your views on our proposal before any planning submission is made. We understand that you are not always able to provide site specific comments, however, EE are committed to consultation with the local planning authority and communities on their proposals and as such would encourage you to respond.

The proposal forms part of a new emergency services network being led by the Home Office. The Home Office (HO) is the lead government department for border control, immigration and passports; drugs and alcohol policy; counter-terrorism; crime; and police and fire, which along with the ambulance services makes up the three Emergency Services (3ES). This proposal forms part of the nation's Critical National Infrastructure. UK's Critical National Infrastructure (CNI) is a fundamental enabler for these important public safety services to be delivered effectively for the national good.

EE has been commissioned by the Home Office to deliver part of this new network through integration with many of its own 4G sites, including this one, in which to deliver for ESN and from which it will offer a service. EE will operate this site, which will become part of its core network. For further information, please see the attached document namely 'Emergency Services Network (ESN) – Information Note, which includes a map of its predicted infrastructure locations of which this site forms part of.

This proposal is for the:

- Remove existing 28m high mast and install new 30m high monopole adjacent to in new fenced compound along with 3 no. equipment cabinets along with ancillary development thereto.


All EE installations are designed to be fully compliant with the public exposure guidelines established by the International Commission on Non-Ionizing Radiation Protection (ICNIRP). These guidelines have the support of UK Government, the European Union and they also have the formal backing of the World Health Organisation. A certificate of ICNIRP compliance will be included within the forthcoming planning submission.

Finally, we would be interested in any local stakeholders or groups that you consider would like to know more about our proposals. For your information we will be similarly consulting the local authority and Parish Council.

In order to give you time to send your comments or request further information, we commit to allow at least 14 days before an application is submitted to the Local Planning Authority. This 14 day period starts from the date at the top of this letter.

We look forward to receiving any comments you may have on the proposal.

Yours faithfully,

A handwritten signature in dark ink, appearing to read "Alison Hughes".

ALISON HUGHES MRTPI

For and on behalf of:
Clarke Telecom

Tel: +44 (0)1925 607 236

Fax: +44 (0)1925 607 398

Email: alison@en-trust.co.uk

(for and on behalf of EE Ltd)

Attachments:

- Planning Drawings and Maps;
 - 25337 Drawing Number 100 (Site Location Maps),
 - 25337 Drawing Number 102 (Proposed Site Layout Plan),
 - 25337 Drawing Number 104 (Proposed Site Elevation)
- Home Office ESN Briefing Note

Our Ref: 25337

7/3/2017

Cllr Elizabeth Sneath
Money Bridge House
Glenside North
Pinchbeck
Spalding, Lincolnshire
PE11 3SD

Dear Councillor,

Applicant: EE Ltd

Site Name/Reference: Abbey Print (Temp)

Re: Proposed Installation of Replacement Telecommunications Mast at Abbey Print, Enterprise Way, Pinchbeck, Spalding, Lincolnshire, PE11 3TZ

EE Ltd are in the process of upgrading the above existing telecommunications site to enable it to provide services for the new Emergency Services Network (ESN). The purpose of this letter is to consult with you and seek your views on our proposal before any planning submission is made. We understand that you are not always able to provide site specific comments, however, EE are committed to consultation with the local planning authority and communities on their proposals and as such would encourage you to respond.

The proposal forms part of a new emergency services network being led by the Home Office. The Home Office (HO) is the lead government department for border control, immigration and passports; drugs and alcohol policy; counter-terrorism; crime; and police and fire, which along with the ambulance services makes up the three Emergency Services (3ES). This proposal forms part of the nation's Critical National Infrastructure. UK's Critical National Infrastructure (CNI) is a fundamental enabler for these important public safety services to be delivered effectively for the national good.

EE has been commissioned by the Home Office to deliver part of this new network through integration with many of its own 4G sites, including this one, in which to deliver for ESN and from which it will offer a service. EE will operate this site, which will become part of its core network. For further information, please see the attached document namely 'Emergency Services Network (ESN) – Information Note, which includes a map of its predicted infrastructure locations of which this site forms part of.

This proposal is for the:

- Remove existing 28m high mast and install new 30m high monopole adjacent to in new fenced compound along with 3 no. equipment cabinets along with ancillary development thereto.


All EE installations are designed to be fully compliant with the public exposure guidelines established by the International Commission on Non-Ionizing Radiation Protection (ICNIRP). These guidelines have the support of UK Government, the European Union and they also have the formal backing of the World Health Organisation. A certificate of ICNIRP compliance will be included within the forthcoming planning submission.

Finally, we would be interested in any local stakeholders or groups that you consider would like to know more about our proposals. For your information we will be similarly consulting the local authority and Parish Council.

In order to give you time to send your comments or request further information, we commit to allow at least 14 days before an application is submitted to the Local Planning Authority. This 14 day period starts from the date at the top of this letter.

We look forward to receiving any comments you may have on the proposal.

Yours faithfully,

A handwritten signature in dark ink, appearing to read "Alison Hughes".

ALISON HUGHES MRTPI

For and on behalf of:
Clarke Telecom

Tel: +44 (0)1925 607 236

Fax: +44 (0)1925 607 398

Email: alison@en-trust.co.uk

(for and on behalf of EE Ltd)

Attachments:

- Planning Drawings and Maps;
 - 25337 Drawing Number 100 (Site Location Maps),
 - 25337 Drawing Number 102 (Proposed Site Layout Plan),
 - 25337 Drawing Number 104 (Proposed Site Elevation)
- Home Office ESN Briefing Note

Our Ref: 25337

7/3/2017

Mrs Barbara Camps - Parish Clerk
4 Rotten Row
Pinchbeck
Spalding
Lincs
PE11 3RH

Dear Mrs Camps,

Applicant: EE Ltd

Site Name/Reference: Abbey Print (Temp)

Re: Proposed Installation of Replacement Telecommunications Mast at Abbey Print, Enterprise Way, Pinchbeck, Spalding, Lincolnshire, PE11 3TZ

EE Ltd are in the process of upgrading the above existing telecommunications site to enable it to provide services for the new Emergency Services Network (ESN). The purpose of this letter is to consult with you and seek your views on our proposal before any planning submission is made. We understand that you are not always able to provide site specific comments, however, EE are committed to consultation with the local planning authority and communities on their proposals and as such would encourage you to respond.

The proposal forms part of a new emergency services network being led by the Home Office. The Home Office (HO) is the lead government department for border control, immigration and passports; drugs and alcohol policy; counter-terrorism; crime; and police and fire, which along with the ambulance services makes up the three Emergency Services (3ES). This proposal forms part of the nation's Critical National Infrastructure. UK's Critical National Infrastructure (CNI) is a fundamental enabler for these important public safety services to be delivered effectively for the national good.

EE has been commissioned by the Home Office to deliver part of this new network through integration with many of its own 4G sites, including this one, in which to deliver for ESN and from which it will offer a service. EE will operate this site, which will become part of its core network. For further information, please see the attached document namely 'Emergency Services Network (ESN) – Information Note, which includes a map of its predicted infrastructure locations of which this site forms part of.

This proposal is for the:

- Remove existing 28m high mast and install new 30m high monopole adjacent to in new fenced compound along with 3 no. equipment cabinets along with ancillary development thereto.


All EE installations are designed to be fully compliant with the public exposure guidelines established by the International Commission on Non-Ionizing Radiation Protection (ICNIRP). These guidelines have the support of UK Government, the European Union and they also have the formal backing of the World Health Organisation. A certificate of ICNIRP compliance will be included within the forthcoming planning submission.

Finally, we would be interested in any local stakeholders or groups that you consider would like to know more about our proposals. For your information we will be similarly consulting the local authority and local councillors.

In order to give you time to send your comments or request further information, we commit to allow at least 14 days before an application is submitted to the Local Planning Authority. This 14 day period starts from the date at the top of this letter.

We look forward to receiving any comments you may have on the proposal.

Yours sincerely,

A handwritten signature in dark ink, appearing to read "Alison Hughes".

ALISON HUGHES MRTPI

For and on behalf of:
Clarke Telecom

Tel: +44 (0)1925 607 236

Fax: +44 (0)1925 607 398

Email: alison@en-trust.co.uk

(for and on behalf of EE Ltd)

Attachments:

- Planning Drawings and Maps;
 - 25337 Drawing Number 100 (Site Location Maps),
 - 25337 Drawing Number 102 (Proposed Site Layout Plan),
 - 25337 Drawing Number 104 (Proposed Site Elevation)
- Home Office ESN Briefing Note