SOUTH HOLLAND DISTRICT COUNCIL	**Protected tree work form** Please complete in block capitals	For office use only: Reference no: Date Registered:

Your name and address (or Client's details if completed by an agent) MRS E CLIMO 9 BEAR LANE PINCHBECK PE11 3XA [redacted] E-mail: [redacted]	Name and Address of Agent (If the form is completed by an agent.) Tel: E-mail:	Please tell us the location of the tree(s). ON THE LAND OF 9 BEAR LANE, PINCHBECK. MAPLE TREE – LARGE MATURE TREE, LOCATED INSIDE GATEWAY CLOSE TO LEFT HAND BOUNDARY WITH 11 BEAR LANE. MAGNOLIA TREE – LARGE MATURE TREE, LOCATED IN FRONT DRIVEWAY AREA ALMOST DIRECTLY IN FRONT OF HOUSE'S FRONT DOOR.

I give six weeks notice that I intend to carry out the work that I have described below to tree(s) that are not covered by a Tree Preservation Order but situated within a

Conservation Area. Please give the name of the Conservation Area here: - ……PINCHBECK……

Please draw a sketch plan to show the location of the tree(s), either on the back of this form or on a separate sheet, then tell us…

Species of Tree	Tree ref. number or position on site	Details of the work you propose	Why you think this work is necessary	Proposed replacement tree(s)*
MAPLE TREE	INSIDE FRONT GARDEN CLOSE TO BOUNDARY WITH 11 BEAR LANE	CUT BACK OF BRANCHES TO OLD POLLARDING POINT TO REMOVE SERIOUS AREA OF DECAY THAT SEEMS TO BE ONLY AFFECTING PART OF THE TREE AT PRESENT. HOWEVER, ONCE THE DECAY HAS BEEN CUT OUT IT MAY BE NECESSARY TO POLLARD THE ENTIRE TREE FOR IT TO LOOK "RIGHT" AND BALANCED. THE TREE HAS BEEN SEVERELY POLLARDED IN THE PAST. SHOULD THE DECAY FUNGUS BE VERY WIDESPREAD AND INTO THE MAIN TRUCK, AT THE VERY WORST CASE, THE ENTIRE TREE MAY HAVE TO BE REMOVED. BUT WE DO NOT WANT THIS AND IT WILL BE AVOIDED IF AT ALL POSSIBLE.	PART OF THE TREE SEEMS TO BE DYING BACK AND THERE WAS A DECAY FUNGUS GROWING FROM IT. WE WISH TO CUT OUT THE DECAY FUNGUS AFFECTED PART BEFORE IT CAUSES FURTHER DAMAGE TO THE REMAINING HEALTHY PARTS OF THE TREE. THE AIM IS TO PRESERVE THE TREE IN GOOD HEALTH AND STRENGTH, WHILST BEING SAFE.	SHOULD TREE REQUIRE REMOVAL, ADVICE WILL BE SOUGHT FROM MRS FAIRCHILD-FENTON
MAGNOLIA TREE	INSIDE FRONT GARDEN DRIVEWAY AREA	LIGHT PRUNNING TO MAINTAIN SHAPE	THE TREE HAS GROWN SLIGHTLY TOWARDS THE HOUSE, AND COULD DO WITH A PRUNE TO CONTROL IT GOING TOWARDS THE HOUSE AND BECOMING UNBALANCED	WILL NOT NEED TO BE REMOVED.

(Separate sheets can be attached if more room is needed)

* If you want to cut down a tree we will usually require you to replace it. Normally we will ask you to plant a young tree (at least 1.5 metres high) of the same species that you have cut down, as near to where the original tree was located as is practicable. Sometimes a comparable species may be allowed instead of the same species. Please give details of the tree(s) you would like to plant as a replacement.

Signed……E M CLIMO……. Date:……19/8/2020…….

Please return this form to: Planning Department, South Holland District Council, Council Offices, Priory Road, Spalding, Lincs, PE11 2XE.
Or e-mail: planningadvice@sholland.gov.uk (Please note the completed form is put on the South Holland District Council website).