SOUTH HOLLAND DISTRICT COUNCIL

Protected tree work form

Please complete in block capitals

For office use only: Reference no: Pinchbeck Tree Preservation Order

Date Registered:

Your name and address (or Client's details if completed by an agent)	Name and Address of Agent (If the form is completed by an agent.)	Please tell us the location of the tree(s).
Pinchbeck Parish Council 48 knight st Spalding PE11 3RU Te[redacted] E-mail:[redacted]	Terry Moore 4 Penway Drive Pinchbeck Spalding Pe11 3 pj Tel:[redacted] E-mail:[redacted]	**Pinchbeck War Memorial** Church St Pinchbeck

I give six weeks' notice that I intend to carry out the work that I have described below to tree(s) that are not covered by a Tree Preservation Order but situated within a

Conservation Area. Please give the name of the Conservation Area here: - .....Pinchbeck War Memorial.....

Please draw a sketch plan to show the location of the tree(s), either on the back of this form or on a separate sheet, then tell us...

Species of Tree	Tree ref. number or position on site	Details of the work you propose	Why you think this work is necessary	Proposed replacement tree(s)*
Cedar		Remove dead deodar cedar.	Tree Dead	No
Cedars and oaks	eastern end of the footpath.	Selective pruning to existing growth points of branches from deodar cedars and young oak which +encroach onto the footpath, and view of the War Memorial from the eastern end of the footpath. Basically, to give clearance back to the line of the gate posts.	Tree Maintenance	no
Silver Birches and Norway Maple		electively prune silver birches, sycamore, and Norway maple to give clearance from public footpath. (Minimum clearance in height to 8.5 feet may be carried out without formal written Notification, as footpath part of the public Highway) **.	Tree Maintenance	no
Elm	southwestern corner	Elm tree in northeastern corner. Remove any rubbing branches. Selectively reduce from footpath and road to existing growth points. (Minimum clearance in height over the Highway/ carriageway of up to 17	Tree Maintenance	no

		feet, and for 1 foot 8 inches from the outer edge of the carriageway.		
Sycamore	southwestern corner	Remove a horizontal branch from a sycamore near southwestern corner, which grows through the adjacent tree.	Tree Maintenance	no
Sycamore	southwestern corner	Sycamore southwestern corner remove two branches encroaching on neighbours.	Tree Maintenance	no
All trees		Crown lift all trees (selective pruning to existing growth points of branches) a minimum amount, so that access can be obtained beneath on a ride on lawn mower.	Tree Maintenance	no
All trees		Remove all dead wood and rubbing branches	Tree Maintenance	no
Cedars		Grind out tree stumps & main roots of all stumps.		
				no

(Separate sheets can be attached if more room is needed)

* If you want to cut down a tree we will usually require you to replace it. Normally we will ask you to plant a young tree (at least 1.5 metres high) of the same species that you have cut down, as near to where the original tree was located as is practicable. Sometimes a comparable species may be allowed instead of the same species. Please give d[redacted] as a replacement.

Signed [redacted] Date: 15/09/23

Please return this form to: Planning Department, South Holland District Council, Council Offices, Priory Road, Spalding, Lincs, PE11 2XE.
Or e-mail: planningadvice@sholland.gov.uk (Please note the completed form is put on the South Holland District Council website).

83 X 100