RIDGE OR HIGH-LEVEL VENTILATION REQUIRED. PROPRIETARY VENTILATED RIDGE TILES AT LEAST EQUAL TO CONTINUOUS STRIP 5mm WIDE SHALL BE FITTED TO PROVIDE AIR FLOW

NEW SLATE ROOF TILES AT 35deg PITCH ON 50x25 TREATED CLASS A TILING BATTENS AT GAUGE TO GIVE 100mm MINIMUM HEADLAP KINGSPAN NILVENT OR SIMILAR BREATHER MEMBRANE ON RAFTERS (S.E TO CONFIRM SIZE)

35.00°

PROPRIETARY EAVES SKIRT/ SARKING SUPPORT

UPVC GUTTER TO MATCH EXISTING ON UPVC FASCIA WITH UPVC SOFFIT

+5174

GLIDEVALE FV250 OVER FASCIA VENT & GUTTER BRACKET 2500sq.mm VENTILATION per metre RUN OF EAVES

200MM KNAUF LOFT ROLL 44 (1X200MM) 100MM KNAUF LOFT ROLL 44 (BETWEEN JOISTS) 12.5MM STANDARD PLASTERBOARD TO ACHIVE U-VALUE OF 0.145W/M2K

BEDROOM 3

BEDROOM 4

2400

2350

NEW TIMBER JOISTS TO BE CONFIRMED BY STRUCTURAL ENGINEER

1 : 25

0 1 1.25 2 2.5m

SECTION A-A

ALL DIMS IN MILLIMETERS UNLESS NOTED OTHERWISE
DO NOT SCALE EXCEPT FOR PLANNING PURPOSES
IF IN DOUBT - ASK

THIS DRAWING IS CONFIDENTIAL AND IS THE PROPERTY OF KEENAN PROJECT DESIGNS LTD
© COPYRIGHT

KEENAN PROJECT DESIGNS

KEENAN PROJECT DESIGNS
08002335787
INFO@KEENANPROJECTDESIGNS.COM
WWW.KEENANPROJECTDESIGN.COM

KITCHEN

CLIENT:	DATE:	DRAWN BY:	SCALE:
James Williams	15/04/2026	Richard Obioma	1:25@A3
ADDRESS:	PROJECT LEAD:	DRAWING NO:	REV:
Milestone Nurseries, Herdgate Lane, Pinchbeck, Spalding PE11 3UP	George Cristea	3111-10	K