





Ground Floor Layout




Section B-B



Section A-A




Side Elevation



Rear Elevation



Side Elevation



Front Elevation

Copyright KMB Ltd.

Do Not Scale This Drawing

Steam Room Details

Flooring
Non-slip or another suitable waterproof material (Not Altro or similar floor types) The floor must be layed level around the perimeter providing a solid and level base for the steam room wall panels. The internal walking area must be layed with a min 1:10 fall to a central floor drain.

Ventilation
A 100mm or 150mm diameter rigid plastic went duct. the pipe must be run from the roof of the steam room directly to atmosphere with a incline back towards the room to prevent any condensation blockages, A 90 degree upturn and cowl to be fitted to the exhaust end.

Drainage
In addition to the steam room floor drain, a drain is required foer,the waste outlet form the steam generator, within 1m of the generator. this drain should be a 32mm upstand with tundish suitable for temperatures of up to 100 degrees C.

Water Supply
A 15mm cold water supply with stopcock is required within 1m of the steam generator. The supply is required at a pressure between 1 and 6 bar (15 to 85 PSI) and not chemically softened.

Electrical Supply
A suitably rated electrical isolator is required for the steam generator within 1m of the generator

Rev	Date	Description	Drawn	Check
G	29-10-08	Notes and section revised	JI	SC
F	23-10-08	Scheme revised	JI	SC
E	02-09-08	Planning Details Added	LPC	SC
D	29-07-08	Planning notes added	JJI	SC
C	15-07-08	Alteration to clients comments	LPC	SC
B	14-07-08	Changes build control comments	LPC	SC
A	10-07-08	Alteration to clients comments	LPC	SC

Amendments

Drawing Status

- Feasibility
- Preliminary
- Comments
- Planning Drawing ■
- Building Regulation Drawing
- Tender Drawing
- Construction Drawing

0856/08 31-10

■ Quantity Surveying ■ Architecture
■ Project Management ■ Planning Supervision

PROJECT TITLE
Proposed Conversion of Outbuilding
The Old Vicarage
Pinchbeck

CLIENT
Mr & Mrs Lawton

DRAWING TITLE
Proposed Plans & Elevations

SCALE	DATE	
1:50 @ A1	July 2008	
DRAWN BY	CHECKED BY	DRAWING No. / REV
LPC	SC	300/1853 - 02 G

The Old Bake House, Kirton, Lincolnshire, PE20 1EH
t: 01205 724016 f: 01205 723631 e: Kmb@kmb-ltd.co.uk