

CONFIRMATION OF SURVEY DETAILS

Page _____ of _____



Customer BEECH	Order No 30203043	Surveyor P. TONGUE
Installation Address 31 BRAYFIELDS PINCHBECK		Postcode RE11 3TJ
E Mail Address		Date 16/8/2017

Property Questions including Restrictions and Approvals				
Product Abuts Soffit	Yes / No	New Build - See Note	Yes	No
Soffit Sample Taken	Yes / No	Anglian Product Previously Installed	Yes	No
Building Work Required	Yes / No	Night Vent with Safe & Sound - VOC	Yes	No
Residential Property	Yes / No	Are there any Property Restrictions	Yes	No
Flat (Which Floor) (Ground) YES		Conservation Area CUSTOMER'S SIGNING APPROVAL	Yes	No
Terrace		Listed Building	Yes	No
House		Other	Yes	No
Bungalow		Planning Application Required	Yes	No
Other		Planning Application Done By dfc	Customer	Anglian
External Finish		Surveyor Planning Pack Required	Yes	No
Estimated Duration		New Lintel Required - Aperture Width	mm	No

NOTE: Customer Planning - Contract will not go into Manufacture until copies of Approvals have been provided to Anglian by the Customer.

NOTE: For all Products into New Build it is the Customers responsibility to supply Anglian with full Aperture dimensions incl Floor Levels.

Fire Regulations	Existing units comply with Fire Egress Regulations Note: New units will either comply with current fire regulations or those for replacements.		Y	N
Gas Vent Present	If Yes - Ventilator to be removed	Location and volume	mm	
Yes	No	Replacement Ventilator	Location and volume	
			mm	

Confirmations	Y/N	Items	Confirmations	Y/N	Items
Designs changed from contract	Y	Complete VOC	Equal Sight Lines Required	N	
Existing Bay Head to Remain	N		Night Vents Required	Y	12/15/17
Are Restrictors Required	N		Frame Extensions Req	-	Customer to sign here
Existing Window Boards Remain	Y		Std Geo/Lead Drawings	-	If Yes Surveyor to provide on Survey

Standard Delivery TO FIT ASAP AFTER 12 SEPT	Delayed - specify approximate month and reason
--	--

Method of payment Please confirm method of payment due upon practical completion of the works (in accordance with GGF guidelines)	
☐ Anglian Gold Account	☒ Cash/Cheque/Debit/Credit Card
☐ Other	

EcoHome Promotion, signboard to be erected	YES/NO
--	--------

DECLARATION	Are you the Registered Owner of the property	Yes	No
The Surveyor has discussed the Survey in full and I agree to the designs and all other details finalised during his visit. I confirm all special requirements and information relevant to the order, including everything that was discussed with the salesperson, has been disclosed. I therefore authorise Anglian Windows to proceed with the manufacture in accordance with my preferred delivery requirement and the terms and conditions of the contract. I also confirm that the Anglian Representative has explained and demonstrated, with samples, where colour differences may occur in placing this order. I accept the products and accept that I cannot use the colour difference as a reason to reject the goods or cancel the contract at a later date.			
Customer's Signature: [Signature]	Date: 16/8/2017		

CONFIRMATION OF SURVEY DETAILS

Page of

Structural Defect Report - List below any visible External/Internal defects

NONE VISIBLE LINTELS PRESENT

PLEASE NOTE: It is not always possible to identify if lintels are present when the existing windows/doors are in situ. If at point of install it is found that the structure is unsupported/compromised then it may be necessary for lintels to be installed. Should this be the case then additional costs will apply to the customer in order to make the aperture structurally sound.

General Notes / Special Requirements

THINKING WANTS TO AN
WINDOW AN WINDOW FROM INSIDE TO OUT WINDOW
FRENCH DOOR WHICH FROM TO OPEN OUT
WITH MAIN DOOR ON THE RIGHT VIEW FROM
FROM DOOR IS A KEY CLASSIC DOOR TO
OPEN IN WITH HANDLE ON THE RIGHT VIEW
FROM INSIDE AN DESIGN AGREED

Variation Of Contract

Designs changed from Contract

Yes

No

Plus/Minus costs apply and have been agreed with the customer (As shown below)

Yes


No

NOTE: If agreement on costs is not reached, this order will be referred to Business Approvals for assessment

Reason for Variation (include sketch to show design changes from and to)

CHANGED DESIGN TO FROG BAR

FROM → TO



CHANGED DESIGN TO
LOUNGE WITH NO 6.

TO HAVE HANDLE ON
RIGHT NOT LEFT VIEW
FROM INSIDE

AN DESIGN
AGREED

Current Gross Contract Price

Gross Adjustment - Plus/Minus

New Gross Contract Price

Customer's Signature:

[Signature]

Date: 16/8/2017



Surveyor's Signature:

Date: 16/8/2017

PRODUCT SPECIFICATION

VIEWED FROM INSIDE

Page 1 of 1

Customer	BEECH			Order No	30203043			Surveyor	P. TONGUE			
Location/Item No.	KITCHEN			4 BACK BED S								
Customer Note!	It may not be possible to provide precise transoms & mullion break dimensions on site for Georgian or Lead Patterns											
Manufacturing sizes	1185 x 1010			1185 x 1160								
Input Sizes	W 1185		H 1045		W 1185		H 1195		W		H	
Material Type	PVCU			PVCU								
Product Type	UH			UH								
Fire Rated Door	-			-								
Cill Type & Colour	150 x 35 Wmr			150 x 35 Wmr								
Cill Horn	200			200								
Internal Sizes	W 1179 ✓		H 1014 ✓		W 1174 ✓		H 1158 ✓		W		H	
Buried Depths	L	R	B	T	L	R	B	T	L	R	B	T
Ground Height	900		DL	DR	850		DL	DR			DL	DR
Coupling Mullions	L	R	B	T	L	R	B	T	L	R	B	T
Frame Extensions	L	R	B	T	L	R	B	T	L	R	B	T
Frame Colour	Out White		In White		Out White		In White		Out		In	
Ventilators	1 x 4000			1 x 4000								
Handle Details	GND			GND								
Window Hinge Type	EAST CURVED			FIRE RATED								
Door Threshold												
Door Opening												
Letterplate												
DC Leaf Colours	Out		In		Out		In		Out		In	
Door Hinge Colour												
Door Extras	Knocker		Spyhole		Chain		Knocker		Spyhole		Chain	
Glass Pattern	CLEAR			CLEAR								
Double/Triple Glazing	DOUBLE			DOUBLE								
Glass Effect/ADG												
Panel Type												
WER	A++ ☐		A+ ☐		A ☒		A++ ☐		A+ ☐		A ☐	
	B ☐		B/Reg Compliant ☐		B ☐		B/Reg Compliant ☐		B ☐		B/Reg Compliant ☐	
Geo/Lead Patterns	W		H		W		H		W		H	
Notes	990											
Aperture Sizes	W		H		W		H		W		H	



Customer's Authorised signature: N. Beech

Date: / /

PRODUCT SPECIFICATION




VIEWED FROM INSIDE

Page 1 of 1

Customer BEECH	Order No 30203043		Surveyor P-TONGUE	
Location/Item No. Bam Room	1 LOUNGE		2 ROOM B60 3	
Customer Note! It may not be possible to provide precise transom & mullion break dimensions on site for Georgian or Lead Patterns.				
Manufacturing sizes	1185 x 1010		1188 x 1160	
Input Sizes	W 1185	H 1045	W 1188	H 1195
Material Type	PVCU		PVCU	
Product Type	UH		UH	
Fire Rated Door	-		-	
Cill Type & Colour	150 x 35 WH		150 x 35 WH	
Cill Horn	200		200	
Internal Sizes	W 1152 ✓	H 1107 ✓	W 1184 ✓	H 1157 ✓
Buried Depths	L R B T	L R B T	L R B T	L R B T
Ground Height	600	DL DR	900	DL DR
Coupling Mullions	L R B T	L R B T	L R B T	L R B T
Frame Extensions	L R B T	L R B T	L R B T	L R B T
Frame Colour	Out White In White	Out White In White	Out White In White	Out White In White
Ventilators	1 x 4000		1 x 4000	
Handle Details	GOLD		GOLD	
Window Hinge Type	EAST CROWN		EAST CROWN	
Door Threshold				
Door Opening				
Letterplate				
DC Leaf Colours	Out	In	Out	In
Door Hinge Colour				
Door Extras	Knocker	Spyhole	Chain	Knocker
Glass Pattern	PERLINE		CLAR	
Double/Triple Glazing	Down		Down	
Glass Effect/ADG				
Panel Type				
WER	A++ ☐	A- ☐	A ☒	A++ ☐
	B ☐	B Reg Compliant ☐		B ☐
Geo/Lead Patterns	W	H	W	H
Notes	965		1115	
Aperture Sizes	W	H	W	H

Customer's Authorised signature: **N. Beech**

Date: / /

Customer	BEECH			Order No	30203043			Surveyor	P. TONGUE		
Location/Item No.	LOUNGE L- 6			LOUNGE R- 7			LOUNGE 8				
Customer Note!	 It may not be possible to provide precise transom & mullion break dimensions on site for Georgian or Lead Patterns										
Manufacturing sizes	620 x 1160			620 x 1160			1250 x 2050				
Input Sizes	W 620 H 1195			W 620 H 1195			W 1250 H 2085				
Material Type	PVCU			PVCU			PVCU				
Product Type	UH			UH			PVCU UN				
Fire Rated Door	-			-			-				
Cill Type & Colour	150x35 WH			150x35 WH			150x35 WH				
Cill Horn	200			200			200				
Internal Sizes	W 605 H 1170			W 600 H 1166			W 1233 H 2022				
Buried Depths	L	R	B T	L	R	B T	L	R	B ss T ss		
Ground Height	820 DL DR			820 DL DR			5 DL DR				
Coupling Mullions	L	R	B T	L	R	B T	L	R	B T		
Frame Extensions	L	R	B T	L	R	B T	L	R	B T		
Frame Colour	Out White In White			Out White In White			Out White In White				
Ventilators	1400			1400			1400				
Handle Details	GOLD			GOLD			GOLD				
Window Hinge Type	Fast Close			Fast Close			90° STAYS				
Door Threshold							SSm Low Pvc				
Door Opening							OUTWARDS				
Letterplate											
DC Leaf Colours	Out In			Out In			Out In				
Door Hinge Colour											
Door Extras	Knocker Spyhole Chain			Knocker Spyhole Chain			Knocker Spyhole Chain				
Glass Pattern	CLEAR			CLEAR			CLEAR				
Double/Triple Glazing	DOUBLE			DOUBLE			DOUBLE				
Glass Effect/ADG											
Panel Type											
WER	A++ ☐ A+ ☐ A ☒ B ☐ B/Reg Compliant ☐			A++ ☐ A+ ☐ A ☒ B ☐ B/Reg Compliant ☐			A++ ☐ A+ ☐ A ☐ B ☐ B/Reg Compliant ☒				
Geo/Lead Patterns	W H			W H			W H				
Notes							1860 STD 1855 - 1850 1835 SSm				
Aperture Sizes	W H			W H			W H				

Customer's Authorised signature:





Date: / /

PRODUCT SPECIFICATION

VIEWED FROM INSIDE

Page 4 of 4

Customer	Beech			Order No	30203043			Surveyor	P. TONGUE		
Location/Item No.	BRODEx. 2			9							
Customer Note!	It may not be possible to show dimensions on this form & a light check dimensions on the order. Georgia or leaded patterns. 										
Manufacturing sizes	915 x 2030										
Input Sizes	W 915 H 2065			W			H			W H	
Material Type	GFP										
Product Type	MD										
Fire Rated Door											
Gill Type & Colour	150 x 35 Lims										
Gill Horn	209										
Internal Sizes	W 840 H 2025			W			H			W H	
Buried Depths	L R B T			L R B T			L R B T			L R B T	
Ground Height	S DL DR			DL DR			DL DR			DL DR	
Coupling Mullions	L R B T			L R B T			L R B T			L R B T	
Frame Extensions	L R B T			L R B T			L R B T			L R B T	
Frame Colour	Out White In White			Out			In			Out In	
Ventilators											
Handle Details	GARD (STYLISH)										
Window Hinge Type											
Door Threshold	LOW ALI 25mm										
Door Opening	INWARD'S										
Letterplate	GARD (LPI)										
DC Leaf Colours	Out White In White			Out			In			Out In	
Door Hinge Colour	GARD										
Door Extras	Knocker Spynole Chn			Knocker Spynole Chn			Knocker Spynole Chn			Knocker Spynole Chn	
Glass Pattern	PERLINE										
Double Glazing	DOUBLE										
Glass Effect/ADD											
Panel Type	EL9										
WER	A++ A- A			A++ A- A			A++ A- A			A++ A- A	
Geo/Lead Patterns	W H			W H			W H			W H	
Notes											
Aperture Sizes	W H			W H			W H			W H	

Customer's Authorised signature: 

Date: / /

Made in England