

PLANNING AMENDMENT

Application No: H14-0955-16
 Case Officer: Tracey Meachen
 Amendment Number: 2



APPLICANT NAME AND ADDRESS Mr I Healey C/O Remway Design Ltd Treetops The Raceground Spalding Lincs PE11 3AP	AGENT NAME AND ADDRESS Remway Design Ltd Treetops The Raceground Spalding Lincs PE11 3AP
SITE ADDRESS DETAILS 33 Milestone Lane Pinchbeck Spalding	
CURRENT APPLICATION NO: This amendment cannot be considered unless the relevant reference is stated.	H14-0955-16
Building Regulation reference relating to the same development (if applicable)	N/A
I attach this and necessary plans and request that the changes described below can be accepted as an amendment. As the amendment relates to a current application I agree to an extension of the terminal date (if applicable) Signed: <i>Remway Design Ltd</i> Dated: 15th March 2017	

Full description of development of current application that this amendment relates to	Residential development
State details of amendments proposed and list any relevant drawing numbers (give full details - only the changes listed here will be considered)	FFL's will be set 1m above average existing ground level with flood resilient design and construction used to 300mm above predicted flood level
Has this amendment been requested by the Council?	N/A
Has a similar amendment been submitted under Building Regulations?	N/A