DETAILS ON THIS DRAWING ARE COPYRIGHT OF SIDEBOTTOM RICHARDSON CHENG LIMITED.THIS IS A CONFIDENTIAL DOCUMENT AND MUST NOT BE COPIED, USED OR DIVULGED IN ANY WAY WITHOUT PRIOR WRITTEN CONSENT

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH SPECIFICATIONS AND ALL OTHER RELEVANT DRAWINGS.

2. ALL FOWP LEVELS SHOWN ON THIS DRAWING ARE APPROXIMATE. EXACT LEVELS TO BE DETERMINED ON SITE TO SUIT ADJACENT FINISHED GROUND LEVELS.

3. NEW CLASS 1 BYPASS INTERCEPTOR TO BE INSTALLED TO MANUFACTURERS RECOMMENDATIONS. (CONDER REF. CNSB7.5/1)

4. FOR PROPOSED FINISHES REFER TO ARCHITECTS DRAWINGS.

5. CONTRACTOR TO CHECK INVERT LEVELS AND PIPE SIZES FOR EXISTING SURFACE WATER MAIN AND VERIFY LEVELS PRIOR TO ANY CONSTRUCTION WORKS ON SITE.

6. EARTHWORK FOR LIGHTING / SECURITY NOT SHOWN.

S6
CL3.040
IL 1.900
PCC Manhole

RE
CL3.040
IL2.250

RE
CL3.040
IL2.210

S1
CL3.025
IL2.407
PPIC

RE
CL3.125
IL2.525

F3
CL3.150
IL2.000
PPIC

RE
CL3.125
IL2.525

S3
CL3.025
IL2.407
PPIC

S5
CL3.025
IL2.030
PCC Manhole

S2
CL3.025
IL2.255
PPIC

S4
CL3.025
IL2.255
PPIC

F4
CL3.150
IL1.850
PCC Manhole

S7
CL2.950
IL1.515
PCC Manhole

CONDER CLASS 1 BYPASS INTERCEPTOR REF. CNSB7.5/1 OR SIMILAR EQUIVALENT.

S8
CL3.050
IL1.341
PCC Manhole

RE
CL3.100
IL2.250

RE
CL2.950
IL2.250

ACO S100

FFL 3.200

For Slab Reinforcement Arrangement To Air con Enclosure See SRC Drawing No. 32507/110

For Slab Reinforcement Arrangement To Bin Store, Generator & Aircon Enclosure See SRC Drawing No. 32507/110

CL3.28
IL0.99

CL3.29
IL1.45

225ø Existing FWS

450ø Existing SWS

525ø Existing SWS

375ø Existing SWS

600ø Existing SWS

825ø Existing SWS

fence ends

tenfoot verge

DETERMINED PLAN

SHDC
Planning & Development
- 5 DEC 2008
Ref: 1251/08

REV	DATE	REMARKS
E	04.07.08	RWP runs to Rainfall Elevation Amended
D	01.07.08	Details to Proposed Concrete Bases Reinforcement Run From Downpipe to Discharge into SS
C	27.07.08	Drawing Revised to Show Latest Site & Building Arrangement
B	01.07.08	Status Updated to "For Construction"
A	27.30.06	SVP and RWP amended/added to suit architect's drawing

STATUS: FOR CONSTRUCTION

SIDEBOTTOM RICHARDSON CHENG LTD
CONSULTING STRUCTURAL AND CIVIL ENGINEERS
15 HIGH STREET, SPALDING, LINCS. PE11 1TW
TEL: (01775) 712680
FAX: (01775) 712635
E-MAIL: mail@s-r-c.co.uk

PROJECT
ROYTHORNES SOLICITORS
NEW ENTERPISE WAY
SPALDING

TITLE
DRAINAGE LAYOUT & EXTERNAL WORKS

DATE	Dec 07	SCALE	1:200 (@A1)
DRAWN	MP	CHECKED	
DESIGN	MP	FILENAME	SRC-100

DRG No. 32507/100 REV E

DETAILS ON THIS DRAWING ARE COPYRIGHT OF SIDEBOTTOM RICHARDSON CHENG LIMITED.THIS IS A CONFIDENTIAL DOCUMENT AND MUST NOT BE COPIED, USED OR DIVULGED IN ANY WAY WITHOUT PRIOR WRITTEN CONSENT