0075/02

QUO VADIS

EX. BUILDING

EX. BUILDING

EX. CONCRETE APRON

PROPOSED

SOAKAWAY

EX. WOODEN FENCE 1100 H.

MOVE EXISTING 1800 HIGH SECURITY FENCE TO NEW POSITION (IN LINE WITH PROPOSED NEW MONO PITCH

BLOCK PLAN (AREA .0168 Ha ENCLOSED IN RED)


SCALE 1/500 DRWG. No 011/2002 SHEET 1 of 1

PROPOSED MONO PITCH FOR FURTHER BULB DRYING SPACE

PREPARED FOR :- TOP SPORT INVESTMENTS
"QUO VADIS"
HOLBEACH RD., SPALDING, LINCS, PE12 6QP

p.c.s. verge colour ; moorland green BS 12B2 to front & rear elevations

yorkshire boarding (150x25) with 25 gap off galv. rails , to front & rear elevations only.




re-use existing roller shutter door to be removed from existing building on site, size 5000 mm wide x 4572 mm high (new door ht. will be determined by mono pitch construction & door head mechanism)

Front Elevation.

blue engineering bwk. dpc to front elevation & part return around cnr.

profile 6 R single skin roof cladding colour ; Natl.




p.c.s. single skin vertical cladding colour ; Moorland Green B.S. 12B21 to side elevation only

Side Elevation


252 cavity bwk. to all elevations comprising ;facing bwk. to match existing buildings (LBC Milton Buff) 50 cavity, 100 Tarmac Topblock "Hemelite" lightweight concrete blocks or similar approved.

yorkshire boarding (150x25) with 25 gap off galv. rails , to front & rear elevations only.




Rear Elevation.

approx. position of ex. piped dyke.



Floor Plan

All new brickwork / blockwork details to match existing



Section thro. Portal Frame

To soakaway min. 5m from any buildings

DETERMINED PLAN

SHDC Planning & Development 22 JAN 2002 Ref 0075/02

DRAWN	MJW	DATE	16/1/02
SCALE	1/50 & 1/75	CHECKED	

CLIENT Top Score Investments
" Quo Vadis "
Holbeach Rd
Spalding
Lincs. PE12 6JR

PROJECT

Proposed mono pitch for further bulb drying space

Malcolm Watson
architectural - detailing services
Residential - Commercial - Industrial - Agricultural
Planning & Building Regulations Submissions

13 Wimberley Way, Pinchbeck, Spalding, Lincs. PE11 3RY.
Tel / Fax : 01775 767650
email : mjw.13@btinternet.com

DRG No. 011/1/002

This drawing has only been produced for the purpose of obtaining Planning Permission does not contain any technical specification for obtaining Building Regulation Approval.