

This drawing to be read in conjunction with all standard details and specifications.
All dimensions to be verified on site.
All works to comply with current building regulations.

 WALL MOUNTED STATIC CAMERA IN HOUSING

1. LOCATION OF CAMERAS TO BE CO-ORDINATED WITH LANDSCAPING & LIGHTING COLUMNS.
2. MOUNTING HEIGHT 6m ASSL
3. ARROWS INDICATE DIRECTION OF COVER WHICH CAN BE ADJUSTED TO SUIT FINAL REQUIREMENTS.
4. MONITORING AND STORAGE/RECORDED DATA TO BE LOCATED IN HOUSEKEEP CCM MANAGER'S OFFICE BY SPECIALIST.
5. MANHOLES MH1, 2, 3 & 4 TO BE BRICK BUILD 600 x 450 x 600mm DEEP INTERNAL DIMENSIONS WITH MEDIUM DUTY CONCRETE INVERTS TO BE INSTALLED BY MAIN CONTRACTOR.
6. ALL CIVIL WORKS TO BE CARRIED OUT BY MAIN CONTRACTOR.
7. ELECTRICAL CONTRACTOR TO INSTALL ALL POWER, CCTV CABLING.
8. ALL CCTV FEEDING, INSTALLATION, TEST & COMMISSIONING TO BE CARRIED OUT BY SPECIALIST.
9. THE EXTERNAL CCTV SYSTEM SHOULD BE INTEGRATED WITH HOUSEKEEP INSTALLATION CCTV SYSTEM.
10. THE 6M COLUMNS SHOWN ON DETAIL 'A' SHALL BE SUPPLIED & INSTALLED BY THE MAIN CONTRACTOR.

ENTRANCE CAMERAS RELOCATED TO UNDERSIDE OF ENTRANCE OPENING.	CAD	SPB	12-05-06
	Engineer	S.D.	12-05-06
	Checked	APT	12-05-06
MAIN ENTRANCE CAMERAS RELOCATED TO EXTERNAL WALL.	CAD	SPB	16-03-08
	Engineer	S.D.	16-03-08
	Checked	APT	15-03-08
GENERAL AMENDMENTS.	CAD	SPB	JAN '08
	S.D.	JAN '08	
	Engineer	APT	JAN '08
	Checked	APT	JAN '08
Description	AP1	DATE	

Cudd Bentley Consulting Ltd
Wingate House,
High Street,
Ascot, Berkshire
SL5 7HG
Tel: +44 (0) 1344 628821
Fax: +44 (0) 1344 623448
Email: ascot@cuddbentley.co.uk

**C U D D
B E N T L E Y
C O N S U L T I N G**

www.cuddbentley.co.uk

**Building Services
Consultants**

Cudd Bentley Consulting Ltd.
8 The Courtyard,
707 Warwick Road,
Solihull, West Midlands
B91 3DA
Tel: +44 (0) 121 711 4243
Fax: +44 (0) 121 711 3535
Email: solihull@cuddbentley.co.uk

BRIDE HALL DEVELOPMENTS LTD

Project/Site Location	
-----------------------	--

70 WESTLODE STREET
SPALDING

Drawing Title

PROPOSED SITE

CCTV LAYOUT

Scale 1:250	CAD S.P.B	Engineer A.P.T	Approved A.P.T	Date Oct '05
----------------	--------------	-------------------	-------------------	-----------------

Project No.	Drawing No.	Revision
2009	E20	C

